

1911.
—
QUEENSLAND.

VITAL STATISTICS, 1910.

FIFTY-FIRST ANNUAL REPORT

OF

THE GOVERNMENT STATISTICIAN.

THORNHILL WEEDON, Fellow Royal Statistical Society, London,
GOVERNMENT STATISTICIAN.

PRESENTED TO BOTH HOUSES OF PARLIAMENT BY COMMAND.

BRISBANE:

BY AUTHORITY: ANTHONY JAMES CUMMING, GOVERNMENT PRINTER, WILLIAM STREET,

1911.

C.A. 76—1911.

FIFTY-FIRST REPORT OF THE GOVERNMENT STATISTICIAN ON THE VITAL STATISTICS OF QUEENSLAND.

TO THE UNDER SECRETARY, HOME DEPARTMENT, BRISBANE.

In presenting my Report for 1909, the Jubilee Report of the Department, I was in a position to congratulate myself on the very satisfactory character of the figures I was called upon to deal with. During 1910, the period embraced by this, the fifty-first report, matters are in no way less satisfactory; indeed, in some respects are even more so. More births and more marriages were recorded than ever before in the history of the State. The population accession due to migration, though far short of what could be readily absorbed, and greatly below the experience of many former years, was practically equal to those for 1909, and much in excess of the average for many recent years. The mortality, it is true, was somewhat higher than that recorded in some previous reports on this subject, but the increase did not consist—as might have been expected, with an increased number of births—of deaths under 1 year of age, although an upward tendency was apparent amongst children a year or two older. In this connection a recrudescence of fatal cases of diphtheria was in evidence, but the cases principally contributing to the greatest mortality were: Organic heart affections, Cancer, and Bright's disease.

POPULATION.

The population of Queensland, on 31st December, was estimated by me at 599,131 persons—325,806 males and 273,325 females. Of the two factors of which population increases are comprised the one possessing an element of uncertainty is that relating to migration. The natural increase is tabulated from figures ascertained with such accuracy that with regard to any statistical compilation they may be taken as practically correct. The method of obtaining migration records are less satisfactory, and a large amount of attention has been devoted endeavouring to secure reliable particulars, but hitherto with only partial success; consequently at each census enumeration, when estimates for the last intercensal period are proved, considerable discrepancies are found to obtain between the then estimate and the ascertained census results. Although any enumeration is sure to be below the actual fact, yet, with reasonable care, it must be so near thereto that it must be unhesitatingly accepted as such. The census just taken was, of course, subsequent to the records for 1910; but, seeing that a long time must necessarily elapse before the vital statistics for 1911 can be dealt with, I think a brief comment will not be out of place.

Up to the end of 1907, I was responsible for both natural increase and migration data, and I formulated a population as for 31st December of that year at 546,467. Migration statistics thereafter have been collected and compiled by the Commonwealth Statistician, and the latter's figures for that factor of the population estimate have had to be accepted, as I was not in possession of, nor could I procure, any other data. The Commonwealth Bureau made one important departure with regard to the collection of interstate migration—instead of collecting both departures from and arrivals at each State, only the latter are recorded and the interstate departures from any State are assumed to be equal to the aggregate of all the arrivals reported as coming from that State; and these figures, having no other, I have been compelled to accept. In addition to this change, Mr. Knibbs made adjustments—based, I understand, on these lines—for 1907 reducing the Queensland estimated population by 4,702. This adjustment I did not accept, and my estimate to the date of the recent census almost agreed with the actual count, whilst Mr. Knibb's estimate was some 5,000 too low. Tasmania was the only other State the population of which proved to have been underestimated by Mr. Knibbs, whilst the other four were all overestimated by him—some of them to a considerable extent. The late census shows Queensland to be entitled to another member in the Federal Parliament, but how long this privilege has been lost by the under and over estimates referred to is not easy to determine.

I estimated the population of Queensland, on 31st December, 1910, at 599,131 persons, of whom 325,806 were males and 273,325 were females.

A.

POPULATION OF THE STATE.

RETURN OF THE ESTIMATED POPULATION OF THE STATE OF QUEENSLAND ON THE 31ST DECEMBER, 1910.
(Not including full-blooded aborigines.)

	Males.	Females.	Persons.	EXCESS.			Males.	Females.	Persons.
				Males.	Females.	Persons.			
<i>Estimated Population on 1st January, 1910</i>	315,420	263,128	578,548
Births registered during March Quarter	1,961	1,837	3,798			
Deaths registered during March Quarter	869	522	1,391			
Natural Increase to Population during March Quarter	1,092	1,315	2,407			
Arrivals by sea and by rail during March Quarter* ...	15,099	7,587	22,686			
Departures by sea and by rail during March Quarter† ...	13,148	6,465	19,613			
Increase by Excess of Arrivals over Departures during Quarter*†	1,951	1,122	3,073			
Total Increase to Population during March Quarter	3,043	2,437	5,480
<i>Estimated Population on 31st March, 1910</i>	318,463	265,565	584,028
Births registered during June Quarter	2,122	1,986	4,108			
Deaths registered during June Quarter	837	505	1,342			
Natural Increase to Population during June Quarter	1,285	1,481	2,766			
Arrivals by sea and by rail during June Quarter* ...	17,247	8,536	25,783			
Departures by sea and by rail during June Quarter† ...	11,745	5,351	17,096			
Increase by Excess of Arrivals over Departures during Quarter*†	5,502	3,185	8,687			
Total Increase to Population during June Quarter	6,787	4,666	11,453
<i>Estimated Population on 30th June, 1910</i>	325,250	270,231	595,481
Births registered during September Quarter	2,089	2,139	4,228			
Deaths registered during September Quarter	885	560	1,445			
Natural Increase to Population during September Quarter	1,204	1,579	2,783			
Arrivals by sea and by rail during September Quarter* ...	13,900	7,255	21,155			
Departures by sea and by rail during September Quarter†	12,707	6,298	19,005			
Increase by Excess of Arrivals over Departures during Quarter*†	1,193	957	2,150			
Total Increase to Population during September Quarter	2,397	2,536	4,933
<i>Estimated Population on 30th September, 1910</i>	327,647	272,767	600,414
Births registered during December Quarter	2,089	1,950	4,039			
Deaths registered during December Quarter	1,004	563	1,567			
Natural Increase to Population during December Quarter	1,085	1,387	2,472			
Arrivals by sea and by rail during December Quarter* ...	14,379	7,218	21,597			
Departures by sea and by rail during December Quarter†...	17,305	8,047	25,352			
Decrease by Excess of Departures over Arrivals during December Quarter*†	-2,926	-829	-3,755			
Total Increase (or Decrease -) to Population during December Quarter	-1,841	558	-1,283
Net Increase to Population during 1910	10,386	10,197	20,583			
Estimated Population on 31st December, 1910	325,806	273,325	599,131

* Including allowance for unrecorded arrivals. † Including allowance for unrecorded departures. — Excess of Departures.

Continuing this estimate on the same basis to 31st March, 1911, gives a result to that date of 605,856, whilst three days later the census enumeration proved the population (enumerators' rough count) to be, approximately, 605,043. Schedules have since come to hand augmenting this latter figure by about a number which must have substantially reduced the difference between my estimate and the census results. Figures with regard to sex are also surprisingly close to the foregoing estimate.

The population increase during 1910 was 20,583—the largest numerical increase recorded since 1887, although the increase in 1909 approximated very closely, with 20,311; indeed, the latter was relatively slightly the greater, the centesimal ratios of increase being: 1909, 3.64; 1910, 3.56; the former being the highest ratio of increase since 1890. The ratio of increase of population last year for Queensland was exceeded by those for Western Australia and South Australia, but was greater than that for any other State.

Aa.

Queensland	3.56	Western Australia	4.15
New South Wales	2.73	Tasmania	0.18
Victoria	1.64	New Zealand	2.01
South Australia	3.93		

The population of Tasmania showed practically no increase last year.

It is hardly necessary to point out the greater ratio of increase exhibited for the past two years was mainly due to the renewal of State-aided immigration. The increase of 20,583 recorded in 1910 was attributed in about equal proportions to migration and to natural increase respectively—namely, to 10,155 of the former and 10,428 of the latter.

The estimated population of each State, as on 31st December, 1910, together with the sex ratios and the proportion of each to the total population of the Commonwealth, is given in the following table:—

Ab.

State.	Estimated Population, 31st December, 1910.			Proportion of each sex in each 100 of the Population.		Proportion per cent. of the Population of each Federal State to the total Population of the Commonwealth.
	Males.	Females.	Persons.	Males.	Females.	
Queensland	325,806	273,325	599,131	54·38	45·62	13·27
New South Wales	910,415	779,900	1,690,315	53·86	46·14	37·43
Victoria	665,963	652,834	1,318,797	50·50	49·50	29·20
South Australia	231,999	200,414	432,413	53·65	46·35	9·58
Western Australia	167,617	120,622	288,239	58·15	41·85	6·38
Tasmania	95,539	91,656	187,195	51·04	48·96	4·14
Total Commonwealth ...	2,397,339	2,118,751	4,516,090	53·08	46·92	100·00
New Zealand	529,965	472,756	1,002,721	52·85	47·15	
Total Australasia	2,927,304	2,591,507	5,518,811	53·04	46·96	

The figures in the above table are much discounted by the recent census, enumerators' rough counts—which are, of course, subject to correction—showing New South Wales to be in excess, in round numbers some 50,000; Victoria, 7,000; South Australia, 25,000; and Western Australia, 11,000; whilst Tasmania was underestimated some 3,000 persons.

The proportion of females to males is slowly approaching in Queensland to the normal condition which invariably results with countries dependent on natural increase.

Ac.

	Males to each 100 Persons.		Females to each 100 Persons.		Females to each 100 Males.	
1880	58·71	...	41·29	...	70·32	...
1885	58·91	...	41·09	...	69·75	...
1890	56·93	...	43·07	...	75·65	...
1895	56·27	...	43·73	...	77·71	...
1900	55·63	...	44·37	...	79·77	...
1905	54·96	...	45·04	...	81·96	...
1910	54·38	...	45·62	...	83·89	...

Thirty years ago out of each 100 persons 59 were males and 41 were females; last year the proportions were 54 and 46.

The following table recapitulates the growth of population in the State since 1861:—

Ad.

SHOWING EXCESS of BIRTHS over DEATHS and of IMMIGRATION over EMIGRATION by SEA and OVERLAND by RAILWAY.—RETURN from 1862 to 1910.

Period	Mean Population for Period.	EXCESS OF BIRTHS OVER DEATHS.				Centesimal proportion which the excess of Births over Deaths bears to the total Population increase.	EXCESS OF IMMIGRATION OVER EMIGRATION BY SEA AND OVERLAND BY RAILWAY.				Centesimal proportion which the excess of Immigration over Emigration bears to the total Population increase.	Total increase to Population to 31st December of last year of period.	Centesimal ratio of total increase to Population of last year of previous period.	Proportion of Females to each 100 Males in total increase.
		Males.	Females.	Total.	Centesimal ratio to Population of last year of previous period.		Males.	Females.	Total.	Centesimal ratio to Population of last year of previous period.				
1862-1865 ...	60,460	2,062	3,025	5,087	14·80	9·88	28,880	17,542	46,422	135·08	90·12	*53,437	155·49	64·40
1866-1870 ...	103,012	5,739	7,571	13,310	15·16	49·05	9,804	4,019	13,823	15·74	50·95	*27,763	31·62	70·19
1871-1875 ...	143,467	6,704	9,706	16,410	14·20	26·06	33,661	12,850	46,511	40·25	73·94	*65,721	56·87	57·82
1876-1880 ...	204,445	7,960	12,291	20,251	11·17	37·12	23,384	10,914	34,298	18·92	62·88	*44,789	24·71	95·21
1881-1885 ...	268,719	7,986	15,262	23,248	10·28	20·78	57,200	31,414	88,614	39·20	79·22	*100,839	44·60	76·19
1886-1890 ...	375,253	17,872	24,238	42,110	12·88	41·96	36,111	22,138	58,249	17·82	58·04	*95,860	29·32	82·67
1891-1895 ...	427,792	20,525	25,757	46,282	10·95	75·46	11,361	3,692	15,053	3·56	24·54	*37,774	8·93	147·96
1896-1900 ...	487,319	17,724	24,037	41,761	9·07	67·33	14,968	5,294	20,262	4·40	32·67	*33,616	7·30	113·72
1901-1905 ...	515,381	16,628	22,910	39,538	8·00	116·69	\$—1,311	\$—4,345	\$—5,656	—1·14	—16·69	33,882	6·86	121·21
1906	532,783	4,068	4,856	8,924	1·69	126·31	\$—1,665	\$— 194	\$—1,859	—0·35	—26·31	7,065	1·34	194·01
1907	541,204	3,974	4,969	8,943	1·67	78·77	\$ 1,457	\$ 954	\$ 2,411	0·45	21·23	11,354	2·12	109·06
1908	555,171	4,175	4,973	9,148	1·67	77·72	\$ 1,622	\$ 1,000	\$ 2,622	0·48	22·28	11,770	2·15	103·04
1909	571,044	4,537	5,487	10,024	1·80	49·35	\$ 7,046	\$ 3,241	\$ 10,287	1·84	50·65	20,311	3·64	75·35
1910	592,201	4,666	5,762	10,428	1·80	50·66	\$ 5,720	\$ 4,435	\$ 10,155	1·76	49·34	20,583	3·56	98·18

* Figures adjusted after actual population ascertained by census. † Including allowances for unrecorded arrivals and departures.
— Excess of departures.

Whilst the figures for 1909 and 1910 relating to migration, shown in columns 8, 9, and 10, look very satisfactory as compared with the records since 1891, yet, especially when the increased population since then is considered, they appear small beside the figures for the decade 1880 to 1890.

The numbers of each sex recorded as arriving in and departing from Queensland each quarter of the year 1910 were as follow:—

B.

Quarter.					ARRIVALS.								
					By Sea.			By Land.			Total Arrivals.		
					Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
First	5,796	2,811	8,607	8,457	4,342	12,799	14,253	7,153	21,406
Second	7,338	3,706	11,044	9,008	4,391	13,399	16,346	8,097	24,443
Third	5,409	3,291	8,700	7,719	3,604	11,323	13,128	6,895	20,023
Fourth	5,339	3,005	8,344	8,218	3,830	12,048	13,557	6,835	20,392
Totals	23,882	12,813	36,695	33,402	16,167	49,569	57,284	28,980	86,264

Quarter.					DEPARTURES.								
					By Sea.			By Land.			Total Departures.		
					Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
First	4,210	2,019	6,229	8,125	4,042	12,167	12,335	6,061	18,396
Second	3,380	1,585	4,965	7,604	3,424	11,028	10,984	5,009	15,993
Third	4,244	2,258	6,502	7,694	3,672	11,366	11,938	5,930	17,868
Fourth	5,693	2,598	8,291	10,556	4,954	15,510	16,249	7,552	23,801
Totals	17,527	8,460	25,987	33,979	16,092	50,071	51,506	24,552	76,058

N.B.—This table does not include the allowances made in framing population estimates for persons crossing the Border otherwise than by Rail.

There were 86,264 persons recorded as arriving in Queensland last year, of whom 49,569 came borderwise and 36,695 by sea. Of the total arrivals, 24,443 came in the second or June quarter of the year, 21,406 in the March quarter, or 45,849 in the first half of the year, the arrivals during the last six months aggregating 40,415 only.

Of the 76,058 departures, 50,071 went borderwise and 25,987 by sea; thus the borderwise departures exceeded the borderwise arrivals by 502; whilst, on the other hand, 10,708 more persons arrived in Queensland by sea than departed therefrom; the total excess of all arrivals being 10,206.

POPULATION IN FINANCIAL DIVISIONS.

Reliable figures from the recent census will be available to replace these estimates by next year. The present estimates rest upon a purely arithmetical base.

D.

						Northern Division.	Central Division.	Southern Division.	Total State.
Population, Census 1901—									
Number—									
Males						70,145	36,343	173,604	280,092
Females						40,812	27,576	154,786	223,174
Persons						110,957	63,919	328,390	503,266
Proportion, per cent.—									
Males to total Males						25·04	12·98	61·98	100·00
Females to total Females						18·29	12·35	69·36	100·00
Estimated Population, 31st December, 1910—									
Males						81,593	42,275	201,938	325,806
Females						49,983	33,774	189,568	273,325
Total Persons						131,576	76,049	391,506	599,131

An approximate count taken from the returns of the enumerators engaged on the recent census give the populations of each of the three divisions on 3rd April, 1911, as:—

	Males.	Females.	Persons.
Northern Division	71,445	47,834	119,279
Central Division	40,835	31,708	72,543
Southern Division	216,794	196,427	413,221
	329,074	275,969	605,043

This shows that apportioning for a series of years to total population increase to the Financial Divisions by the arithmetical method on the basis of the previous census figures allows room for considerable discrepancy. The estimate for the Central Division was a fairly close one, only some 4,000 or 5,000 belonging to the South having been allotted to it. As between the North and the South, however, the difference was very considerable. The former was estimated, on 31st December last, to have a population of 131,576, whilst three months later it contained 119,000; the latter, credited with 391,506 in December, in March was found to possess 413,000.

Population—Metropolitan Area.

The estimated population of Greater Brisbane, as published in the last Report, was slightly above the true figures as now disclosed by census. As the figures for Brisbane were checked and examined with particular care, although still only enumerator's counts and subject to alteration, they are, I feel sure, practically correct; and I have, therefore, adopted them instead of continuing the erroneous estimate. The following table, therefore, relates to the census as taken on 3rd April, 1911.

D a.

	Males.	Females.	Persons.
City of Brisbane	19,908	20,346	40,254
City of South Brisbane	14,540	15,828	30,368
Suburbs	34,577	36,143	70,720
Brisbane Metropolitan Area (Ten-mile Radius)	69,025	72,317	141,342

N.B.—The above are approximate Census figures as taken 3rd April, 1911.

The effect of the estimate was to inflate the figures for the two municipalities and to under-estimate the population for the suburban area. The overestimate was both actually and relatively greater for the south side municipality, where, moreover, the divergence as to sex was also greater.

Federal "Effective" Population.

The last estimate of population to determine the legislative representation of each State in the Commonwealth Parliament was made on 31st March, 1910.

D b.

State.	Effective Population 31st March, 1910.	Quota.	Quotient and Remainder.		Number of Representatives.	
			Quotient.	Remainder.	Number as per Quota.	Statutory Number.
Queensland	556,604	60,626	9	10,970	9	9
New South Wales	1,636,097		26	59,821	27	27
Victoria	1,302,423		21	29,277	21	21
South Australia	415,836		6	52,080	7	7
Western Australia	268,707		4	26,207	4	5
Tasmania	185,390		3	3,512	3	5
Commonwealth	4,365,057	74

The result of the recent census will make important changes in this tabulation. As the census figures have not yet been finally checked, the full measure of the changes can only be surmised, but a superficial consideration of the known preliminary results of the count shows very clearly that Queensland will secure another member.

MARRIAGES.

The 1910 experience as to the number of marriages celebrated was the most favourable for a number of years. There were a greater number registered than in any previous year, whilst the ratio of marriages to the population—i.e., the marriage rate—had not been equalled since 1888. Appendix Tables Nos. IV. and V. furnish detailed information as to the number of marriages celebrated in the various registry districts. The following summary shows the total number registered in each of the more important districts during 1910:—

E.

District.	Number.	District.	Number.
Brisbane	1,230	Maryborough	184
Toowoomba	331	Enoggera	179
Ipswich	327	Bundaberg	144
Rockhampton	267	Cairns	136
Warwick	196	Gympie	123
Kennedy	187	Mackay	116
Townsville	187	Burnett	100

There were 14 districts in which at least 100 marriages were celebrated. Naturally the metropolitan district came first, where 1,230 out of a total of 4,769 marriages, or 25.8 per cent., were recorded. Of all marriages celebrated in Queensland last year 78 per cent. were returned by the 14 districts comprised in the foregoing summary.

Marriage Rate.

The marriage rate, which fell to a very low ebb during the period of depression, 1893-1904, has again attained reasonable dimensions. The rates for each year since the initiation of registration (1857) are given in the following table:—

E a.

Year.	Number of Marriages per 1,000 mean Population.	Year.	Number of Marriages per 1,000 mean Population.	Year.	Number of Marriages per 1,000 mean Population.
1857	8.2	1875	8.6	1893	5.9
1858	9.4	1876	7.6	1894	5.7
1859	9.3	1877	7.6	1895	6.2
1860	10.8	1878	7.0	1896	6.1
1861	10.2	1879	7.5	1897	6.0
1862	14.4	1880	7.0	1898	6.0
1863	14.5	1881	7.7	1899	6.8
1864	14.0	1882	8.6	1900	6.9
1865	13.3	1883	8.9	1901	6.6
1866	11.6	1884	8.9	1902	6.3
1867	9.5	1885	8.9	1903	5.7
1868	8.3	1886	8.3	1904	5.9
1869	8.3	1887	8.2	1905	6.04
1870	7.8	1888	8.7	1906	6.73
1871	8.1	1889	7.9	1907	7.58
1872	8.7	1890	7.8	1908	7.22
1873	9.6	1891	7.1	1909	7.95
1874	8.6	1892	6.7	1910	8.05

The marriage rate invariably rises with the introduction of State-aided immigration. These people to a considerable extent comprise persons of marriageable age, and the augmentation of this section of the community naturally tends to an increased number of marriages.

The marriage rates in each State of the Commonwealth and in the Dominion of New Zealand for each of the last five years, and the average of the rates for the quinquennium, were as follow :—

E b.

		1906.	1907.	1908.	1909.	1910.	Average of the Rates for the Quinquennial Period.
Queensland	6.73	7.58	7.22	7.95	8.05	7.51
New South Wales	7.63	7.84	7.96	8.03	8.58	8.01
Victoria	7.28	7.68	7.38	7.35	7.83	7.50
South Australia	7.05	7.94	7.84	8.00	8.73	7.91
Western Australia	8.70	8.02	7.50	7.27	7.46	7.79
Tasmania	7.74	7.91	7.87	8.13	7.98	7.93
New Zealand	8.48	8.91	8.82	8.33	8.30	8.57

With the exception of Western Australia and of New Zealand the rate for 1910 was greater for each State than was the quinquennial average. Queensland rate of 6.73, of 1906, was the lowest of any rate throughout the five-year period.

Although it is usual to make comparisons of crude marriage and other ratios, yet such can hardly be unreservedly accepted as comparable. It is manifest that with marriages, for instance, sex and age proportion are important factors in determining the marrying propensities of the people. Some approach to equality in the number of males and females is essential to normal conditions as regards marriage, whilst the very young do not and the very old seldom marry.

The proportions of marriageable persons, male and female, at the 1901 census in each State were as follow :—

E c.

	Males.	Females.	Persons.
Queensland ...	17.85	11.87	29.72
New South Wales ...	14.02	14.61	28.63
Victoria ...	18.34	17.60	35.94
South Australia ...	11.28	16.20	27.48
Western Australia ...	25.47	9.66	35.13
Tasmania ...	12.72	15.00	27.72

The figures have, no doubt, been considerably modified during the 10 years, and more satisfactory figures from the recent enumeration will be available for the next report.

Manifestly, a State with only 27 per cent. of its population marriageable is not likely to have so high a crude marriage rate as one with centesimal proportion of 36 marriageable, seeing that the latter has 4 to the former's 3 who can contribute to the result.

Marriage by Religious Denomination.

Appendix Table No. V. furnishes full information on this subject for 1910. The following gives a summary of the same table as published for each of the last ten years:—

F.

Denomination.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	Total Ten Years.
Church of England	921	883	741	789	779	877	1,057	1,021	1,148	1,212	9,428
Roman Catholic Church	678	645	589	619	616	767	827	792	918	941	7,392
Methodist	570	523	476	521	607	642	731	715	723	874	6,382
Presbyterian	439	445	441	444	427	487	577	554	621	683	5,118
Baptist	150	156	158	157	158	192	191	201	245	256	1,864
Lutheran	145	130	130	139	136	142	132	144	156	191	1,445
Congregational	104	122	104	104	107	109	128	124	143	126	1,171
Salvation Army	24	16	9	21	15	17	23	35	36	32	228
Other Christian Sects	75	93	84	124	139	169	220	234	354	245	1,737
Hebrew	2	...	1	1	1	3	...	2	...	4	14
By Registrars and Marrying Justices ...	233	230	200	159	188	183	219	187	198	205	2,002
Totals	3,341	3,243	2,933	3,078	3,173	3,588	4,105	4,009	4,542	4,769	36,781

The year 1903 was the one of the decade in which the fewest—namely, 2,933—marriages were celebrated. Each year has witnessed an increasing number registered, culminating in 4,769 marriages in 1910, or actual and relative increase during the seven years of 1,836 and 63 per cent. respectively.

The average annual number of marriages recorded during the decade was 3,678, of which 943, or 25.6 per cent., were celebrated by ministers of the Church of England; 739, or 20.1 per cent., of Roman Catholics; 638, or 17.3 per cent., by Methodists; 512, or 13.9 per cent., by Presbyterians; 186, or 5.1 per cent., by Baptists; 145, or 3.9 per cent. by Lutherans; and 117, or 3.2 per cent., by Congregationalists.

The following still must be based on the census figures for 1901, details for the recent enumeration not yet being available:—

F a.

				Proportion per cent. each Denomination to total— Population. Census, 1901.	Marriages, 1910.
Church of England	36.76	25.41
Roman Catholic Church	23.98	19.73
Methodist Church	9.25	18.33
Presbyterian Church	11.45	14.32
Lutheran Church	5.07	4.01
Baptist Church	2.43	5.37
Congregational Church	1.94	2.64

It will be interesting to note whether, according to the 1911 census, the adherents of the two Episcopal Churches show as great a relative increase as the adherents of the next two most important religious bodies. According to the 1901 census, the former together comprised 60.74 per cent. of the population, and last year celebrated 45.14 per cent. of all marriages, whilst the latter comprised 20.70 of the population, and celebrated 32.65 per cent. of the marriages.

Birthplaces of Persons Married.

Full particulars are given in Appendix Table No. VI. under this head. Two-thirds of all persons married were natives of the State. The centesimal proportion of native-born participants to all persons married at quinquennial rests during the last 35 years was as follow:—

G.

1875.	1880.	1885.	1890.	1895.	1900.	1905.	1910.
7.20	13.77	19.63	25.98	41.14	49.38	61.57	66.58

In 1875, persons born in Queensland comprised 7 per cent. only of all persons married; last year the ratio had risen to 67 per cent.

Of the 4,769 husbands last year 2,785 were born in Queensland, 2,364 of them marrying native-born wives; 885 were from the United Kingdom, 852 were born in other parts of Australasia, and 154 in Continental Europe. Of the 4,769 brides, 3,565 were Queenslanders by birth, 615 were born in one or other of the divisions of the United Kingdom, 456 in Australasia, and 75 on the Continent of Europe.

Ages of Husbands and Wives.

The following table summarises the information contained in Table No. VII. in the Appendix:—

H.

HUSBANDS.

Ages of Husbands.	No. of Husbands at each Age Group.	MARRIED TO WIVES —										
		YOUNGER THAN THEMSELVES.					Same Age as themselves.	OLDER THAN THEMSELVES.				
		By 5 and more years.	By 4 years.	By 3 years.	By 2 years.	By 1 year.		By 1 year.	By 2 years.	By 3 years.	By 4 years.	By 5 and more years.
Under 21 years	162	...	4	12	15	17	35	25	20	11	6	17
21 to 25 years	1,388	155	142	158	203	204	185	103	71	48	37	82
25 to 30 „	1,643	651	190	158	161	115	125	83	42	36	26	56
30 to 35 „	755	483	46	50	38	29	32	22	15	13	7	20
35 to 40 „	407	308	17	17	14	8	8	7	4	3	7	14
40 to 45 „	174	133	13	2	4	4	4	5	1	2	...	6
45 to 50 „	99	76	2	4	4	2	3	1	1	6
Upwards of 50 years	141	110	1	2	5	6	4	3	...	2	1	7
Totals	4,769	1,916	415	403	444	385	396	249	154	115	84	208

WIVES.

Ages of Wives.	No. of Wives ateach Age Group.	MARRIED TO HUSBANDS—										
		YOUNGER THAN THEMSELVES.					Same Age as them- selves.	OLDER THAN THEMSELVES.				
		By 5 and more years.	By 4 years.	By 3 years.	By 2 years.	By 1 year.		By 1 year.	By 2 years.	By 3 years.	By 4 years.	By 5 and more years.
Under 21 years	1,118	5	10	35	56	100	106	146	660
21 to 25 years	1,825	4	6	26	52	98	185	204	201	185	168	696
25 to 30 „	1,086	60	51	51	67	91	125	88	100	75	63	315
30 to 35 „	389	60	14	28	19	32	32	20	22	22	22	118
35 to 40 „	162	38	8	3	7	8	8	6	8	8	11	57
40 to 45 „	75	14	4	4	2	5	4	3	6	4	4	25
45 to 50 „	60	16	...	1	1	1	3	3	4	3	1	27
Upwards of 50 years	54	16	1	2	1	4	4	5	3	18
Totals	4,769	208	84	115	154	249	396	385	444	403	415	1,916

Of the bridegrooms, 162 were under the age of 21 years, whilst 1,118 of the brides were also minors. Of the former, 48 married girls younger than themselves, 35 wives of the same age, and 79 women older than they were. Of the lastnamed, the age of 17 of the wives exceeded their husband's age by more than 5 years.

Referring to the original table in the Appendix (No. VII.), it will be seen that two of the grooms were so young as 17 years on their last birthday, 23 were only 1 year older, 41 were 19 years of age, and 96 between 20 and 21 years. At the other end of life, one husband had just reached the allotted threescore and ten years, 1 was 71, 3 were 72, 1 was 74, 2 were 75, and one each were 77 and 80 years respectively.

Each year witnesses a few cases of brides who are so young as to be dangerously near the legal limit, and who are so youthful that, beyond question their acceptance of the responsibilities of married life is fraught with the gravest possibilities of disaster. In 1910 there were two wives who were only 14 years of age, 16 were but one year older, 35 were only 16, and 138 17 years of age. The two children of 14 were married to men of 21 and 28, disproportion in age not being so great as to add another element of danger, but one girl of 15 and one of 16 were married to men of 40. One girl of 17 was married to a husband 31 years older than herself; or, in other words, one who was nearly three times her own age. Other instances of great disparity were young women of 21, 22, 23, 24, 26, and 28 respectively married to men of 54, 55, 58, 63, 68, and 72 years of age. At the other end of the scale a youth of 23 took a bride of 45, and a young man of 26 one of 49—not quite double his own age.

The mean age at marriage is 29 for all husbands and 25 for all wives. If widowers, widows, and divorced persons be excluded, then the mean age for all first marriages is about one year younger for either sex.

				H a.			
				All	Bachelors.	All	Spinsters.
				Husbands.		Wives.	
1881-1885, Average of Means ...				28·22	...	23·29	...
1886-1890, " " "				27·52	...	23·23	...
1891-1895, " " "				28·38	...	23·69	...
1896-1900, " " "				28·91	27·79	24·22	23·22
1901-1905, " " "				29·15	28·07	24·43	23·39
1906 Mean age				29·03	27·98	24·32	23·39
1907 " "				28·83	27·84	24·38	23·49
1908 " "				28·85	27·89	24·55	23·65
1909 " "				28·80	27·73	24·60	23·62
1910 " "				28·23	27·73	24·71	23·73

The foregoing table covers a period of thirty years. The figures disclose nothing justifying any very definite conclusion as to a progressive change during that period, although a very slight advance in the mean age may perhaps be deduced from them.

Conjugal Conditions of Husbands and Wives.

First marriages—i.e., the marriage of bachelors to spinsters—comprise 89 per cent. of all marriages.

H b.

Amongst Marriages of—								1910.			
								Numbers Married.	Proportion Per Cent. to Total Marriages.	THE MEAN AGES AT MARRIAGE WERE—	
										Husbands.	Wives.
Bachelors to Spinsters	4,259	89·31	27·29	23·46
Bachelors to Widows	183	3·84	37·48	36·90
Bachelors to Divorced Women	12	0·25	32·75	29·33
Widowers to Spinsters	209	4·38	41·27	29·19
Widowers to Widows	94	1·97	52·52	46·54
Widowers to Divorced Women	2	0·04	45·00	35·50
Divorced Men to Spinsters	6	0·13	34·33	25·17
Divorced Men to Widows	2	0·04	30·00	34·00
Divorced Men to Divorced Women	2	0·04	39·00	26·50
Of all Males Married—								4,454	93·39	27·73	...
Widowers								305	6·40	44·76	...
Divorced Men								10	0·21	34·40	...
Of all Females Married—								4,474	93·81	...	23·73
Spinsters								279	5·85	...	40·13
Widows								16	0·34	...	29·75
Divorced Women							
TOTAL PERSONS MARRIED								9,538	200·00	28·83	24·71

Of the 4,769 men married last year, 4,454, or 93·4 per cent., were bachelors; 305, or 6·4 per cent., were widowers; and 10, or 0·2 per cent., were divorced. Of the 4,769 wives, 4,474, or 93·8 per cent., were spinsters; 279, or 5·9 per cent., were widows; and 16, or 0·3 per cent., were divorced. Old Weller's caution to Sam would hardly have been justified in Queensland last year, as more widowers were remarried than widows—namely, 305 of the former against 279 of the latter.

There appears to be an increase in both dissolutions of marriage and of divorced persons remarrying. Certainly the figures for 1910 point to that conclusion.

H c.

		1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
Dissolutions	...	14	6	8	13	4	12	12	11	16	20
Divorcees Remarried	...	21	14	12	9	8	9	18	10	15	26

During 1910 there were 20 dissolutions granted—that is to say, 40 persons were divorced. There were also 26 persons who had been divorced who were remarried. Not necessarily, or indeed probably, all of them constituents of the 40 divorced, although a considerable number of them perhaps were. Year in and year out it may fairly be assumed that foreign divorcees remarried in Queensland are about equal in number to Queensland divorcees remarried beyond the State; and it may, therefore, be taken that there is a pronounced relation between the two lines of the foregoing table. Last year remarriages were equal to 65 per cent. of the persons divorced, and for the 10 years reviewed in the table the like proportion was 61 per cent.

Persons Signing Marriage Certificates by Mark.

Very few persons are so illiterate now as to be unable to sign their name. The marriage register test is far from a satisfactory one, but is the best available.

I.

Number of Persons in each Year who signed Marriage Certificate with a Mark.					Proportion to each 100.					
					Marriages.			Persons Married.		
					Males.	Females.	Persons.			
Year.	Males.	Females.			Males.	Females.				
1875	...	135	...	267	...	9·08	...	17·96	...	13·52
1880	...	90	...	187	...	5·82	...	12·09	...	8·95
1885	...	107	...	209	...	3·76	...	7·35	...	5·56
1890	...	94	...	115	...	2·94	...	3·60	...	3·27
1895	...	82	...	76	...	2·90	...	2·69	...	2·80
1900	...	58	...	88	...	1·72	...	2·61	...	2·17
1905	...	44	...	44	...	1·39	...	1·39	...	1·39
1910	...	38	...	51	...	0·80	...	1·07	...	0·93

This table covers a period of 35 years, and shows what a great improvement has taken place in that time with regard to that primary element of education, the ability to write one's name, the degree of illiteracy, as shown by married register, having dropped from 14 to less than 1 per cent.

BIRTHS.

The satisfactory increase in the number of births occurring which has been experienced in recent years was continued throughout 1910, and the record of 16,173 for that year was the greatest number ever registered. Detailed tables of birth registrations will be found in the Appendix. The following statement furnishes the total registrations for each of the last 10 years:—

J.

Increase or —Decrease on Previous Year.					Increase or —Decrease on Previous Year.				
Year.		Births.	Numerical.	Centesimal.	Year.		Births.	Numerical.	Centesimal.
1901	...	14,303	—498	—3·36	1906	...	14,019	...	393 ... 2·88
1902	...	14,216	—87	—0·61	1907	...	14,542	...	523 ... 3·73
1903	...	12,621	—1,595	—11·22	1908	...	14,828	...	286 ... 1·97
1904	...	14,082	1,461	11·58	1909	...	15,554	...	726 ... 4·90
1905	...	13,626	—456	—3·24	1910	...	16,173	...	619 ... 3·98

It will be seen that the numerical increase last year was slightly below that for 1909, but was above that for any other year since 1904; but that year was exceptionally placed, following as it did three years for each of which the records had disclosed a decrease. The births for 1903, moreover, were phenomenally few, being below the registration for any previous year back to 1886.

A summary of the information contained in Table No. III. in the Appendix, as published for 1909 and 1910, will be found below:—

Ja.

BIRTHS, 1909 AND 1910.

Geographical Division.	1909.			1910.			Total Increase or —Decrease in the latter Year.	Females born to every 100 Males born in 1909.	Females born to every 100 Males born in 1910.
	Males.	Females.	Persons.	Males.	Females.	Persons.			
Brisbane (10-mile radius)	1,780	1,731	3,511	1,903	1,847	3,750	239	97·25	97·06
„ (outside radius)	63	61	124	50	58	108	—16	96·83	116·00
Total Metropolitan Division	1,843	1,792	3,635	1,953	1,905	3,858	223	97·23	97·54
Moreton	1,081	1,032	2,113	1,088	1,070	2,158	45	95·47	98·35
Wide Bay	1,060	927	1,987	1,098	1,025	2,123	136	87·45	93·35
Port Curtis	689	695	1,384	752	644	1,396	12	100·87	85·64
Edgumbe	870	804	1,674	845	816	1,661	—13	92·41	96·57
Rockingham	443	416	859	443	404	847	—12	93·91	91·20
York Peninsula	56	67	123	65	64	129	6	119·64	98·46
Carpentaria	127	141	268	142	151	293	25	111·02	106·34
Central Western	29	20	49	27	22	49	...	68·97	81·48
South Western	130	100	230	105	116	221	—9	76·92	110·48
Central	227	249	476	254	222	476	...	109·69	87·40
Maranoa	184	183	367	200	188	388	21	99·46	94·00
Downs	1,217	1,172	2,389	1,289	1,285	2,574	185	96·30	99·69
Total	7,956	7,598	15,554	8,261	7,912	16,173	619	95·50	95·78

Taking the metropolitan division, the increase of 239 in the ten-mile radius as compared with the decrease of 16 in the outside suburban area, is attributable to the larger number of expectant mothers in this time of greater prosperity who are able to avail themselves of the advantages of lying-in hospitals and homes, especially those of a private character. There were 3,858 births, or 24 per cent. of all births in the State, which occurred in the metropolitan registry district; this was an increase of 223 on the registrations of the previous year. Of the other geographical divisions, the greatest increase was on the Downs, where the recent census has disclosed a large accession of population, Wide Bay coming next, where there has also been a large increase in the number of agriculturists, particularly in the hinterland of the Burnett area. Small decreases were recorded in three of the divisions—namely, Rockingham, Edgumbe, and the South-western.

Of the 16,173 children born in 1910, 8,261 were males and 7,912 were females. These figures give 95.78 females to each 100 males, the ratio in 1909 was 95.50. The proportions of the sex varied greatly in the different divisions. Whilst there was as many as 110 and 106 females to each 100 males in the South-western Division and Carpentaria respectively, the proportions were as low as 87, 86, and 81 in the Central, the Port Curtis, and the Central Western divisions.

The ratios of the sex vary for the whole State considerably, but not to the extent obtaining with regard to smaller areas.

J b.

Females born to every 100 males born.				Females born to every 100 males born.			
1901	96.44	1906	92.57
1902	95.30	1907	95.09
1903	96.37	1908	93.20
1904	97.39	1909	95.50
1905	95.27	1910	95.78

Whilst the separate ratios as shown above ranged as much as 29 per cent., it will be noted that for the whole State during the period under review the range was 4 per cent. only—namely, from 92.57 females to each 100 males in 1906 to 97.39 in 1904. In no instance during the 10 years did the female births equal the male births.

Birth Rates.

This very important item with regard to vital statistics has exhibited some little improvement during the last few years, although the abnormal rates of 40 to 50 years ago are never again likely to be realised.

K.

1860	...	47.9	1880	...	36.9	1900	...	30.2
1865	...	43.6	1885	...	36.7	1905	...	25.9
1870	...	43.5	1890	...	37.2	1910	...	27.3
1875	...	37.5	1895	...	32.8			

The above table shows the rate existing for the year terminating each five-year period from 1860. In the latter year there were 48 births to each 1,000 of the population. Queensland, just having a separate existence as a colony, were attracting the young and the virile of both sexes, whilst old people and children were very scarce. Five years later the high birth rates of the previous years materially added to the child population, with the inevitable result that the birth rate regularly declined to about 36 or 37 per 1,000, at which figure it continued for some 15 years, its standard maintained by the State-aided immigration of that period, consisting as it did for the most part of young adults, the exceptionally large number of arrivals in the State during the late 80's being exhibited in a slight rise in the birth rate during the two or three following years. The cessation of State-aided immigration and the dependence for population increase on excess of births alone was soon reflected in the birth rate, the decline being further accelerated by the financial depression of the middle 90's, accentuated by the subsequent drought. In 1905, from the causes mentioned, the birth rate had fallen to 25.9. It has now in 1910 risen again to 27.31, chiefly owing to the effects of the resumption of immigration, rather than to any change in the attitude of the general population towards the question of parentage.

Births of Coloured Aliens.

The following statement contains a record of the number of children born to coloured aliens during 1910:—

K a.

				Males.					Females.					Persons.
Chinese	24	26	50
Pacific Islanders	9	10	19
Japanese	7	4	11
Natives of India and Ceylon	6	8	14
Other Asiatics	18	14	32
Totals	64	62	126

As in the coloured alien population of the State, males largely predominate, the number of births to the population is very small. As the coloured alien population will not be known until the results of the recent census are available, no conclusions for recent years can be drawn on this point until the next report is written. In the past, as will be seen from the following table, the presence of a considerable number of coloured aliens in the population had an appreciable effect on the crude birth rate.

K b.

Year.	Birth Rate Crude.						Birth Rate on the basis of excluding Coloured Aliens from the calculation.			
1901	28·28	29·93
1902	27·68	29·28
1903	24·62	25·59
1904	27·12	28·12
1905	25·92	26·86
1906	26·31	27·06
1907	26·87	27·47
1908	26·71
1909	27·24
1910	27·31

The difference ten years ago between the crude rate and the rate as rectified on this point was considerable, amounting as it did to about 1½ per 1,000 of the population, or to 5.8 per cent. of the crude rate. The expatriation of some Pacific Islanders in 1905-7 reduced the error resulting from this cause by about one-half, as shown in the figures for 1907. This was the last year in which estimates were framed as to coloured population, the Commonwealth Statistical Bureau not collecting migration statistics with regard to coloured aliens, so that since then only the crude rate has been available.

The Queensland birth rate for 1910 compared more than favourably with that for the other States of the Commonwealth, and also with that for the Dominion of New Zealand.

K c.

		Birth Rate,					Average of the rates for the quinquennial period.
		1906.	1907.	1908.	1909.	1910.	
Queensland	...	26·31	26·87	26·71	27·24	27·31	26·89
New South Wales	...	27·04	27·14	26·77	26·94	27·32	27·04
Victoria	...	25·14	25·16	24·58	24·57	24·04	24·70
South Australia	...	23·54	23·82	24·59	24·57	25·11	24·33
Western Australia	...	30·02	29·24	28·90	27·66	26·85	28·53
Tasmania	...	29·52	29·68	30·89	29·90	29·87	29·97
New Zealand	...	27·08	27·30	27·45	27·29	26·17	27·06

Last year the birth rate for this State, as already quoted, was 27.31. This was less favourable than those for Tasmania (29.87) and New South Wales (27.32), although the advantage held by the latter was that of a very small fraction only. The States with less satisfactory birth rates were—Western Australia, 26.85; New Zealand, 26.17; South Australia, 25.11; and Victoria, 24.04. Queensland is not so well placed if figures for five years are considered, being third out of the seven from the bottom instead of from the top, being surpassed by Tasmania, 29.97; Western Australia, 28.53; New Zealand, 27.06; and New South Wales, 27.04; whilst having the advantage of Victoria, 24.70, and South Australia, 24.33.

The following is another of the tables awaiting census data to be brought up to date:—

K d.

Census Year.	FEMALES 15 YEARS TO 45 YEARS OF AGE.		BIRTHS.		BIRTHS PER 1,000.		
	Married.	Unmarried.	Legitimate.	Illegitimate.	Legitimate Births to Married Females 15 years to 45 years of age.	Illegitimate Births to Unmarried Females 15 years to 45 years of age.	Total Births to all Females 15 years to 45 years of age.
1861	...	5,788	245·85
1871	15,502	6,830	5,074	131	327·31	19·18	233·07
1881	24,178	15,441	7,875	345	325·71	22·34	207·48
1891	44,537	34,607	14,031	684	315·04	19·76	185·93
1901	53,617	50,561	13,455	848	250·95	16·77	137·29

The number of births must naturally depend upon the number of women of child-bearing age in the community; the latter can only be ascertained by a census. Any decrease of fertility can therefore be best measured by comparisons between the ratios in census years of legitimate births to married women of child-bearing age. Each census period since 1871 has shown a decline in this respect.

Illegitimate Births.

Although a larger number of births was registered last year than in 1909, fewer of them were recorded as illegitimate.

L.

					Males.		Females,		Persons.
First Quarter	139	...	101	...	240
Second Quarter	122	...	141	...	263
Third Quarter	128	...	149	...	277
Fourth Quarter	129	...	122	...	251
Total	518	...	513	...	1,031

There were 1,031 children registered as born out of wedlock, the sex being of nearly equal number—518 males and 513 females, males predominating in the first and fourth quarters and females in the second and third quarters. The numbers registered each quarter were—third quarter, 277; second quarter, 263; fourth quarter, 251, and first quarter, 240.

The following table shows the percentage of illegitimate to total births for the last ten years :—

L a.

1901	...	5.93	1905	...	6.97	1909	...	6.99
1902	...	6.04	1906	...	7.68	1910	...	6.37
1903	...	6.79	1907	...	7.31			
1904	...	6.90	1908	...	7.45			

From this table it will be seen that the rate for 1910 was 6.37, which is the lowest rate recorded since 1903.

The next table shows the condition of Queensland in this respect as compared with the rest of the Commonwealth and New Zealand.

L b.

		Per Cent. to Total Births.			Per Cent. to Total Births.
Queensland	...	6.37	Western Australia	...	4.13
New South Wales	...	6.37	Tasmania	...	4.92
Victoria	...	5.60	New Zealand	...	4.47
South Australia...	...	4.38			

Of the seven States of Australasia Queensland and New South Wales last year occupied the unenviable position of being bracketed, with equal ratios of illegitimate total births, at the head of the list, with the high percentage of 6.37; Victoria following with 5.60; Tasmania, 4.92; New Zealand, 4.47; South Australia, 4.38; and Western Australia with 4.13. The recorded measure of illegitimacy has certainly increased from that which existed in former years. There is justification for assuming that, though in part due to greater laxity of parental control over the young, the major portion of the increase is more apparent than real. Closer supervision of records, mainly due to the operation of the "Infants' Life Protection Act," has resulted in discovering cases of spurious legitimacy that in the past would have escaped detection. This point, operating in Queensland as explaining the varying figures of different years; probably also in part explains the differing ratios of the several States. A variation in the statutes relating to social questions, a less strenuous administration of a like law, a less strict scrutiny as to accuracy of particulars lodged for registration, are all factors that would operate in the direction of a more or less favourable record for individual States respecting the question under review.

Legitimation.

On the 23rd December, 1899, the Queensland Legislature, following the example of other Australian States, passed a measure whereby a child born out of wedlock could be legitimated after the marriage of its parents, provided no bar to such marriage had existed at the time of its birth. This provision has been largely availed of during the eleven years the statute has been in operation, and no less than 1,034 children have been brought under its benefits. The following gives details as to the number legitimated during the past ten years :—

L c.

District.	1901.		1902.		1903.		1904.		1905.		1906.		1907.		1908.		1909.		1910.		Total.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	P.
Metropolitan	18	6	10	7	4	2	8	5	13	8	29	33	37	26	31	33	37	22	21	25	208	167	375
Country	13	15	17	13	10	11	19	15	23	17	26	30	64	52	42	48	57	63	57	35	328	299	627
Total	31	21	27	20	14	13	27	20	36	25	55	63	101	78	73	81	94	85	78	60	536	466	1,002

The number legitimated during 1900 was:—

Metropolitan	6 males	5 females.
Other districts	10 males	11 females.

Multiple Births.

There were 147 cases of twin confinements and 1 of triplets during 1910.

L d.

					TWINS.		TRIPLETS.	
					Males.	Females.	Males.	Females.
First Quarter	28	38
Second Quarter	34	46
Third Quarter	31	39	...	3
Fourth Quarter	35	43
Total	128	166	...	3

The former comprised 128 males and 166 females. Females are frequently found to preponderate in multiple births. Thus out of 16,025 confinements there were 148 multiple cases, or a centesimal proportion of 0.92. The triplets were recorded in Brisbane and were all females. These all unfortunately only survived birth a few minutes. In contradistinction to this a case of triplets born near Brisbane six years ago have all survived to this date and are fine healthy children.

DEATHS.

Although deaths were more numerous in 1910 than in any year since 1903, yet in view of the substantial increase in births during 1909 and 1910 and the increase of population the number was in no way excessive, the death rate (9.70) being more favourable than in seven out of the last ten years. The ratios for 1906 (9.56) and for 1909 (9.68), the two years with a more satisfactory experience, being only so to a very small extent.

M.

												DEATHS.					
												Total Number.			Proportion of Total Deaths per 1,000 of Mean Population.		
YEAR.												Males.	Females.	Persons.	Males.	Females.	Persons.
1901	3,838	2,169	6,007	13.62	9.68	11.88
1902	3,924	2,280	6,204	13.74	10.00	12.08
1903	3,951	2,395	6,346	13.92	10.46	12.38
1904	3,259	1,991	5,250	11.36	8.57	10.11
1905	3,499	2,004	5,503	12.09	8.48	10.47
1906	3,212	1,883	5,095	10.99	7.83	9.56
1907	3,480	2,119	5,599	11.79	8.62	10.35
1908	3,500	2,180	5,680	11.54	8.65	10.23
1909	3,419	2,111	5,530	10.97	8.14	9.68
1910	3,595	2,150	5,745	11.13	7.99	9.70

It will be at once noticed that the male mortality is generally fully 3 per 1,000 less satisfactory than that of the females.

The death rate of Queensland compares most favourably with the rest of the Commonwealth.

M a.

		Rate in 1906.	Rate in 1907.	Rate in 1908.	Rate in 1909.	Rate in 1910.	Average of the Rates for the Quinquennial Period.
Queensland	...	9.56	10.35	10.23	9.68	9.70	9.90
New South Wales	...	9.89	10.56	10.13	9.75	9.71	10.01
Victoria	...	12.42	11.66	12.46	11.24	11.27	11.81
South Australia	...	10.34	9.87	9.84	9.37	9.72	9.83
Western Australia	...	11.87	11.09	10.74	9.85	9.71	10.65
Tasmania	...	11.13	11.22	11.71	10.01	11.35	11.08
New Zealand	...	9.31	10.95	9.57	9.22	9.71	9.75

Last year, it will be seen, the Queensland ratio of 9.70 was lower than that for any other State, but was followed very closely by New South Wales, Western Australia, and New Zealand, for each of which it was 9.71. In South Australia it was one one-hundredth per cent. higher, whilst in Victoria with 11.27, and Tasmania with 11.35, it was considerably less favourable. If a longer period than one year is taken, say for the past five years, it will be seen that the positions are slightly changed, but this State is still most satisfactorily placed.

Mortality Index.

For the purpose of comparison between different countries the crude death rate—i.e., the ratio of deaths to population—is not entirely satisfactory as evidence of the unhealthiness of the population or the climate. Many different factors not having any bearing on these questions offer elements for consideration. Some of these are not easy of differentiation or do not readily lend themselves to adjustment, whilst others do so. One of the most important of the latter, and one with perhaps the greatest weight in its effects, is the question of age. This has been long recognised, and in view of the great importance of mortality statistics, the Conference of International Statisticians has designed and adopted a method of adjustment to correct the difference due to age conditions, and thus render international comparisons of death rates more equitable. The conference invites all statistical bureaux to publish death rates corrected as to this particular, to be called “The Mortality Index,” and in accordance with that request the following table is published each year: —

M b.

Year.	Classes of Age.	% of Queens-land Population at each Age Period, Census 1901.	Estimated Mean Population.	Number of Deaths.	Coefficient %.	% of Swedish Population at each Age Period.	Queensland Index %co.
1910	Under 1 year	2.58	15,279	1,020	6.68	2.55	1.70
	1 to 20 years	43.47	257,430	744	0.29	39.80	1.15
	20 to 40	33.19	196,551	930	0.47	26.96	1.28
	40 to 60	15.98	94,634	1,241*	1.31	19.23	2.52
	60 years and upwards	4.78	28,307	1,810†	6.39	11.46	7.33
	Totals	100.00	592,201	5,745	9.70	100.00	13.98

* Including 4 unspecified deaths.

† Including 5 unspecified deaths.

The conference has accepted Sweden as the country of which the population with respect to its condition as to age most nearly represents the normal. The above table is designed to show what would have been the death rate in Queensland last year (column 8) had the population of the State as to the number at each age been in a like condition to that obtaining in Sweden. This, it will be seen, gives a mortality index of 13.98 per 1,000 instead of 9.70, which means that if Queensland's population had been, with regard to its age condition, like that of Sweden, 8,279 persons would have died last year instead of 5,745.

Ages at Death.

Very full information is furnished under this head in a series of tables in the Appendix. Some of the particulars contained therein are summarised in the following statement:—

N.

Quarter.	Under 1 Year.		1 and under 5 Years.		5 and under 20 Years.		20 and under 40 Years.		40 and under 60 Years.		60 Years and upwards.		Males.	Females.	Persons.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			
First Quarter	135	128	50	54	53	29	153	87	224	79	254	145	869	522	1,391
Second Quarter	119	102	42	44	47	36	139	85	217	81	273	157	837	505	1,342
Third Quarter	145	99	51	47	50	46	117	103	199	86	323	179	885	560	1,445
Fourth Quarter	168	124	51	40	64	40	150	96	241	110	330	153	1,004	563	1,567
Total Males	567	...	194	...	214	...	559	...	881	...	1,180	...	3,595
Total Females	...	453	...	185	...	151	...	371	...	356	...	634	...	2,150	...
Total Persons	1,020		379		365		930		1,237		1,814		5,745
Percentage each Age Group to Total each to each	15.77	...	5.40	...	5.95	...	15.55	...	24.51	...	32.82	...	100.00		
	...	21.07	...	8.60	...	7.02	...	17.26	...	16.56	...	29.49	100.00		
		17.75	6.60		6.35		16.19		21.53		31.58		100.00		

The increase in the number of deaths in 1910 as compared with the previous year was practically confined to the second and fourth quarters of the year; indeed, there were fewer deaths in the first quarter of the latter year, and only an excess of six in the third quarter, and strangely enough in that quarter 57 more females died in 1910 than in 1909, so that in the latter year the male deaths were in excess by 51 as compared with the same quarter of 1910.

Infants under 1 year of age contributed 18 per cent. of all deaths last year, the males 16 per cent. of all male deaths and the females 21 per cent. of all female deaths. Children of 1 and under 5 contributed another 7 per cent. to the number of deaths, young people of the succeeding 15 years comprised 6 per cent., in both cases the ratio of female to total female deaths was markedly greater than the male to the total male deaths. Sixteen per cent. of all deaths were persons between 20 and 40 years of age, again the females showing a larger percentage. Thus, in all instances up to 40 years of age

the female deaths were relatively the more numerous, whilst above 40 years the male deaths were relatively as well as actually much in excess. In Queensland the mean age of all males living in some 10 years greater than that of the females, and as the difference is but slight in the earlier ages it follows that during the later years of life the greater proportion of males is more pronounced.

True Infant Mortality.

As already pointed out, the condition of the population as to the numbers living at different ages is an important question in dealing with relative mortality. For nearly all ages of life the numbers can only be ascertained with any degree of accuracy by a census, therefore it is only in census years that the death rates at different ages can be reliably ascertained. With regard to deaths of infants under 1 year of age, however, the case is different, as the births give a very reliable indication as to the population of the very young, and so the two factors necessary to arrive at a death rate are available.

O.

SHOWING TRUE INFANTILE MORTALITY.—RETURN FOR TEN YEARS.

1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	Mean for the 10 years.
10·19	10·02	11·99	7·61	7·55	7·47	7·72	7·03	7·19	6·31	8·23

The true infant mortality for last year—6·31—was the lowest ever recorded. The rates ruling for the last seven years have been exceptionally low. The mean for the last ten years—8·23—it would probably be found is as satisfactory a rate as has ever been experienced in any country where records are available. The great improvement on this point is at once apparent when the back records are investigated. Between 1860 and 1893—i.e., for 33 years—the rate only fell below 10 per cent. on two occasions, 1861—9·56 per cent., and 1871—9·91 per cent., whilst on three occasions it rose to nearly double the present decimal average, in 1865, 16·42; in 1866, 16·72; and in 1878, 16·68. From 1894 to 1903 the ratio fluctuated from over 9 per cent. to almost 12 per cent., whilst since the last-named year it will be seen from the foregoing table the annual true infant mortality has never reached 8 per cent. Great as is the improvement shown by these figures much remains to be done. It is true that the ratio of deaths of infants under 1 year was for 1910 only—6·31 per cent., or 63·1 per 1,000 of the population; but then it must be borne in mind that the death rate for the whole of the remainder of the population was 8·20 per 1,000 only, so that the mortality amongst infants was nearly eight times greater than amongst all persons exceeding 1 year of age. Admitting that infant life is inevitably frail, such a fact as this is well calculated to give one pause.

The average decimal death rate of infants in quinquennial rests since 1875 is shown in the following statement:—

O a.

1875	12·46	1895	11·07
1880	12·98	1900	10·31
1885	13·64	1905	9·89
1890	12·65	1910	8·23

It will be seen that the gradual improvement to which reference has been made has taken place during the latter half of the period covered by the table.

The true infant mortality for Queensland last year compared more than favourably with that of any State of Australasia.

O b.

Queensland	1910. 6·31
New South Wales	7·46
Victoria	7·69
South Australia	7·06
Western Australia	7·80
Tasmania	10·22
New Zealand	6·77

The improvement with regard to the conservation of infant life has evidently not been confined to Queensland. Tasmania had an unfortunate experience for 1910, the figure for that year showing a large increase on the rate usually obtaining, the true infant mortality rate for that State in 1909 only being 6·56.

The excessive number of deaths, unfortunately, is not entirely restricted to the first year of life. It has just been shown that infants under 1 year die at the rate of eight to one of the rest of the population. The second year of life has a mortality relatively about one-half of this; somewhere about, certainly not less than, four children between 1 and 2 years of age dying to each unit that died of the older population.

Unquestionably insanitary conditions and unsuitable methods of life are firstly and most severely reflected in the health and life of the young. The following table furnishing death statistics respecting districts containing large (comparatively) centres of population shows this;—

P.

Registry District.	Number of Deaths in District.	CHILDREN UNDER 2 YEARS OF AGE.			CHILDREN UNDER 5 YEARS OF AGE.		
		Census 1901— Centesimal Ratio of Children under 2 years of age to Population of Dis- trict.	Number of Deaths in District.	Proportion per cent. to Total Deaths in District.	Census 1901— Centesimal Ratio of Children under 5 years of age to Population of Dis- trict.	Number of Deaths in District.	Proportion per cent. to Total Deaths in District.
Brisbane	1,579	4.35	320	20.27	10.61	363	22.99
Bundaberg	115	5.49	33	28.70	13.61	37	32.17
Enoggera... ..	146	5.49	57	39.04	13.40	64	43.84
Gympie	130	5.58	24	18.46	13.66	28	21.54
Ipswich	349	4.96	80	22.92	12.63	98	28.08
Kennedy*	223	5.52	40	17.94	13.58	52	23.32
Mackay	142	4.49	19	13.33	11.61	25	17.61
Maryborough	175	5.17	29	16.57	12.56	33	18.86
Mount Morgan	72	6.93	29	40.28	16.74	29	40.28
Rockhampton	319	5.31	67	21.00	12.59	74	23.20
Toowoomba	385	4.67	84	21.82	11.73	94	24.42
Townsville	192	4.59	23	11.98	11.89	34	17.71
All Other	1,918	5.12	405	21.12	12.64	468	24.40
Totals	5,745	5.08	1,210	21.06	12.54	1,399	24.35

* Includes Charters Towers.

Owing to the constant changes as to age conditions of the estimated population, especially as to the young, death rates at different ages—except for census year—other than for the first year of life, are unsatisfactory. The foregoing figures supply a substitute which has at least the advantage of not misleading, leaving as it does all deductions to be made by the reader.

Furnishing as the above table does, the ratios of the deaths of young children and the ratios of the numbers of children of the same age living at the last census, it is impossible to draw reasonably correct conclusions as to the more or less satisfactory condition of a district with regard to child mortality. For instance, throughout the State at the last census 5.08 per cent. of the population consisted of children under 2 years of age, who contributed 21.06 per cent. of all deaths. It will, therefore, be quite evident that matters could not have been satisfactory last year either at Mount Morgan or Enoggera, where in 1901 the percentage of those under 2 years living was 6.93 and 5.49 respectively, who last year contributed 40.28 and 39.04 per cent. respectively of all deaths. At Bundaberg the population living under 2 was the same as at Enoggera, but these contributed only 28.70 per cent. of the deaths instead of 39.04. With regard to Mount Morgan there was a redeeming feature; there were no deaths of children between 2 and 5.

It is so long since the 1901 census that the following table has lost a good deal of its accuracy and therefore of its interest. Both can be revised in the next report.

Q.

Age Period.	Proportion of Popu- lation at each Age Period to Total Population, Census 1901.	Estimated Mean Popu- lation, 1910, at each Age Period on basis of Census Ratio.	Deaths, 1910.	
			Number.	Rate per 1,000 of Mean Population.
Under 1 year	2.58	15,279	1,020	66.76
1 to 2 years	2.46	14,568	190	13.04
2 to 3 „	2.42	14,331	100	6.98
3 to 4 „	2.53	14,983	45	3.00
4 to 5 „	2.45	14,509	44	3.03
Total under 5 years	12.44	73,670	1,399	18.99
5 to 10 years	12.63	74,795	120	1.60
10 to 15 „	11.59	68,636	89	1.30
15 to 20 „	9.39	55,608	156	2.81
20 to 25 „	9.30	55,075	237	4.30
25 to 30 „	8.48	50,219	242	4.82
30 to 35 „	7.78	46,073	209	4.54
35 to 40 „	7.19	42,579	242	5.68
40 to 45 „	5.85	34,644	258	7.45
45 to 50 „	4.09	24,221	350	14.45
50 to 55 „	3.25	19,246	329	17.09
55 to 60 „	2.57	15,219	300	19.71
60 to 65 „	2.15	12,732	303	23.80
65 to 70 „	1.30	7,699	407	52.86
70 to 75 „	0.72	4,264	409	95.92
75 and upwards	0.54	3,198	686	214.51
Unspecified	0.73	4,323	9	2.08
Total	100.00	592,201	5,745	9.70

It will, of course, be understood that the figures in the third column are arithmetically deduced from the ratios obtaining at the census of 1901, shown in column 2.

The mean age of the population living has been found to have steadily risen during the past fifty years, as shown by the figures—with one exception only—of each census enumeration, and during the same period the mean age at death has also advanced, but at a considerably greater rate.

Q a.

Year.	Under 1 Year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 Years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Age not stated.	Total all Ages.	Mean Age at Death.	Mean Age Living, Census Years.
1860	141	46	16	5	7	215	10	4	7	25	22	36	34	27	24	21	9	17	5	4	2	16	478	21·31	22·97
1861	136	41	6	7	6	196	14	8	14	21	34	40	36	37	29	17	8	10	4	5	3	23	499	22·07	
1862	222	74	30	20	16	362	22	14	18	36	44	53	47	53	38	33	25	15	9	6	2	20	797	20·55	
1863	329	158	61	43	36	627	65	21	28	67	75	80	62	51	42	34	24	20	9	8	7	55	1,275	17·15	22·21
1864	365	155	47	38	34	639	73	19	34	97	111	93	73	64	47	47	25	19	10	10	8	77	1,446	18·46	
1865	580	206	70	27	20	903	59	30	38	113	126	107	75	64	44	43	28	30	10	4	3	56	1,733	15·80	
1866	690	320	94	55	23	1,182	63	28	58	168	192	167	116	64	71	55	41	30	26	16	10	75	2,362	17·03	23·06
1867	578	228	73	43	25	947	39	31	30	84	114	119	90	52	62	45	28	26	11	8	7	52	1,745	16·06	
1868	552	197	77	48	21	895	51	25	28	70	110	113	104	71	52	47	36	46	19	15	14	103	1,799	18·15	
1869	528	199	53	33	14	827	39	16	28	71	119	142	103	82	71	46	32	41	25	15	13	91	1,761	19·58	22·70
1870	526	129	63	30	18	766	41	27	30	48	112	117	93	79	62	70	43	34	17	15	12	79	1,645	19·92	
1871	516	137	67	46	26	792	47	28	53	81	107	120	101	89	51	53	45	47	25	18	26	102	1,785	20·54	
1872	578	178	67	47	22	892	54	27	35	69	131	129	102	116	51	78	42	43	27	20	21	99	1,936	20·15	23·30
1873	701	209	94	55	37	1,096	84	40	43	84	128	134	119	100	72	54	44	56	31	19	21	125	2,250	18·38	
1874	776	251	91	53	34	1,205	92	45	48	127	151	175	187	144	107	112	72	56	32	42	22	177	2,794	20·95	
1875	1,025	429	194	92	84	1,824	194	59	92	183	186	237	238	185	132	100	59	70	41	31	39	434	4,104	18·33	23·32
1876	994	331	110	68	45	1,548	96	50	105	166	190	162	208	164	114	85	80	66	51	38	41	303	3,467	19·58	
1877	1,058	326	102	55	30	1,571	101	54	102	153	138	170	166	154	107	93	74	65	50	37	42	296	3,373	18·87	
1878	1,234	415	142	76	42	1,909	93	47	104	191	179	205	261	196	152	107	95	92	81	56	46	466	4,220	19·76	23·60
1879	917	248	107	52	42	1,366	92	56	97	177	151	160	190	176	140	94	66	72	52	30	36	252	3,207	20·62	
1880	865	188	85	44	31	1,213	62	45	110	196	172	188	192	155	138	98	73	85	44	48	37	161	3,017	22·35	
1881	918	256	96	36	41	1,347	84	54	147	265	222	193	164	166	158	129	86	81	61	38	56	69	3,320	22·29	23·56
1882	1,188	374	114	64	47	1,787	109	80	204	382	312	240	199	174	166	134	99	100	70	63	80	75	4,274	21·35	
1883	1,319	471	174	103	63	2,130	125	60	305	522	383	272	200	237	177	147	106	94	83	68	88	44	5,041	20·78	
1884	1,574	436	154	93	72	2,329	144	114	710	987	641	383	283	286	210	207	138	124	93	69	106	37	6,861	21·80	23·60
1885	1,733	395	129	100	62	2,419	154	71	442	631	538	367	256	321	214	212	148	131	93	73	101	84	6,235	21·71	
1886	1,584	423	131	103	59	2,300	129	71	265	497	443	290	265	258	212	203	144	152	96	69	111	70	5,575	22·06	
1887	1,526	330	140	93	47	2,136	135	82	241	382	355	285	246	249	227	206	155	143	109	78	111	26	5,166	22·80	23·56
1888	1,719	338	132	63	57	2,309	122	89	246	432	391	317	231	241	224	216	181	156	130	83	138	23	5,529	22·91	
1889	1,962	397	153	112	63	2,687	135	87	208	448	409	341	280	245	269	265	204	187	114	115	126	12	6,132	22·54	
1890	1,548	352	153	101	99	2,253	206	82	176	376	377	363	266	242	248	265	181	183	112	117	140	51	5,638	23·95	4·97
1891	1,489	300	131	119	73	2,112	158	65	205	363	362	310	229	199	206	225	175	161	114	106	163	17	5,170	23·92	
1892	1,591	277	121	89	48	2,126	170	77	151	326	325	293	253	199	230	277	193	176	137	124	182	27	5,266	25·01	
1893	1,691	363	171	109	63	2,397	201	90	199	294	372	323	242	207	230	250	182	200	165	121	193	29	5,695	24·10	4·97
1894	1,369	301	162	115	91	2,038	166	84	165	250	351	287	267	223	203	269	199	226	199	160	201	10	5,298	26·88	
1895	1,356	264	117	87	75	1,899	196	108	187	235	306	281	288	219	220	246	215	209	174	134	220	15	5,152	27·10	
1896	1,466	293	108	94	69	2,030	151	108	166	261	312	298	316	274	240	296	282	277	217	165	229	23	5,645	28·57	4·97
1897	1,354	245	107	72	56	1,834	170	84	148	244	315	326	357	275	244	241	260	267	214	148	280	16	5,423	29·67	
1898	1,540	374	159	129	79	2,281	226	127	162	260	289	308	321	311	260	260	281	302	287	207	350	11	6,243	29·12	
1899	1,521	309	141	95	59	2,125	178	122	211	329	384	356	340	264	236	268	306	283	215	222	295	10	6,144	28·88	4·97
1900	1,456	234	87	64	49	1,890	133	110	197	303	292	302	310	308	258	237	290	277	293	225	302	26	5,747	30·78	
1901	1,458	250	98	58	50	1,914	128	112	192	285	287	343	349	312	262	299	295	315	286	259	354	15	6,007	31·88	
1902	1,424	221	77	63	33	1,818	137	120	173	307	334	322	350	324	268	289	310	380	369	308	378	17	6,204	33·63	4·97
1903	1,513	316	113	81	58	2,081	176	129	170	235	304	309	306	308	276	284	312	385	318	290	450	13	6,346	32·42	
1904	1,072	192	100	63	55	1,482	139	106	154	231	219	266	283	319	250	285	257	336	309	246	368	...	5,250	34·65	
1905	1,029	186	80	62	37	1,394	139	98	168	219	233	249	301	282	307	302	277	355	361	338	478	2	5,503	37·38	4·97
1906	1,047	153	74	43	39	1,356	109	83	132	191	215	218	267	287	263	291	255	305	358	310	454	1	5,095	37·31	
1907	1,122	212	99	54	42	1,529	125	110	127	203	207	203	239	322	345	315	250	328	390	366	537	3	5,599	37·51	
1908	1,043	181	70	49	31	1,374	122	102	192	227	226	233	243	287	331	339	304	352	376	361	607	4	5,680	38·88	4·97
1909	1,119	177	78	49	36	1,459	115	102	164	198	213	211	227	269	312	322	277	308	407	377	564	5	5,530	38·18	
1910	1,020	190	100	45	44	1,399	120	89	156	237	242	209	242	258	350	329	300	303	407	409	686	9	5,745	39·73	

During the period 1886-1891 the mean age living fell slightly in response to the heavy State-aided immigration of the intervening years. In 1861 the mean age both living and dying were nearly the same, the latter a little below the former—namely, 22.97 and 22.07. By 1864, a period of heavy immigration and heavy infant mortality, the mean age living had fallen by 0.70 of a year, whilst the mean age at death fell each year, to 16.06 in 1867; thereafter it rose steadily on an average, though with fluctuations, but only passing the mean age of all persons living somewhere between 1886 and 1891, the mean ages at these dates being—1886, living 23.60, died, 22.06; 1891, living 23.56, died 23.92. From 1891 the mean age at death has steadily increased the distance in 1901, the record being—living 24.97; died 31.88.

Birthplaces of Persons Dying.

Details on this point are given in Appendix Table No. XI., which are summarised as follow:—

					R.		
					Centesimal Proportion to Total Population borne by each Nationality, Census of 1901.	Number and Centesimal Proportion to Total Deaths borne by Deaths of each Nationality, Year 1910.	
					Proportion.	Number.	Proportion.
Queensland	57.09	2,364	41.15
Other Australasian States, including New Zealand					8.16	460	8.01
England	13.77	1,100	19.15
Scotland	4.00	354	6.16
Ireland	7.56	789	13.73
Other British Possessions	0.82	43	0.75
Germany	2.64	255	4.44
Other Countries of Europe	1.59	109	1.90
China	1.70	88	1.53
Pacific Islands	1.77	44	0.76
Elsewhere	0.90	139	2.42
					100.00	5,745	100.00

Of the 5,745 persons dying in 1910, 2,364, or 41 per cent. of all people dying, were born in the State. As Queensland natives comprise about two-thirds of the population and bear the whole, practically, of the heavy child mortality, it will be seen that such natives must now largely constitute the young and vigorous adult life of the population, whilst those born in the United Kingdom, who comprise the next largest section of the population, 25 per cent., now are for the most part middle-aged and old, and so contributed to the total deaths a proportion considerably in excess of their population ratio.

Occupation of Persons Dying.

The following table contains the totals of the information on this subject furnished in Table XII. in the Appendix:—

					R a.									
					YEARS.									
					1906.		1907.		1908.		1909.		1910.	
CLASSES.					M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Class	I.—Professional	100	11	98	10	99	12	115	11	102	8
"	II.—Domestic	92	139	85	153	88	186	60	199	77	175
"	III.—Commercial	198	8	211	6	197	7	235	14	207	5
"	IV.—Transport and Communication	134	2	155	...	198	...	149	1	177	1
"	V.—Industrial	651	21	744	23	758	25	682	19	643	26
"	VI.—Agricultural, &c.	863	9	869	1	894	5	869	4	1,079	3
"	VII.—Indefinite	63	107	86	117	94	103	87	106	70	80
"	VIII.—Dependants	1,111	1,586	1,232	1,809	1,172	1,842	1,222	1,757	1,240	1,852
Totals					3,212	1,883	3,480	2,119	3,500	2,180	3,419	2,111	3,595	2,150
					5,095		5,599		5,680		5,530		5,745	

Of the 5,745 persons whose deaths were recorded last year 3,092, or 54 per cent., were described in the death register as dependents, of whom 1,240 were males and 1,852 females. Of the remaining 2,355 males 1,079 were returned as engaged in agricultural or other primary production, 643 in industrial pursuits, 207 in commercial employment, and 177 in transport of some kind. The records with regard to women are utterly unreliable. It will be evident from a glance at the foregoing table that the numbers represented by the figures in the first, third, fourth, and fifth lines of the last column must be much below the actual facts.

Metropolitan Deaths and Death Rates.

R b.						Estimated Mean Population.	Total Deaths.	Rate per 1,000.
City of Brisbane	40,907	852	*20·83
City of South Brisbane	31,788	325	10·22
Suburbs	69,515	415	5·97
Brisbane Metropolitan Area (Ten-mile Radius)...						142,210	1,592	11·19
State						592,201	5,745	9·70

* The General and Children's Hospitals are in the City of Brisbane.

After due allowance is made for the large number of persons who are brought into the city and its environs for treatment at the large public and private hospitals, as well as to the homes of relatives and friends, the slight advance in the mortality rate as compared with that for the whole State is very significant as to the general healthfulness of the city of Brisbane. As to the distribution of the deaths amongst the various parts of the metropolitan area, and their comparison with the several populations, the latter possess no significance for like reasons—which apply, however, to a much greater extent—to those just given for the whole area in explaining its slightly advanced death rate. Deaths in public institutions—contributed largely to by populations outside Brisbane—numbered 602 in 1910, or 38 per cent. of the total number of deaths of Greater Brisbane.

	R c.										1910.		
	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.				
										Males.	Females.	Persons.	
Brisbane Hospital	271	305	284	261	300	257	320	293	329	233	117	350	
Lady Bowen Hospital	14	17	20	19	7	10	14	16	17	12	15	27	
Children's Hospital	78	59	103	69	82	84	109	107	146	55	53	108	
Brisbane Plague Hospital	6	8	5	3	5	3	11	1	
Salvation Army Home*	14	14	9	7	9	16	
Hosptl. for Chronic Diseases	7	22	41	38	58	43	48	73	61	53	26	79	
Lady Lamington Hospital	2	2	1	2	3	...	1	...	2	...	3	3	
Infants' Asylum††	18	2	2	9	30	
Immigration Depôt	1	1	
Lunatic Reception House	...	1	1	
Brisbane Gaol	5	1	3	...	2	2	3	1	2	2	...	2	
Magdalen Asylum	5	...	10	4	12	21	11	5	13	1	9	10	
Brisbane Suspect Hospital‡	...	4	5	
Industrial Home	3	2	1	2	3	
Blind Asylum*	1	
Nudgee Orphanage**	1	1	1	2	3	
St. Mary's Home**	1	1	
Women's Shelter§	1	
Female Refuge†	1	...	1	
Totals	388	419	491	399	474	429	562	513	584	366	236	602	

* Appearing for the first time in 1907.

† Appearing for the first time in 1910.

‡ Appearing for the first time in 1902.

** Appearing for the first time in 1903.

†† Transferred to Sandgate.

§ Appearing for the first time in 1909.

Of the three institutions contributing most largely to the number of deaths, two—the General and the Children's Hospital—are in the City of Brisbane, and one—the Hospital of Chronic Diseases—is in South Brisbane City.

The following table gives information as to the working of the more important of the general hospitals of the State.

Where Situated.	Number of In-patients.	Number of In-patient Days.	Cost of Administration and Management for In-patients.	Cost of each In-patient per Day.	S.									
					HOSPITAL STAFF.									
					PAID.						HONORARY.			
					Medical.		Nursing.		Other.		Committee.		Medical.	
					M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Brisbane	4,554	94,045	£ 17,076	s. d. 3 7½	5	...	3	72	39	31	22	...
Children's	1,516	41,023	5,817	2 10	1	1	...	39	10	2
Bundaberg	467	8,986	2,131	4 9	1	...	1	8	1	3	2	...
Charters Towers	989	23,750	4,796	4 0½	2	...	2	14	4	7	1	...
Ipswich	851	20,256	3,387	3 4¼	1	14	5	7	9	...
Mackay	974	18,019	3,399	3 9¼	1	...	2	14	1	6	2	...
Maryborough	591	9,877	2,246	4 6½	1	10	3	6	4	...
Mount Morgan	719	12,228	4,078	6 8	1	...	2	12	3	6	2	...
Rockhampton	886	17,836	3,313	3 8½	1	...	4	13	5	6	4	...
Toowoomba	1,091	25,737	5,364	4 2	1	21	7	12	6	...
Townsville	957	26,969	6,090	4 6¼	1	...	4	16	4	6
Warwick	489	9,271	2,109	4 6½	1	9	4	...

A study of this table by the hospital authorities might afford food for reflection. The difference in cost per patient per diem, from 3s. 4½d. at Ipswich to 6s. 8d. at Mount Morgan, seems to a layman somewhat difficult of explanation. The latter, moreover, increased its per capita cost in 1910 as compared with 1909 by no less a sum than 10½d. During 1909 the public hospitals of the Commonwealth treated 118,928 patients for a record of 8,814 deaths or a mortality rate of 7.4 per cent. The figures for Queensland for the same year were 23,540 patients, 1,398 deaths, giving a death rate of 6.0 per cent. Gratuitous medical treatment is evidently much more largely availed of in Queensland than in other parts of Australia. Have we more poverty or less independence?

Causes of Death.

It would be manifestly impossible to tabulate deaths to their various causes exactly as these are returned by the medical attendant or as the same appear on the death certificates. The terms used required to be codified to bring the compilation within reasonable dimensions and for this purpose most countries adopt the system known as "The Bertillon," its original author being the well-known scientist, Dr. Bertillon, of Paris. This system was revised at the Conference of International Institute of Statistics in 1909, and as so revised is adopted for use by this Bureau. The general outline of the scheme is as follows:—

T.

TABLE comparing the PERCENTAGE which the several CAUSES of DEATHS bear to the TOTAL DEATHS in each YEAR.—RETURN for the FIVE YEARS.

Cause of Death.	1906.	Classes.	1907.	1908.	1909.	1910.
CLASS I.—GENERAL DISEASES.						
Sub-class—						
1	4.38	Class I.—General Diseases	29.24	25.56	23.74	25.54
2	3.67					
3	0.74	„ II.—Diseases of Nervous System	9.52	10.40	10.15	9.35
4	0.65	and Organs of Special Sense				
5	1.10					
6	8.48	„ III.—Diseases of Circulatory	11.32	13.52	12.69	13.66
7	0.35	System				
8	2.32					
9	0.80	„ IV.—Diseases of Respiratory	9.27	8.19	9.57	8.36
10	5.73	System				
11	1.61					
12	7.44	„ V.—Diseases of Digestive System	12.48	14.23	14.20	11.61
TOTALS	37.27	„ VI.—Diseases of Genito-Urinary	5.18	6.13	5.50	6.20
		System and Adnexa				
CLASS II.—LOCAL DISEASES.						
Sub-class—						
1. Diseases of Nervous System ...	6.00	„ VII.—Puerperal Condition ...	1.36	1.28	1.52	1.46
2. Diseases of Organs of Special Sense	0.14					
3. Diseases of Heart	7.93	„ VIII.—Diseases of Skin and of	0.50	0.67	0.94	0.80
4. Diseases of Blood Vessels ...	4.42	the Cellular Tissue				
5. Diseases of the Respiratory Organs	9.42					
6. Diseases of Digestive System ...	12.72	„ IX.—Diseases of the Organs of	0.32	0.10	0.16	0.17
7. Lymphatic Diseases	0.12	Locomotion				
8. Diseases of Urinary System ...	5.95					
9. Diseases of Generative System ...	0.63	„ X.—Malformations	1.27	1.20	1.30	1.46
10. Accidents of Childbirth	0.84					
11. Joint Diseases	0.23	„ XI.—Infancy	6.02	5.28	6.31	6.23
12. Skin Diseases	0.43	„ XII.—Old Age	3.75	3.70	4.36	4.96
TOTALS	48.83	„ XIII.—Violence... ..	8.98	9.05	9.02	10.13
CLASS III.—OTHER SPECIFIED DISEASES	...	„ XIV.—Ill-defined Diseases ...	0.79	0.69	0.54	0.07
CLASS IV.—ILL-DEFINED AND NOT SPECIFIED DISEASES.						
Sub-class 1	4.44					
CLASS V.—VIOLENT DEATHS.						
Sub-class—						
1. Accident or Negligence	7.17					
2. Homicide	0.33					
3. Suicide	1.92					
4. Execution	0.04					
TOTALS	9.46					
GRAND TOTALS	100.00	TOTAL	100.00	100.00	100.00	100.00

The whole system may broadly be considered in three divisions—General, embracing diseases the result of specific causes, for the most part not confined in their effects to any particular part or parts of the body. Local, covering complaints restricted to special parts of the human anatomy and for the

most part causing or consisting of distinct organic defect or decay. Natural or external causes, such as infancy, old age and violence. Of these three it is found that last year the first and third each covered about one-fourth and the second about one-half of all deaths.

A large amount of information is provided in the Appendix to this Report on the question of the various causes of death. Table XIII. shows in a concise form all the classified causes operating last year, the number of deaths attributed to each both in 1909 and 1910, all such causes being arranged in the order of their measure of fatality. The following furnished for four years particulars respecting the fourteen most prominent of them.

Ta.

RETURN for FOUR YEARS showing the NUMBER of DEATHS from some of the PRINCIPAL CAUSES in ORDER of DEGREE of FATALITY in 1910, also their PROPORTION per 10,000 of the TOTAL DEATHS and per 100,000 of the MEAN POPULATION, respectively, for each YEAR 1907-1910.

Most Common Cause of Death.	1907.			1908.			1909.			1910.		
	No. of Deaths.	Proportion per 10,000 Total Deaths.	Proportion per 100,000 Mean Population.	No. of Deaths.	Proportion per 10,000 Total Deaths.	Proportion per 100,000 Mean Population.	No. of Deaths.	Proportion per 10,000 Total Deaths.	Proportion per 100,000 Mean Population.	No. of Deaths.	Proportion per 10,000 Total Deaths.	Proportion per 100,000 Mean Population.
Organic Diseases of Heart...	468	836	86	593	1,044	107	518	937	91	589	1,025	99
Cancer (all kinds)	353	630	65	337	593	61	341	617	60	395	688	67
Diarrhœa and Enteritis (under and over 2 years)	415	741	77	515	907	93	482	872	84	382	665	65
Tuberculosis (all parts) ...	395	705	73	400	704	72	387	700	68	350	609	59
Congenital Debility, Icterus, and Scleroma	303	541	56	269	474	48	307	555	54	309	538	52
Senile Debility	210	375	39	210	370	38	241	436	42	285	496	48
Bright's Disease	193	345	36	222	391	40	186	336	33	218	379	37
Hæmorrhage of Brain, Apoplexy	165	295	30	158	278	28	168	304	29	187	326	32
Pneumonia	220	393	41	215	379	39	233	421	41	149	259	25
Acute and Chronic Bronchitis	130	232	24	113	199	20	133	241	23	141	245	24
Drowning (Accident) ...	75	134	14	102	180	18	91	165	16	118	205	20
Disease of Arteries, Aneurism, Atheroma, &c.	65	116	12	55	97	10	76	137	13	107	186	18
Typhoid Fever	84	150	16	108	190	19	88	159	15	96	167	16
Whooping Cough	121	216	22	37	65	7	37	7	6	88	153	15
Total Deaths each Year from all Causes	5,599	5,680	5,530	5,745
Mean Population each Year	...	541,204	555,171	571,044	592,201	...

Organic Diseases of the Heart.—For the last four years at least this complaint has stood first in point of fatality, 589 deaths being attributed to this cause during 1910, or 10.25 per cent. of all deaths. This means that last year 0.99, or practically 1 to 1,000 of the mean population, succumbed to some lesion of this important organ. This is as large a proportion as fell to phthisis at its worst. Probably change in the methods of diagnosis as well as disturbance in the system of classification in part account for the greatly increased number of deaths due to this cause, but other reasons must also be looked for in explanation, and it does not seem unreasonable to assume that the additional strain and stress now exhibited in all walks of life have had their share in overburdening the heart.

Cancer (all kinds).—This terrible complaint—the causation and the cure of which alike have up to the present baffled every effort of the medical and general scientific world—now stands second in point of the number of deaths occasioned. There were 395 deaths returned as due to cancer in 1910. Although this comprising 6.88 per cent. of all deaths and 0.67 per 1,000 of the population, it fell far short of heart disease as a fatal complaint.

One of the general diseases attacking at times nearly every part of the body, it is usually restricted to the middle-aged and the old. Of all deaths due to cancer 293 were of persons of fifty years of age

twenty from cancer of the breast. Other parts affected in which the mortality was represented by two figures were—intestines 46, cæcum 1, colon 6, rectum 16, and undefined 23, tongue 15, neck 11, and face 11.

Diarrhœa and Enteritis.—These complaints are largely confined to the very young; under them are comprised deaths due to the improper dietary of hand-fed infants. When compared with the total deaths or with the total population the ratio does not appear to be great, but when considered in conjunction with the comparatively limited number of children from which the contribution is drawn, it assumes very different proportions. There were 382 deaths returned as due to diarrhœa and enteritis in 1910. This is greatly below the number recorded for any of the immediately preceding three years, the figures for which were—1907, 415; 1906, 515; and 1909, 482.

Tuberculosis.—One of the most satisfactory circumstances in connection with the investigation as to the question: What causes prove more frequently fatal? Is the great improvement witnessed in recent years with respect to tuberculosis. Ever until recently at the head of the list, it has now been relegated to the third or fourth position.

Some fifteen years ago tubercular diseases comprised some 9 to 10 per cent. of all deaths, and bore a ratio of from 1 to 1.20 per 1,000 of the mean population. In 1910 there were 350 cases returned of deaths due to tuberculosis of all parts of the body. This gives proportions of 6 per cent. of all deaths and of 0.6 per 1,000 of the mean population. Whilst this improvement is due no doubt in part to the removal of a considerable number of Pacific Islanders from our midst, this race being specially prone to attack from this fell complaint, yet after due allowance for this there is still room for congratulation upon the effects of improved knowledge in the prevention and treatment of tubercular trouble.

The following tables give information as to the birthplace and length of residence in the State of all victims of tuberculosis during each of the past five years:—

Tc.

DEATHS FROM PHTHISIS AND TUBERCULOSIS OF THE PULMONARY AND LARYNGEAL ORGANS.

RETURN showing BIRTHPLACES and DURATION OF RESIDENCE in QUEENSLAND of PERSONS who DIED from the above CAUSES, 1906-1910.

Birthplaces.			Duration of Residence in Queensland.										Total.	
			Under 6 Months.	6-12 Months.	1-2 Years.	2-3 Years.	3-4 Years.	4-5 Years.	5-10 Years.	10-15 Years.	15-20 Years.	20 Years and Up.		Unspecified.
1906	Australian States and New Zealand		1	..	1	1	8	5	8	91	5	120
	Pacific Islands	1	..	7	3	1	7	10	8	10	3	50
	Elsewhere		4	1	1	5	3	1	14	10	28	115	9	191
	Totals... ..		5	2	2	13	6	2	29	25	44	216	17	361
1907	Australian States and New Zealand		2	2	2	2	1	1	3	3	10	104	3	133
	Pacific Islands	1	2	5	1	10	1	20
	Elsewhere		1	2	4	..	2	2	8	10	22	134	15	200
	Totals... ..		3	4	6	2	3	4	13	18	33	248	19	353
1908	Australian States and New Zealand		2	1	1	1	12	131	2	150
	Pacific Islands	1	..	9	1	11
	Elsewhere		2	2	5	2	..	1	6	9	10	138	13	188
	Totals... ..		2	2	7	3	..	1	7	11	22	278	16	349
1909	Australian States and New Zealand		2	2	1	..	1	6	13	124	..	149
	Pacific Islands	1	11	..	12
	Elsewhere		1	3	2	7	1	2	10	5	12	125	12	180
	Totals... ..		3	5	2	7	2	2	11	11	26	260	12	341
1910	Australian States and New Zealand		1	..	2	2	1	1	10	114	1	133
	Pacific Islands	2	6	2	10
	Elsewhere		7	2	3	4	1	3	11	7	1	112	15	166
	Totals... ..		8	2	5	6	1	3	12	8	13	232	18	300

T d.

DEATHS FROM TUBERCULAR DISEASES (OTHER THAN TUBERCULOSIS OF PULMONARY AND LARYNGEAL ORGANS).

RETURN showing BIRTHPLACES and DURATION of RESIDENCE of PERSONS who DIED from the above CAUSES, 1906-1910.

Birthplaces.				Duration of Residence in Queensland.									Total.	
				Under 6 Months.	6-12 Months.	1-2 Years.	2-3 Years.	3-4 Years.	4-5 Years.	5-10 Years.	10-15 Years.	15-20 Years.		20 Years and Up.
1906	{	Australian States and New Zealand	12	7	7	1	1	...	2	2	2	4	2	40
		Pacific Islands	1	1	1	1	3	4	3	...	14
		Elsewhere	1	1	...	2	7	6	17
		Totals... ..	12	7	8	2	2	1	4	5	8	14	8	71
1907	{	Australian States and New Zealand	6	3	4	1	...	1	...	4	1	4	...	24
		Pacific Islands	1	2	...	1	...	4
		Elsewhere	1	2	10	1	14
		Totals... ..	6	3	4	1	...	1	1	7	3	15	1	42
1908	{	Australian States and New Zealand	7	1	6	4	1	1	4	4	4	7	...	39
		Pacific Islands	2	...	2
		Elsewhere	1	9	...	10
		Totals... ..	7	1	6	4	1	1	5	4	4	18	...	51
1909	{	Australian States and New Zealand	6	7	2	3	1	...	2	3	4	7	...	35
		Pacific Islands	3	...	3
		Elsewhere	1	1	6	...	8
		Totals	6	7	3	3	1	...	3	3	4	16	...	46
1910	{	Australian States and New Zealand	4	3	6	1	2	1	2	2	3	9	...	33
		Pacific Islands	1	...	1
		Elsewhere	1	1	6	...	8
		Totals... ..	4	4	6	1	2	2	2	2	3	16	...	42

The first of these two tables is restricted to a record of deaths from tuberculosis of the lungs and larynx only, under which heads 308 cases were recorded in 1910 out of the total of 350, giving a ratio of 88 per cent. of the whole. Of the 308 deaths 232, or 75 per cent., were of persons having a residence in the State of twenty years and upwards, whilst there was only fifteen of persons arriving within two years of their death. The number of cases of pulmonary and laryngeal phthisis imported into Queensland therefore cannot be large.

Tuberculosis of other parts of the body was accountable for 42 deaths only. A majority of these consisted of cases of *Tabes Mesenterica*, largely confined to children still young enough to be on a milk diet; as a consequence of this the length of residence in the State was a limited one, it being restricted to the age of the sufferer.

Congenital Debility, &c., was returned as the cause of death in 309 cases last year, against 307 in 1909, 269 in 1908, and 303 in 1907. These were naturally confined to the deaths of young children, and whilst congenital insufficiency was the primary cause of death, no doubt in many instances unsatisfactory environment was a potent factor in the ultimate result.

Senile Debility.—In 202 instances the returns recorded that life, having lasted for the allotted span of three score and ten years, came to its natural termination through old age. Besides this, 83 persons died of an old age more or less premature, inasmuch as senile debility was given as the cause of death of 179 males, 106 females, 285 persons. Some of these were but little more than 50 years of age at the time of death. Information as to the causes of death of all old people of 75 and upwards is furnished in the following table:—

Confining attention to all deaths of 75 years and upwards, it is found that whilst 202 of these are attributed to senility, and 484 were the result of some definitely definable cause, the various organic diseases of the heart were returned as responsible in 99 cases, 52 of them of males and 47 of females. Chronic bronchitis was given as causing 41 deaths of old people, whilst 37 succumbed to apoplexy and brain hemorrhage.

T f.

	Males.	Females.	Persons.
75 to 80	217	129	346
80 to 85	140	75	215
85 to 90	44	46	90
90 to 95	13	10	23
95 to 100	4	6	10
100 and upwards	1	1	2
	419	267	686

Of the 686 persons dying in 1910 who had survived their 75th year, 346 died before the four score years, 215 during the next quinquennium, ninety between 85 and 90, thirty-three between 90 and 100, whilst two persons, one male and one female, survived their 100th year. It is an idiosyncrasy of the very aged, and this not infrequently extends to their relatives and friends, to magnify their real age, consequently it is the practice of this office to make inquiry, and as far as possible verify the accuracy of the statement when the death of a centenarian is recorded. This has been done in these cases, and there is good reason for believing that in both instances the true age has been returned. Of these two, one was a male and one a female, the former died of arterio sclerosis at the Logan, aged 104 years; he was a native of Ireland, and had been 22 years in Australia. The woman died at Townsville of old age at 101. She also was a native of Ireland, and had been 70 years in the Commonwealth.

Bright's Disease, or chronic nephritis, was returned as causing 218 deaths in 1910, against 186 in 1909, 222 in 1908, and 193 in 1907. It will thus be seen that the mortality rate from this complaint is subject to great fluctuation. There is no evidence of any great relative increase in the number of deaths from this cause.

Hæmorrhage of Brain and Apoplexy.—Of the 187 persons whose deaths were returned in 1910 under these heads, 37 were of old people of 75 years and upwards, and a large proportion of the remainder comprised those between that age and middle life. It is considerably more prevalent with men than with women; the sex numbers last year were 116 males and 71 females, or 0.36 and 0.26 per 1,000 of their respective populations.

Pneumonia was held responsible for 149 deaths. It must be remembered that deaths due to hypostatic pneumonia following or allied with other complaints or injuries when so returned are not classified to pneumonia but to the originating cause. The mortality from pneumonia last year was much below the normal, the deaths so attributed in previous years being—1907, 220; 1908, 215; and 1909, 233; so that the deaths last year were 84 less than in 1909.

Acute and Chronic Bronchitis.—The very young and the old are peculiarly liable to succumb to attacks from bronchitis. Of the 141 deaths in 1910, 41 consisted of old persons of 75 years and upwards who died from the chronic form of the complaint, besides which 45 children under 5 years of age were also included.

Drowning (Accidental).—The number of deaths last year from this cause was much above the average—namely, 118. The numbers in the three previous years were—1907, 75; 1908, 102; and 1909, 91. There were no exceptional circumstances, such as the wreck of a large ship, to account for the fluctuations in the figures quoted. The cases for the most part consist of the loss of one or two persons in connection with bathing or the attempt at river crossing. Of course, in times of flood or on an ocean beach even the greatest skill and strength as a swimmer may be of no avail, but too many lives are lost from a want of knowledge of an art which is so easily acquired.

Typhoid Fever.—This preventable disease was somewhat in the ascendency last year as compared with some previous ones. There were 96 deaths, against 88 in 1909 and 84 in 1907; but in 1908 the number was slightly in excess of that for either of the other three years. Railway construction camps are frequently the cause of an increase in enteric fever, as it is difficult to secure proper sanitary conditions in connection with these. It is invariably found that districts in which railway construction is proceeding at once show some increase in the mortality due to typhoid. Last year the deaths from this cause in the metropolitan district numbered 19, which must represent a considerable number of cases. Recent discoveries in connection with this very serious disease have disclosed a grave difficulty in connection with its eradication. It has been found that a certain proportion—it is at present believed not to be a large one—of recovered sufferers, although themselves cured of the complaint, or at least from its consequences, are yet themselves carriers of the germs of the disease, and are capable of distributing them in such a way as to be a source of danger to others. How to deal with this question of "perambulating typhoids" is a problem yet awaiting solution.

Whooping Cough.—Although not in violent epidemic form in 1910, whooping cough prevailed to a very considerable extent. It caused 88 deaths, against 37 in 1909 and 65 in 1908. In 1907 there was a fairly severe epidemic of the complaint, with the result that 121 deaths were returned as due to it.

MARINE REGISTRATIONS.

There were 5 births and 7 deaths recorded in the marine registers during 1910. Of these all but two—one birth and one death—took place on oversea boats on the voyage from Europe to Queensland. The births consisted of 3 males and 2 females, and took place one each on the steamers “Osterley,” “Otranto,” “Oswestry Grange,” “Wodonga,” and “Norseman.” The birth on the “Wodonga” took place off the Queensland coast. The seven deaths comprised 5 males and 2 females, and took place one each on board the steamers “Whakatane,” “Bombala,” “Orontes,” “Waipara,” “Otranto,” “Ripplingham Grange,” and “Omrah.” The death on the “Bombala” took place off the Queensland coast.

ADDITIONS TO REGISTERS.

There were 31,468 names added to the registers during 1910; this exceeded the number so added in 1909 by 1,257. There were, therefore, on the 31st December, 1910, 956,799 names on record in the registers of this department.

REGISTRY OFFICES.

Receipts by and Payment to Registrars.

During 1910 the fees collected by the various Registrars of Births, Deaths, and Marriages throughout the State amounted to £1,109 1s. 6d., made up as follows:—

U.

RETURN showing the AMOUNTS received by the DISTRICT REGISTRARS in the STATE during the Years 1909 and 1910 respectively, and paid into the GENERAL REVENUE.

District Registrars at—			1909.	1910.	District Registrars at—			1909.	1910.
			£ s. d.	£ s. d.				£ s. d.	£ s. d.
Brisbane	452 11 8	507 9 6	Mount Morgan	12 1 0	6 6 0
Bundaberg	18 13 6	23 2 0	Red Hill	19 12 0	37 10 0
Cairns	9 17 6	16 9 6	Rockhampton	56 7 0	60 11 0
Charters Towers	37 17 6	37 13 6	Thursday Island	14 4 0	5 11 6
Dalby	8 15 0	7 17 6	Toowoomba	44 19 6	47 0 0
Gympie	21 11 0	26 11 0	Townsville	36 8 0	52 6 6
Herberton	14 5 6	10 1 6	Warwick	22 4 6	19 7 6
Ipswich	47 14 6	49 6 0	Total all other Districts	132 15 6	134 13 6
Mackay	17 4 0	22 2 6					
Maryborough	33 15 0	46 2 6	Total	...	£	1,000 16 8	1,109 1 6

The collections in the metropolitan office amounted to £507 9s. 6d., being an increase on the collections for 1909 of £54 17s. 10d., besides which a large amount of gratuitous work is performed for foreign Governments and Consuls, and for Federal and State Departments. No exact record of this is available, but its value must be very considerable, and would, I believe, go a substantial way towards doubling the above figures.

From the above table which shows the fees collected in all the principal towns, it will be seen that with one or two exceptions they show fair increases.

The amounts paid to Registrars are shown in the following table:—

U a.

RETURN showing the AMOUNT of SALARY or FEES PAID to DISTRICT REGISTRARS of the STATE during the Years 1909 and 1910 respectively.

Districts.			1909.	1910.	Districts.			1909.	1910.
			£ s. d.	£ s. d.				£ s. d.	£ s. d.
Caboolture	59 13 0	65 0 0	Oxley	52 1 0	58 13 0
Cardwell	3 19 6	...	Rockhampton	*135 0 0	*170 0 0
Enoggera and Toowong	144 5 0	166 5 0	Toowoomba	*80 12 11	*46 3 11
Fassifern	23 11 0	22 16 0	Total all other Districts	260 4 6	99 7 6
Ipswich	*160 0 0	*135 5 5					
Kennedy	*50 2 2	*65 7 6	Total	...	£	1,149 9 1	1,018 18 4
Maryborough	*180 0 0	*190 0 0					

* Paid by salary.

In most districts the remuneration for registration work is included in the general salary as a public servant.

THORNHILL WEEDON, F.S.S.,
Government Statistician.

GENERAL SCHEME OF CLASSIFICATION OF CAUSES OF DEATH.

CLASS I.—General Diseases.

1. Typhoid Fever.
2. Typhus.
3. Recurrent Fever.
4. Intermittent Fever.
- 4a. Malarial Cachexia.
5. Small-pox.
6. Measles.
7. Scarlet Fever.
8. Whooping Cough.
9. Diphtheria.
- 9a. Croup.
10. Influenza.
11. Miliary Fever.
12. Asiatic Cholera.
13. Cholera Nostras.
14. Dysentery.
- 14a. Epidemic Dysentery.
15. Plague.
16. Yellow Fever.
17. Leprosy.
18. Erysipelas.
19. Other Epidemic Diseases.
- 19a. Dengue.
20. Purulent Infection and Septicæmia.
21. Glanders and Farcy.
22. Malignant Pustule and "Charbon."
23. Rabies.
24. Tetanus.
25. Trichinosis, etc.
26. Pellagra.
27. Beri Beri.
28. Tuberculosis of the Lungs.
29. Tuberculosis, Acute Miliary.
30. Tuberculosis of the Meninges.
31. Tuberculosis, Abdominal, etc.
32. Pott's Disease.
33. White Swellings.
34. Tuberculosis of other Organs.
35. General Tuberculosis.
36. Rachitis.
37. Syphilis.
38. Gonococccic Dis.
39. Cancer, etc., of the Mouth.
40. Cancer, etc., of the Stomach and Liver.
41. Cancer, etc., Peritonæum, Intestines, etc.
42. Cancer, etc., of the Female Genital Organs.
43. Cancer, etc., of the Breast.
44. Cancer, etc., of the Skin.
45. Cancer, etc., of other Organs.
46. Other Tumours (excl. F. Genital Organs).
47. Acute Articular Rheumatism.
48. Chronic Rheumatism and Gout.
49. Scurvy.
50. Diabetes.
51. Exophthalmic Goitre.
52. Addison's Disease.
53. Leucæmia.
54. Anæmia, Chlorosis.
- 54a. Filaria.
55. Other Generl Diseases.
56. Acute and Chronic Alcoholism.
57. Lead Poisoning.
58. Other Chr. Poisonings due to Occupations.
59. Other Chronic Poisonings.

CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense.

60. Encephalitis.
61. Simple Meningitis.
- 61a. Epidemic Cerebro-spinal Meningitis.
62. Progressive Locomotor Ataxia.
63. Other Diseases of the Spinal Cord.
64. Hæmorrhage of Brain, Apoplexy.
65. Softening of the Brain.
66. Paralysis without indicated cause.
67. General Paralysis.
68. Other Forms of Mental Alienation.
69. Epilepsy.
70. Eclampsia (non-puerperal).
71. Convulsions of Children under five.
72. Chorea.
73. Hysteria, Neuralgia, Neuritis.
74. Other Diseases of the Nervous System.
75. Diseases of the Eyes and Appendages.
76. Diseases of the Ear.

CLASS III.—Diseases of the Circulatory System.

77. Pericarditis.
78. Acute Endocarditis.
79. Organic Diseases of the Heart.
80. Angina Pectoris.
81. Dis. of Arteries, Atheroma, Aneurism, etc.
82. Embolism and Thrombosis.
83. Dis. of Veins (Varices, Varicose Ulcers, etc.)
84. Diseases of the Lymphatic System.
85. Hæmorrhage.

CLASS IV.—Diseases of the Respiratory System.

86. Diseases of the Nasal Fossæ.
87. Diseases of the Larynx.
88. Diseases of the Thyroid Body.
89. Acute Bronchitis.
90. Chronic Bronchitis.
91. Broncho-pneumonia.
92. Pneumonia.
93. Pleurisy.
94. Congestion of Lungs and Pul. Apoplexy.
95. Gangrene of the Lungs.
96. Asthma.
97. Pulmonary Emphysema.
98. Other Diseases of the Respiratory System.

CLASS V.—Diseases of the Digestive System.

99. Dis. of Mouth and associated organs.
100. Diseases of the Pharynx.
101. Diseases of the Esophagus.
102. Ulcer of the Stomach.
103. Other Dis. of Stomach (Cancer excluded).
104. Diarrhœa and Enteritis (under two years).
105. Diarrhœa and Enteritis (over two years).
106. Ankylostomiasis.
107. Intestinal Parasites.
- 107a. Sprue.
108. Appendicitis.
109. Hernia, Intestinal Obstruction.
110. Other Diseases of the Intestines.
111. Icterus Gravis.
112. Hydatid Tumours of the Liver.
113. Cirrhosis of the Liver.
114. Biliary Calculi.
115. Other Diseases of the Liver.
116. Diseases of the Spleen.
117. Simple Peritonitis (non-puerperal).
118. Other Diseases of the Digestive System.

CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.

119. Acute Nephritis.
120. Bright's Disease.
121. Chyluria.
122. Other Diseases of Kidney and Adnexa.
123. Calculi of Urinary System.
124. Diseases of the Bladder.
125. Other Dis. Urethra, Urinary Abscess, etc.
126. Diseases of the Prostate.
127. Non-venereal Dis. of Male Genital Organs.
128. Uterine Hæmorrhage (non-puerperal).
129. Uterine Tumour (non-cancerous).
130. Metritis and Other Diseases of the Uterus.
131. Cysts and other Ovarian Tumours.
132. Other Dis. of Female Genital Organs.
133. Non-puer. Dis. of Breast (Cancer excep.)

CLASS VII.—Puerperal Condition.

134. Accidents of Pregnancy.
135. Puerperal Hæmorrhage.
136. Other Accidents of Childbirth.
137. Puerperal Septicæmia.
138. Puerperal Albuminuria and Eclampsia.
139. Puerperal Phlegmasia Alba Dolens.
140. Other Puerperal Accidents, Sudden Death.
141. Puerperal Diseases of the Breast.

CLASS VIII.—Diseases of the Skin and of the Cellular Tissue.

142. Gangrene.
143. Carbuncle.
144. Phlegmon, Acute Abscess.
145. Other Diseases of the Skin and Adnexa.

CLASS IX.—Diseases of the Organs of Locomotion.

146. Non-tuberculous Diseases of the Bones.
147. Arthritis and other Dis. of Joints.
148. Amputation.
149. Other Dis. of Organs of Locomotion.

CLASS X.—Malformations.

150. Congenital Malfor. (excl. of Stillborn).

CLASS XI.—Infancy.

151. Congenital Debility, Icterus, and Scleroma.
152. Other Dis. Pec. to Infancy (un. 3 mths).
153. Want of Care (Infants).

CLASS XII.—Old Age.

154. Senile Debility.

CLASS XIII.—Violence.

155. Suicide by Poison.
156. Suicide by Asphyxia.
157. Suicide by Hanging or Strangulation.
158. Suicide by Drowning.
159. Suicide by Firearms.
160. Suicide by Cutting Instruments.
161. Suicide by Precipitation from a Height.
162. Suicide by Crushing.
163. Other Suicides.
164. Poison by Food.
165. Vene. Creatures and other Acute Poisons.
166. Incendiarism.
167. Burns.
168. Noxious Gases.
169. Drowning.
170. Firearms.
171. Cuts and Stabs.
172. Falls.
173. Mines and Quarries.
174. Machinery.
175. Vehicles.
- 175a. Railway and Tramways.
176. Animals.
177. Starvation.
178. Cold.
179. Sunstroke.
180. Lightning.
181. Other Electric.
- 181a. Timber Felling, Logging, etc.
182. Murder by Firearms.
183. Murder by Cuts.
184. Murder, Other.
185. Fractures, etc.
186. Other Violence.

CLASS XIV. Ill-defined Diseases.

187. Organic Lesion (not Defined).
188. Sudden Death.
189. Unspecified or Ill-defined Causes of Death.

INDEX TO TABLES.

Head.	Particulars given in Table.	Table.	Page.
APPENDIX A.			
Population	Synoptical Table from 1856	1
Population	Estimated for 1909 and 1910, Estimated Mean for the year	I.	3
Births	Number Registered during each Quarter	II.	3
Metropolitan Area ...	Mean Population, Births, Deaths, and Marriages for Ten years ...	III.	3
Marriages	Number Registered during each Quarter	IV.	4
"	Number Registered, showing the Denominations	V.	5
"	Showing the Birthplace or Race of the Persons Married	VI.	6
"	" various Ages of the Persons Married	VII.	7
Deaths in the State	Showing the Number Registered during each Month of the Year in Age Groups	VIII.	9
"	" Number Registered during each Month of the Year according to Districts	IX.	10
"	" Number of Children, Male and Female, under Five years Birthplace, &c., of Persons whose Deaths were Registered ...	X.	11
"	" Occupations of Persons whose Deaths were Registered ...	XI.	12
"	" Causes of Deaths, arranged in order of Degree of Fatality ...	XII.	13
"	" Causes of Deaths of Males at different periods of life, Registered during the year	XIII.	14 to 15
"	" Causes of Deaths of Females at different periods of life, Registered during the year	XIV.	16 to 18
"	" Causes of Deaths of Persons at different periods of life, Registered during the year	XV.	19 to 21
"	" Causes of Deaths, Males and Females, Number Registered each Month	XVI.	22 to 24
"	" Causes of Deaths of Males, Females, and Persons in the several Groups of Registry Districts	XVII.	25 to 27
"	" Causes of Deaths of Males, Females, and Persons in the several Groups of Registry Districts	XVIII.	28 to 33
Deaths in Brisbane ...	" Causes of Deaths, Males, at different periods of life, Registered within Metropolitan Area	XIX.	34 to 36
"	" Causes of Deaths, Females, at different periods of life, Registered within Metropolitan Area	XX.	37 to 39
"	" Causes of Deaths, Persons, at different periods of life, Registered within Metropolitan Area	XXI.	40 to 42
"	" Causes of Deaths, Males and Females, Registered during each Month of the Year, within Metropolitan Area ...	XXII.	43 to 45
APPENDIX B.			
	District Registrars, List of, for 1910...	46

APPENDIX TO GOVERNMENT STATISTICIANS' REPORT ON THE VITAL STATISTICS OF QUEENSLAND FOR THE YEAR 1910.

SYNOPTICAL TABLE.

SYNOPSIS of the VITAL STATISTICS of QUEENSLAND from the Year 1856 to 1910 inclusive.

POPULATION ON THE 31st DECEMBER OF EACH YEAR, ITS INCREASE NUMERICAL AND CENTENAL, AND PROPORTION OF EACH YEAR, AND THEIR PROPORTION TO MEAN POPULATION, ITS NUMERICAL AND CENTENAL INCREASE.															IMMIGRATION AND EMIGRATION.													
YEAR.	POPULATION ON THE 31st DECEMBER.			NUMERICAL INCREASE, OR DECREASE IN POPULATION OF 31st DECEMBER.			CENTENAL RATIO OF INCREASE, OR DECREASE IN POPULATION OF 31st DECEMBER.			ADDITIONS TO POPULATION OF 31st DECEMBER, FROM FACTS OF BIRTHS OVER DEATHS.			MEAN POPULATION OF EACH YEAR.			CENTENAL RATIO OF INCREASE, OR DECREASE IN MEAN POPULATION OF EACH YEAR.			CENTENAL RATIO OF INCREASE, OR DECREASE IN MEAN POPULATION OF EACH YEAR.			ARRIVALS BY SEA AND OVERLAND BY RAILWAY DURING EACH YEAR, AS RECORDED.			DEPARTURES BY SEA AND OVERLAND BY RAILWAY DURING EACH YEAR, AS RECORDED.			
	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	
1856	11,254	7,490	18,544	1,208	900	2,108	1073	1234	1137	6572	181	276	457	247	11,868	7740	16,598	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1857	12,462	8,190	20,652	1,263	880	2,143	1,215	1,024	800	6801	212	507	27	246	12,868	8,608	21,476	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1858	13,854	9,029	22,883	1,318	900	2,218	1,215	1,024	800	6801	212	507	27	246	13,868	9,347	23,215	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1859	15,817	10,293	26,110	1,573	1,000	2,573	1,215	1,024	800	6801	212	507	27	246	15,868	10,463	26,331	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1860	16,817	11,356	28,173	1,628	1,000	2,628	1,215	1,024	800	6801	212	507	27	246	16,868	11,363	28,231	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1861	18,081	12,367	30,448	1,683	1,000	2,683	1,215	1,024	800	6801	212	507	27	246	18,081	12,367	30,448	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1862	19,517	13,367	32,884	1,738	1,000	2,738	1,215	1,024	800	6801	212	507	27	246	19,517	13,367	32,884	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1863	21,081	14,367	35,448	1,793	1,000	2,793	1,215	1,024	800	6801	212	507	27	246	21,081	14,367	35,448	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1864	22,517	15,367	37,884	1,848	1,000	2,848	1,215	1,024	800	6801	212	507	27	246	22,517	15,367	37,884	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1865	24,081	16,367	40,448	1,903	1,000	2,903	1,215	1,024	800	6801	212	507	27	246	24,081	16,367	40,448	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1866	25,517	17,367	42,884	1,958	1,000	2,958	1,215	1,024	800	6801	212	507	27	246	25,517	17,367	42,884	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1867	27,081	18,367	45,448	2,013	1,000	3,013	1,215	1,024	800	6801	212	507	27	246	27,081	18,367	45,448	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1868	28,517	19,367	47,884	2,068	1,000	3,068	1,215	1,024	800	6801	212	507	27	246	28,517	19,367	47,884	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1869	30,081	20,367	50,448	2,123	1,000	3,123	1,215	1,024	800	6801	212	507	27	246	30,081	20,367	50,448	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1870	31,517	21,367	52,884	2,178	1,000	3,178	1,215	1,024	800	6801	212	507	27	246	31,517	21,367	52,884	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1871	33,081	22,367	55,448	2,233	1,000	3,233	1,215	1,024	800	6801	212	507	27	246	33,081	22,367	55,448	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1872	34,517	23,367	58,000	2,288	1,000	3,288	1,215	1,024	800	6801	212	507	27	246	34,517	23,367	58,000	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1873	36,081	24,367	60,448	2,343	1,000	3,343	1,215	1,024	800	6801	212	507	27	246	36,081	24,367	60,448	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1874	37,517	25,367	62,884	2,398	1,000	3,398	1,215	1,024	800	6801	212	507	27	246	37,517	25,367	62,884	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1875	39,081	26,367	65,448	2,453	1,000	3,453	1,215	1,024	800	6801	212	507	27	246	39,081	26,367	65,448	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1876	40,517	27,367	68,000	2,508	1,000	3,508	1,215	1,024	800	6801	212	507	27	246	40,517	27,367	68,000	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1877	42,081	28,367	70,448	2,563	1,000	3,563	1,215	1,024	800	6801	212	507	27	246	42,081	28,367	70,448	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1878	43,517	29,367	72,884	2,618	1,000	3,618	1,215	1,024	800	6801	212	507	27	246	43,517	29,367	72,884	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1879	45,081	30,367	75,448	2,673	1,000	3,673	1,215	1,024	800	6801	212	507	27	246	45,081	30,367	75,448	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1880	46,517	31,367	78,000	2,728	1,000	3,728	1,215	1,024	800	6801	212	507	27	246	46,517	31,367	78,000	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1881	48,081	32,367	80,448	2,783	1,000	3,783	1,215	1,024	800	6801	212	507	27	246	48,081	32,367	80,448	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1882	49,517	33,367	82,884	2,838	1,000	3,838	1,215	1,024	800	6801	212	507	27	246	49,517	33,367	82,884	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1883	51,081	34,367	85,448	2,893	1,000	3,893	1,215	1,024	800	6801	212	507	27	246	51,081	34,367	85,448	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1884	52,517	35,367	88,000	2,948	1,000	3,948	1,215	1,024	800	6801	212	507	27	246	52,517	35,367	88,000	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1885	54,081	36,367	90,448	3,003	1,000	4,003	1,215	1,024	800	6801	212	507	27	246	54,081	36,367	90,448	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1886	55,517	37,367	92,884	3,058	1,000	4,058	1,215	1,024	800	6801	212	507	27	246	55,517	37,367	92,884	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1887	57,081	38,367	95,448	3,113	1,000	4,113	1,215	1,024	800	6801	212	507	27	246	57,081	38,367	95,448	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1888	58,517	39,367	98,000	3,168	1,000	4,168	1,215	1,024	800	6801	212	507	27	246	58,517	39,367	98,000	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1889	60,081	40,367	100,448	3,223	1,000	4,223	1,215	1,024	800	6801	212	507	27	246	60,081	40,367	100,448	1,011	869	1,980	5,411	11,232	9,569	66,900	65,27	18,567	65,27	18,567
1890	61,517	41,367	102,884	3,278	1,000	4,278	1,215	1,024	800	6801	212	507	27	246	61,517	41,367	102,884	1,011	869	1,980	5,411	11,232	9,					

Table No. I.

SHOWING the ESTIMATED POPULATION on 31st December, 1909; the NUMBER of BIRTHS, MARRIAGES, and DEATHS REGISTERED in Queensland during the YEAR 1910; the ESTIMATED POPULATION, and the ESTIMATED MEAN POPULATION of the STATE for the YEAR 1910.

Estimated Population on 31st December, 1909.			Births Registered in 1910.			Marriages Registered in 1910.	Deaths Registered in 1910.			Estimated Population on 31st December, 1910.			Estimated Mean Population, 1910.		
Males.	Females.	Persons.	Males.	Females.	Persons.		Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
315,420	263,128	578,548	8,261	7,912	16,173	4,769	3,595	2,150	5,745	325,806	273,325	599,131	323,014	269,187	592,201

Table No. II.

SHOWING the NUMBER of BIRTHS REGISTERED in each REGISTRY DISTRICT in each QUARTER of the YEAR 1910.

REGISTRY DISTRICT.	FIRST QUARTER.		SECOND QUARTER.		THIRD QUARTER.		FOURTH QUARTER.		TOTALS.		
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Persons.
Aramac	18	15	23	24	29	26	19	1	89	79	168
Balonne	6	8	7	3	6	7	7	6	26	24	50
Blackall	14	13	30	17	16	15	21	19	81	64	145
Bowen	15	15	9	16	19	5	20	20	63	56	119
Brisbane	343	336	360	385	347	371	360	320	1,410	1,412	2,822
Bundaberg	72	63	73	61	65	67	64	65	274	256	530
Burke	1	3	3	4	2	5	3	...	9	12	21
Burnett	59	51	71	50	68	62	68	52	266	215	481
Caboolture	45	43	30	36	43	45	41	26	159	150	309
Cairns	46	39	56	43	53	57	51	44	206	183	389
Cardwell	6	12	13	12	11	6	14	12	44	42	86
Charleville	22	13	20	24	10	21	16	15	68	73	141
Clermont	13	11	12	8	7	5	12	16	44	40	84
Cloncurry	10	12	7	11	8	7	9	10	34	40	74
Cook	7	10	17	9	7	11	10	11	41	41	82
Croydon	9	6	12	9	9	11	6	8	36	34	70
Cunnamulla	5	6	10	14	7	7	4	7	26	34	60
Dalby	30	31	42	41	32	38	45	48	149	158	307
Darling Downs West	11	4	12	18	10	18	13	12	46	52	98
Enoggera	90	67	94	71	86	91	69	74	339	303	642
Etheridge	13	8	7	6	6	8	9	6	35	28	63
Fassifern	24	30	24	23	20	35	26	34	94	122	216
Gladstone	10	15	15	15	22	28	22	12	69	70	139
Gympie	60	44	70	65	59	50	48	40	237	199	436
Herberton	51	42	42	42	53	47	47	48	193	179	372
Hughenden	5	6	12	8	3	10	8	13	28	37	65
Ipswich	136	119	164	150	160	163	143	136	612	568	1,180
Kennedy	77	86	93	78	77	82	82	84	329	330	659
Logan	40	32	35	38	36	50	42	39	153	159	312
Mackay	56	52	52	47	66	58	53	54	227	211	438
Maranoa	34	40	47	33	53	52	40	39	174	164	338
Marathon	4	4	8	4	10	7	5	5	27	20	47
Maryborough	78	77	78	77	53	101	90	88	304	343	647
Mount Morgan	59	36	50	31	54	48	45	45	208	160	368
Oxley	25	19	20	23	31	29	24	21	100	92	192
Palmer	1	1	...	1	...	1	1	3	4
Rockhampton	114	94	111	97	130	105	108	113	463	409	872
Somerset	6	5	3	3	8	8	6	4	23	20	43
Springsure... ..	9	10	12	13	8	9	11	9	40	41	81
Stanley	18	23	15	12	10	21	27	15	70	71	141
Stanthorpe	9	10	12	11	10	4	26	18	57	43	100
St. Lawrence	2	...	3	1	4	2	3	2	12	5	17
Tiaro	1	2	5	1	5	2	6	7	17	12	29
Toowong	20	23	28	21	23	25	33	24	104	98	202
Toowoomba	146	139	156	182	179	161	170	178	651	660	1,311
Townsville	49	58	50	42	65	66	62	53	226	219	445
Warrego	2	2	3	3	3	2	4	2	11	9	20
Warwick	91	98	106	103	92	90	97	81	386	372	758
TOTAL EACH SEX	1,961	1,837	2,122	1,986	2,089	2,139	2,089	1,950	8,261	7,912	...
TOTAL PERSONS	3,798		4,108		4,228		4,039		16,173		

Table No. III.

RETURN showing ESTIMATED and MEAN POPULATION, BIRTHS, DEATHS, and MARRIAGES in the METROPOLITAN AREA for TEN YEARS.

Year.	POPULATION.		BIRTHS.			DEATHS.			Number of Marriages.	Deaths under 1 year.	Birth Rate per 1,000 Mean Population.	Death Rate per 1,000 Mean Population.	Deaths under 1 year to total Births, showing True Infant Mortality.
	Estimated 31st Dec.	Mean.	M.	F.	P.	M.	F.	P.					
1901 ...	119,428	119,428	1,802	1,655	3,457	840	682	1,522	1,011	450	28.95	12.74	13.02
1902 ...	122,815	121,122	1,836	1,675	3,511	896	712	1,608	1,033	440	28.99	13.28	12.53
1903 ...	124,463	123,639	1,625	1,565	3,190	876	734	1,610	897	438	25.80	13.02	13.73
1904 ...	125,672	125,068	1,670	1,631	3,301	768	665	1,433	844	372	26.39	11.46	11.27
1905 ...	129,736	127,704	1,683	1,591	3,274	864	686	1,559	840	326	25.64	12.14	9.96
1906 ...	132,468	131,102	1,701	1,510	3,211	740	571	1,311	1,073	283	24.49	10.00	8.81
1907 ...	135,655	134,062	1,697	1,598	3,295	883	735	1,618	1,132	394	24.58	12.07	11.96
1908 ...	137,670	136,662	1,836	1,575	3,411	777	620	1,397	1,208	246	24.96	10.22	7.21
1909 ...	143,077	140,374	1,780	1,731	3,511	847	674	1,521	1,435	325	25.01	10.84	9.26
1910 ...	141,342	142,210	1,903	1,847	3,750	902	690	1,592	1,494	314	26.37	11.19	8.37

Table No. IV.

SHOWING the NUMBER of MARRIAGES REGISTERED in each REGISTRY DISTRICT in each QUARTER of the YEAR 1910.

Registry District.					First Quarter.	Second Quarter.	Third Quarter.	Fourth Quarter.	Total.
Aramac	10	14	12	11	47
Balonne	1	4	9	...	14
Blackall	7	13	7	5	32
Bowen	1	5	12	7	25
Brisbane	308	312	329	281	1,230
Bundaberg	28	36	32	48	144
Burke	1	...	1	1	3
Burnett	21	30	19	30	100
Caboolture	13	15	12	21	61
Cairns	40	32	27	37	136
Cardwell	4	5	4	8	21
Charleville	4	8	8	16	36
Clermont	7	7	9	8	31
Cloncurry	3	8	5	3	19
Cook	2	11	6	2	21
Croydon	3	2	5	3	13
Cunnamulla	2	9	1	6	18
Dalby	13	20	16	24	73
Darling Downs West	4	8	5	5	22
Enoggera	40	43	45	51	179
Etheridge	2	8	6	10	26
Fassifern	14	19	11	11	55
Gladstone	6	4	8	7	25
Gympie	31	31	29	32	123
Herberton	12	24	16	20	72
Hughenden	3	4	3	3	13
Ipswich	56	91	94	86	327
Kennedy	49	40	46	52	187
Logan	11	21	15	20	67
Mackay	40	27	24	25	116
Maranoa	20	19	16	20	75
Marathon	2	6	2	7	17
Maryborough	56	44	40	44	184
Mount Morgan	15	22	17	21	75
Oxley	5	13	6	7	31
Palmer	2	1	3
Rockhampton	63	76	55	73	267
Somerset	2	3	3	5	13
Springsure	8	5	11	1	25
Stanley	8	7	3	6	24
Stanthorpe	5	7	8	10	30
St. Lawrence
Tiaro	3	2	5	4	14
Toowong	15	16	8	18	57
Toowoomba	92	84	87	68	331
Townsville	37	44	56	50	187
Warrego	2	...	2	4
Warwick	48	64	44	40	196
TOTALS	1,115	1,265	1,179	1,210	4,769

MARRIAGES.

Table No. V.

SHOWING the NUMBER of MARRIAGES of each DENOMINATION REGISTERED in each REGISTRY DISTRICT during the Year 1910.

Registry District.				Church of England.	Roman Catholic Church.	Methodist.	Presbyterian.	Baptist.	Lutheran.	Congregational.	Salvation Army.	Other Christian Sects.	Hebrew.	By Registrar and Justices Marrying Act.	Total.
Aramac	16	13	15	1	2	47
Balonne	2	2	1	9	14
Blackall	1	15	11	3	1	1	32
Bowen	7	5	...	13	25
Brisbane	251	256	207	112	71	38	30	6	205	3	51	1,230
Bundaberg	29	23	24	53	...	9	...	1	5	144
Burke	3	3
Burnett	22	15	36	21	...	1	5	100
Caboolture	18	6	24	9	1	1	1	...	1	61
Cairns	49	41	9	25	3	9	136
Cardwell	11	3	7	21
Charleville	15	8	...	6	7	36
Clermont	7	7	17	31
Clonecurry	8	4	...	4	3	19
Cook	10	7	3	1	21
Croydon	6	2	4	1	13
Cunnamulla	10	5	3	18
Dalby	22	21	9	19	1	1	73
Darling Downs West	8	5	...	9	22
Enoggera	53	...	44	15	24	1	6	3	9	...	24	179
Etheridge	12	4	5	5	26
Fassifern	2	1	18	1	6	16	5	2	4	55
Gladstone	4	7	1	9	1	3	25
Gympie	34	21	38	18	4	...	8	123
Herberton	11	23	25	11	2	72
Hughenden	2	3	...	4	4	13
Ipswich	43	69	54	30	19	37	52	1	16	...	6	327
Kennedy	55	32	45	22	27	1	...	5	187
Logan	12	13	13	5	3	17	2	2	67
Mackay	38	30	14	30	1	3	116
Maranoa	33	21	11	7	3	75
Marathon	4	5	7	1	17
Maryborough	28	26	49	31	6	20	8	5	1	...	10	184
Mount Morgan	10	19	22	17	6	1	75
Oxley	11	1	6	7	2	...	1	...	2	...	1	31
Palmer	2	1	3
Rockhampton	54	46	41	53	58	...	3	1	1	...	10	267
Somerset	7	2	2	...	1	...	1	13
Springsure	9	5	6	5	25
Stanley	11	2	4	7	24
Stanthorpe	11	6	3	8	2	30
St. Lawrence
Tiaro	7	...	3	4	14
Toowong	18	...	18	10	6	...	2	...	3	57
Toowoomba	101	72	39	38	21	49	6	...	2	...	3	331
Townsville	74	40	19	27	2	25	187
Warrego	2	2	4
Warwick	72	54	19	49	...	1	...	1	196
TOTALS	1,212	941	874	683	256	191	126	32	245	4	205	4,769

Table No. VI.
SHOWING the BIRTHPLACE or RACE of HUSBANDS and WIVES MARRIED during the YEAR 1910.

BIRTHPLACE OR RACE OF HUSBANDS.										BIRTHPLACE OR RACE OF WIVES.																														
										BIRTHPLACE.											RACE.					BIRTHPLACE.				Total Husbands.										
										AUSTRALIAN STATES.						UNITED KINGDOM.			EUROPE.						AMERICA.		India.	China.	Japan.		Other Countries in Asia.	Pacific Islands.	Other British Possessions.	Aboriginal Natives.	Other Countries.	At Sea.	Unspecified.			
										Queensland.	New South Wales.	Victoria.	South Australia.	Western Australia.	Tasmania.	New Zealand.	England and Wales.	Scotland.	Ireland.	Germany.	Norway.	Sweden.	Denmark.	Italy.	British Possessions in Europe.	Other Countries in Europe.												British America.	United States.	British Africa.
Australian States	Queensland ...	2364	140	34	6	...	4	10	129	26	35	17	5	1	1	1	1	8	...	3	...	2,785									
	New South Wales ...	354	90	12	1	1	1	4	38	7	11	2	1	...	522										
	Victoria ...	131	15	34	1	...	1	2	21	...	8	1	214										
	South Australia ...	28	4	4	2	...	1	...	9	1	2	1	52										
	Western Australia ...	2	2										
New Zealand	Tasmania ...	21	1	1	...	1	2	1	27									
	21	6	2	4	...	2	35										
United Kingdom	England and Wales ...	324	27	9	4	...	1	1	137	24	18	5	1	2	1	...	1	2	1	...	558									
	Scotland ...	109	5	4	1	16	24	8	1	1	1	1	1	172										
	Ireland ...	90	6	1	18	8	30	2	155									
Europe ...	Germany ...	48	3	1	1	5	1	...	14	1	1	1	1	77									
	Norway ...	2	1	1	3	...	1	...	1	1	1	11									
	Sweden ...	2	1	3										
	Denmark ...	17	3	1	7	1	1	1	...	1	1	1	34										
	Italy ...	3	1	...	1	2	1	8										
	British Possessions in Europe									
America	Other Countries in Europe ...	5	1	3	1	...	4	21									
	British America ...	3	...	1	1	1	6									
British Africa	United States ...	8	3	1	1	...	1	14									
	2	1	3									
Race ...	India ...	3	1	2	...	1	7									
	China ...	4	1	...	1	16									
	Japan ...	4	7									
	Other Countries in Asia	1	6									
Other British Possessions	Pacific Islands ...	5	2	13									
	2	1	3									
Other Countries	2	1	5									
At Sea	10	1	1	1	13									
Unspecified									
TOTAL WIVES ...										3565	306	102	15	1	10	22	398	96	121	47	3	3	9	2	...	11	3	4	3	...	7	2	...	2	6	25	1	5	...	4,769

This Table may be read thus:—Following the first line horizontally across the table, it appears that 2,785 men, natives of Queensland, were married during the year, of whom 2,364 were married to Queensland women, 140 to women natives of New South Wales, 34 to natives of Victoria, and so on. Following the first column downwards, it appears that 3,565 women, natives of Queensland, were married, of whom 2,364 were married to men natives of the State, 354 to natives of New South Wales, 131 to Victorians, 29 to natives of South Australia, and so on.

Table No. VIII.

NUMBER of DEATHS of PERSONS of both SEXES REGISTERED during each MONTH of the YEAR ended 31st DECEMBER, 1910, distinguishing AGES at DEATH.

Age Groups.								January.		February.		March.		April.		May.		June.		July.		August.		September.		October.		November.		December.		Total for the Year.			
								Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 month	18	24	20	21	23	15	24	14	15	23	19	17	20	14	40	15	20	22	19	24	26	9	17	17	261	215	476	
1 month and under 2 months	6	8	4	1	4	2	7	2	6	3	3	2	5	3	3	3	4	2	5	4	5	4	3	3	55	37	92	
2 months	„	3	„	3	5	3	2	5	2	4	9	2	2	3	2	2	2	1	1	2	2	4	4	5	1	2	1	36	33	69	
3 „	„	6	„	6	9	4	6	13	2	3	2	6	4	8	3	13	6	7	4	7	6	7	10	14	14	16	8	104	74	178	
6 „	„	12	„	8	13	11	6	7	12	4	8	7	2	8	9	6	6	5	8	10	5	16	8	18	9	11	8	111	94	205	
Total under 12 months								41	59	42	36	52	33	42	35	36	34	41	33	46	31	56	31	43	37	51	50	68	37	49	37	567	453	1,020	
1 year and under 2 years	11	16	5	11	6	8	4	6	9	7	2	4	6	8	10	7	12	11	7	5	9	8	12	6	93	97	190	
2 years	„	3	„	9	4	5	2	6	1	4	3	5	4	2	4	4	4	2	4	7	5	4	3	5	5	3	5	56	44	100	
3 „	„	4	„	3	2	2	2	...	4	1	1	4	4	3	3	1	2	1	2	1	5	1	...	2	1	19	26	45	
4 „	„	5	„	1	3	2	1	...	3	3	3	5	2	4	4	3	...	1	...	1	...	3	2	3	...	26	18	44	
Total under 5 years								65	81	54	54	66	47	51	48	57	52	53	46	60	47	72	44	64	55	64	63	86	52	69	49	761	638	1,399	
5 years and under 10 years	2	3	4	5	4	3	5	6	6	5	3	1	3	7	4	3	9	6	9	9	7	4	8	4	64	56	120	
10 „	„	15	„	3	2	8	2	6	2	3	4	5	2	5	3	1	5	3	1	5	2	7	4	5	4	3	4	54	35	89	
15 „	„	20	„	8	5	8	3	10	4	7	7	7	4	6	4	6	12	9	4	10	6	9	4	3	3	13	4	96	60	156	
20 „	„	25	„	12	8	14	8	21	7	12	9	6	5	13	11	4	6	6	9	15	13	9	2	14	10	11	12	137	100	237	
25 „	„	30	„	15	8	10	10	7	8	18	2	11	9	12	13	10	9	12	6	10	11	8	13	8	9	10	134	108	242		
30 „	„	35	„	12	3	10	5	15	5	9	5	10	6	11	7	10	11	6	7	11	7	14	4	9	5	16	11	133	76	209	
35 „	„	40	„	12	9	16	8	9	8	20	9	9	5	8	4	13	5	11	7	13	6	14	8	17	13	13	5	155	87	242	
40 „	„	45	„	21	3	18	9	14	9	10	11	12	9	8	8	10	7	11	6	10	5	15	12	19	9	11	11	159	99	258	
45 „	„	50	„	24	6	12	9	19	6	19	7	19	8	24	8	23	6	19	7	29	10	19	13	22	6	23	12	252	98	350	
50 „	„	55	„	21	9	20	4	21	5	18	5	25	6	22	7	13	6	14	5	18	10	25	7	18	13	28	9	243	86	329	
55 „	„	60	„	16	5	18	7	20	7	17	4	19	3	24	5	13	7	20	8	19	9	18	6	14	7	29	5	227	73	300	
60 „	„	65	„	18	11	15	7	16	11	13	3	15	7	19	11	19	13	18	9	21	7	23	6	19	5	11	6	207	96	303	
65 „	„	70	„	29	11	19	5	24	15	24	8	23	15	17	11	30	10	20	7	17	13	25	18	26	13	16	11	270	137	407	
70 „	„	75	„	17	11	22	4	14	8	19	11	21	14	29	10	21	7	32	17	21	17	27	9	21	20	31	6	275	134	409	
75 „	„	80	„	16	13	17	6	17	11	13	7	11	16	24	11	18	21	18	12	14	12	22	6	20	7	27	7	217	129	346	
80 „	„	85	„	7	4	5	2	8	9	7	7	13	8	10	4	16	6	15	11	15	5	11	4	16	9	17	6	140	75	215	
85 „	„	90	„	4	6	2	3	...	5	7	3	2	2	2	4	8	3	6	2	5	2	3	6	1	6	4	4	44	46	90	
90 „	„	95	„	2	1	1	1	1	1	1	...	4	3	1	...	1	2	2	1	...	1	13	10	23	
95 „	„	upwards	1	1	...	1	...	2	1	1	2	2	1	5	7	12		
Age not stated	1	...	1	1	2	...	1	...	3	...	9	...	9		
Total over 5 years								239	118	219	98	226	124	222	111	216	125	238	123	223	142	227	130	239	142	265	128	247	143	273	128	2,834	1,512	4,346	
Total all Ages, Male and Female								304	199	273	152	292	171	273	159	273	177	291	169	283	189	299	174	303	197	329	191	333	195	342	177	3,595	2,150	5,745	
Total Deaths of Persons each month								503		425		463		432		450		460		472		473		500		520		528		519		5,745			
Percentage to total number of Deaths for the year								8·75		7·40		8·06		7·52		7·83		8·01		8·21		8·23		8·70		9·05		9·19		9·03					
								Males.		Females.		Persons.		Males.		Females.		Persons.		Males.		Females.		Persons.		Males.		Females.		Persons.					
Total Deaths each quarter								869		522		1,391		837		505		1,342		885		560		1,445		1,004		563		1,567					

DEATHS.

Table No. IX.

SHOWING the NUMBER of DEATHS REGISTERED in each REGISTRY DISTRICT in each MONTH of the YEAR 1910.

DISTRICT.	JANUARY.		FEBRUARY.		MARCH.		APRIL.		MAY.		JUNE.		JULY.		AUGUST.		SEPTEMBER.		OCTOBER.		NOVEMBER.		DECEMBER.		TOTALS.					
																									Males.	Females.	Persons.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.								
Aramac	4	...	2	1	2	1	7	3	4	...	9	1	5	2	5	...	4	3	3	...	2	2	3	2	50	15	65			
Balonne	1	3	1	4	1	1	1	4	1	1	...	3	3	1	2	1	1	...	20	6	26		
Blackall	4	...	3	1	2	2	1	2	3	1	1	1	3	3	1	1	2	1	4	...	4	3	4	...	32	15	47			
Bowen	3	...	1	...	3	3	1	3	1	2	4	...	6	3	3	1	1	...	5	1	1	2	29	15	44			
Brisbane	74	59	70	41	80	55	61	42	58	39	87	49	87	52	77	49	85	55	97	65	96	53	97	51	969	610	1,579			
Bundaberg	1	3	7	3	6	6	5	5	8	5	4	3	10	4	2	2	4	2	11	9	4	3	4	4	66	49	115			
Burke	1	...	1	1	2	1	3	...	1	1	...	1	1	...	1	1	10	4	14			
Burnett	3	8	4	...	4	1	1	2	4	7	6	...	3	4	5	4	6	6	6	4	14	3	5	4	61	43	104			
Caboolture	3	3	4	1	4	3	3	1	...	1	5	1	1	5	8	1	8	2	2	2	2	3	3	2	43	25	68			
Cairns	9	2	10	5	11	3	12	7	7	1	9	4	6	4	9	3	7	1	2	4	8	4	8	3	98	41	139			
Cardwell	3	1	...	1	2	...	5	...	1	1	...	1	...	4	...	2	2	2	1	...	2	1	3	1	19	12	31			
Charleville	5	...	6	1	2	1	7	2	1	1	2	...	2	...	1	1	4	...	2	1	1	3	33	10	43			
Clermont	1	...	2	1	3	...	2	1	3	1	1	2	...	3	2	...	5	1	4	...	23	9	32			
Cloncurry	4	...	6	3	2	2	3	1	1	...	1	1	2	2	...	3	3	...	2	2	3	1	26	12	38			
Cook	8	1	1	...	6	...	2	...	7	1	3	1	...	1	8	1	2	1	2	1	1	4	4	1	44	12	56			
Croydon	3	1	3	1	2	1	2	...	1	...	2	...	1	2	3	1	2	1	1	...	20	7	27			
Cunnamulla	2	1	1	...	2	...	3	...	3	1	3	1	1	1	3	15	7	22			
Dalby	7	3	2	1	8	4	2	...	8	5	6	3	5	2	2	2	2	2	6	1	7	2	6	3	61	28	89			
Darling Downs West	2	...	1	1	3	2	3	...	2	...	1	4	...	2	1	4	19	7	26			
Enoggera	7	10	9	7	9	4	5	3	8	4	6	6	5	1	2	6	5	10	8	5	5	6	9	6	78	63	146			
Etheridge	5	1	5	1	1	...	4	...	10	2	4	1	3	...	1	...	1	1	3	1	2	...	3	...	42	7	49			
Fassfern	3	1	1	2	1	3	2	2	2	...	2	2	1	1	3	2	2	...	1	3	2	1	5	1	22	17	39			
Gladstone	4	1	6	2	1	4	2	1	3	2	5	2	5	1	3	...	3	1	5	1	2	...	3	1	42	16	58			
Gympie	11	4	5	4	6	2	6	8	11	5	6	3	3	4	6	6	6	4	8	6	5	3	7	1	80	50	130			
Herberton	3	1	3	1	6	1	5	1	14	1	7	2	2	1	7	3	8	4	7	...	7	2	10	3	79	20	99			
Hughenden	1	...	2	...	1	1	1	...	2	4	2	1	1	1	1	2	...	3	1	3	...	3	20	10	30			
Ipswich	12	12	8	5	21	12	15	8	18	20	11	13	13	9	15	9	24	18	22	19	17	13	17	18	193	156	349			
Kennedy	15	5	9	7	13	11	11	3	11	11	5	7	15	4	8	4	12	7	17	12	10	7	14	5	140	83	223			
Logan	4	3	3	5	1	3	4	...	1	1	1	1	4	4	2	4	6	3	7	2	...	1	5	3	38	30	68			
Mackay	8	1	9	5	12	4	6	4	6	2	5	7	4	5	8	4	9	5	11	3	7	3	7	7	92	50	142			
Maranoa	4	5	6	5	6	4	4	2	7	2	4	...	2	3	10	6	2	5	6	1	8	3	59	36	95			
Marathon	2	...	7	1	...	1	4	1	1	1	4	1	2	2	1	23	6	29			
Maryborough	9	8	12	6	10	5	7	3	5	6	6	3	17	13	9	4	6	6	7	2	9	5	10	7	107	68	175			
Mount Morgan	5	3	5	2	4	1	6	...	3	1	6	4	3	1	4	1	2	2	6	1	4	2	4	2	52	20	72			
Oxley	9	7	8	6	7	7	2	7	6	6	11	4	4	6	15	2	7	2	9	5	10	6	7	6	95	64	159			
Palmer	1	1	1	1	1	...	2	...	6	1	7			
Rockhampton	13	10	20	13	7	7	12	7	12	11	20	12	11	14	10	12	18	17	26	7	14	17	21	8	184	135	319			
Somerset	5	...	9	1	9	...	9	1	1	1	3	1	5	1	1	...	5	...	6	...	2	...	12	1	67	6	73			
Springsure	5	1	1	...	3	1	1	...	1	...	1	1	4	...	1	2	1	...	2	...	2	...	1	1	23	6	29			
Stanley	1	...	2	2	2	...	1	1	1	3	2	2	3	3	1	1	1	1	1	1	5	1	1	1	21	16	37			
Stanthorpe	2	1	3	...	2	1	2	1	3	1	...	1	1	2	1	1	2	1	16	10	26			
St. Lawrence	2	1	1	1	1	4	5			
Tiaro	1	1	...	1	2	5	...	5			
Toowong	2	4	2	1	...	1	2	...	4	2	...	1	...	2	1	2	4	3	3	1	4	1	22	22	44			
Toowoomba	16	22	7	11	17	12	23	9	18	17	17	11	16	14	27	18	10	15	15	12	22	17	23	16	211	174	385			
Townsville	6	14	6	4	8	3	13	12	6	5	...	6	10	9	15	8	8	6	6	6	12	8	5	7	104	88	192			
Warrego	3	...	3	1	...	1	2	2	...	1	...	3	2	1	...	3	...	18	4	22			
Warwick	11	3	6	4	4	6	12	6	6	...	19	7	11	7	16	3	13	4	7	5	11	7	11	4	117	56	173			
TOTALS OF MONTHS	304	199	273	152	292	171	273	159	273	177	291	169	283	189	299	174	303	197	329	191	333	195	342	177			
TOTALS OF QUARTERS—																									3,595	2,150	...			
Male	869			837			885		...		560		1,004		...		563							
Female	...		522			505								
TOTALS OF QUARTERS—																									5,745			
Persons	1,391						1,342						1,445						1,567											

DEATHS.

Table No. X.

SHOWING the NUMBER of DEATHS of CHILDREN under FIVE YEARS of AGE REGISTERED during the YEAR 1910.

REGISTRY DISTRICT.	UNDER ONE YEAR.		ONE AND UNDER TWO YEARS.		TWO YEARS AND UNDER FIVE YEARS.		TOTAL NUMBER OF DEATHS UNDER FIVE YEARS IN EACH DISTRICT.		
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Persons.
Aramac	7	5	...	2	1	1	8	8	16
Balonne	...	2	1	1	1	3	4
Blackall	4	3	1	4	4	8
Bowen	6	2	2	...	1	2	9	4	13
Brisbane	137	133	22	28	26	17	185	178	363
Bundaberg	13	12	5	3	1	3	19	18	37
Burke	1	1	1	1	2	3
Burnett	21	14	4	3	5	4	30	21	51
Caboolture	19	6	3	6	1	1	23	13	36
Cairns	8	10	3	4	2	2	13	16	29
Cardwell	1	4	...	1	1	2	2	7	9
Charleville	6	2	...	1	...	2	6	5	11
Clermont	...	2	1	1	1	...	2	3	5
Cloncurry	1	7	1	1	2	8	10
Cook	5	1	5	1	6
Croydon	2	1	1	2	2	4
Cunnamulla	5	3	5	3	8
Dalby	4	5	3	1	6	1	13	7	20
Darling Downs West	2	2	2	2	4
Enoggera	25	18	5	9	5	2	35	29	64
Etheridge	5	3	...	1	1	...	6	4	10
Fassifern	7	3	1	...	2	2	10	5	15
Gladstone	11	7	1	3	12	10	22
Gympie	11	9	3	1	2	2	16	12	28
Herberton	10	7	3	2	3	1	16	10	26
Hughenden	2	2	1	1	3	3	6
Ipswich	43	27	6	4	8	10	57	41	98
Kennedy	21	14	4	1	7	5	32	20	52
Logan	3	8	3	6	8	14
Mackay	7	9	2	1	3	3	12	13	25
Maranoa	9	7	2	1	4	3	15	11	26
Marathon	1	1	...	1
Maryborough	17	9	1	2	2	2	20	13	33
Mount Morgan	19	5	1	4	20	9	29
Oxley	2	6	1	1	3	7	10
Palmer
Rockhampton	27	34	2	4	5	2	34	40	74
Somerset	2	1	1	...	3	1	4
Springsure	2	2	1	1	3	3	6
Stanley	5	5	2	1	1	...	8	6	14
Stanthorpe	4	4	...	4
St. Lawrence	1	1	1
Tiaro	1
Toowong	1	5	1	1	2	6	8
Toowoomba	48	27	6	3	3	7	57	37	94
Townsville	11	11	...	1	4	7	15	19	34
Warrego	4	2	4	2	6
Warwick	28	20	5	3	1	...	34	23	57
TOTALS	567	453	93	97	101	88	761	638	1,399

Table No. XII.

SHOWING the OCCUPATIONS of 5,745 PERSONS who DIED in QUEENSLAND during the YEAR 1910.

[illegible]

Table No. XIII.

CAUSES of DEATHS in QUEENSLAND during the YEAR 1910, arranged in ORDER of DEGREE of FATALITY.

Cause of Death.	Number of Deaths, Males and Females, Registered from each Cause.		Total Deaths from each Cause in 1910.	Total Deaths from each Cause in 1909.	Increase or —Decrease in 1910.
	Males.	Females.			
Organic Diseases of the Heart	365	224	589	518	71
Cancer (all kinds)	233	162	395	341	54
Diarrhœa and Enteritis (under and over 2 years)	208	174	382	482	—100
Tuberculosis (all parts)	243	107	350	387	— 37
Congenital Debility, Icterus, and Scleroma	167	142	309	307	2
Senile Debility	179	106	285	241	44
Bright's Disease	138	80	218	186	32
Hæmorrhage of the Brain, Apoplexy	116	71	187	168	19
Pneumonia	95	54	149	233	— 84
Acute and Chronic Bronchitis	75	66	141	133	8
Drowning (Accident)	106	12	118	91	27
Diseases of Arteries, Atheroma, Aneurism, etc.	83	24	107	76	31
Typhoid Fever	61	35	96	88	8
Whooping Cough	43	45	88	37	51
Congenital Malformations (exclusive of Stillborn)	44	40	84	72	12
Convulsions of Children (under 5)	41	36	77	88	— 11
Simple Meningitis	42	27	69	76	— 7
Diphtheria	31	35	66	49	17
Influenza	38	25	63	71	— 8
Paralysis without indicated cause	43	18	61	64	— 3
Other Diseases of Stomach (Cancer excluded)	36	18	54	52	2
Animals (Accident)	48	5	53	44	9
Dysentery	35	15	50	22	28
Acute Endocarditis	33	17	50	42	8
Broncho-pneumonia	27	23	50	69	— 19
Asthma	40	9	49	42	7
Other Diseases Peculiar to Infancy (under 3 months)	32	17	49	36	13
Falls, (Accident)	40	5	45	34	11
Cirrhosis of the Liver	28	14	42	36	6
Burns (Accident)	16	25	41	30	11
Hernia, Intestinal Obstruction	27	13	40	50	— 10
Vehicles (Accident)	34	5	39	29	10
Diseases of the Prostate	38	...	38	27	11
Appendicitis	24	12	36	39	— 3
Suicide by Poison	26	10	36	24	12
Diabetes	15	18	33	42	— 9
Tetanus	27	5	32	37	— 5
Diseases of the Bladder	25	7	32	17	15
Railways and Tramways (Accident)	30	2	32	26	6
Anæmia, Chlorosis	15	16	31	32	— 1
Syphilis	20	10	30	28	2
Other Diseases of the Nervous System	16	14	30	25	5
Acute Nephritis	16	14	30	36	— 2
Beri Beri	28	1	29	17	16
Congestion of Lungs and Pulmonary Apoplexy	12	16	28	14	14
Suicide by Firearms	27	1	28	26	2
Malarial Cachexia	23	4	27	32	— 5
Purulent Infection and Septicæmia	17	10	27	40	— 13
Epilepsy	12	13	25	29	— 4
Sunstroke (Accident)	20	5	25	14	11
Acute and Chronic Alcoholism	20	4	24	18	6
Embolism and Thrombosis	11	13	24	30	— 6
Mines and Quarries (Accident)	23	...	23	32	— 9
Other Diseases of the Liver	9	13	22	30	— 8
Puerperal Septicæmia	22	22	22	...
Other Diseases of the Spinal Cord	9	12	21	11	10
Pleurisy	16	5	21	15	6
Other Diseases of the Skin and Adnexa	12	9	21	22	— 1
Suicide by Drowning	19	2	21	10	11
Dengue	8	11	19	6	13
Other Diseases of the Respiratory System	18	1	19	4	15
Simple Peritonitis (non-puerperal)	10	9	19	21	— 2
Timber-felling, Logging, etc. (Accident)	19	...	19	23	— 4
Accidents of Pregnancy	18	18	18	...
Puerperal Albuminuria and Eclampsia	18	18	19	— 1
Suicide by Cutting Instruments	15	2	17	19	— 2
Softening of the Brain	10	6	16	19	— 3
Other Diseases of the Intestines	9	6	15	8	7
Gangrene	7	8	15	18	— 3
Diseases of the Larynx	7	7	14	12	2
Biliary Calculi	8	6	14	18	— 4
Firearms (Accident)	11	3	14	12	2
Starvation (Accident)	13	1	14	16	— 2
Other Violence (Accident)	11	3	14	25	— 11
Acute Articular Rheumatism	3	10	13	15	— 2
Progressive Locomotor Ataxia	12	1	13	5	8

Table No. XIII.—continued.

CAUSES OF DEATHS in QUEENSLAND during the YEAR 1910, arranged in ORDER of DEGREE of FATALITY—continued.

Cause of Death.	Number of Deaths, Males and Females, Registered from each Cause.		Total Deaths from each Cause in 1910.	Total Deaths from each Cause in 1909.	Increase or — Decrease in 1910.
	Males.	Females.			
Other Accidents of Childbirth	12	12	17	— 5
Measles	6	5	11	7	4
Other Forms of Mental Alienation	6	5	11	11	...
Ulcer of the Stomach	4	7	11	9	2
Other Diseases of the Kidneys and Adnexa	5	6	11	14	— 3
Leprosy	10	...	10	9	1
Chronic Rheumatism and Gout	4	6	10	15	— 5
Leucæmia	6	4	10	6	4
Other General Diseases	4	6	10	6	4
Puerperal Hæmorrhage	10	10	7	3
Suicide by Hanging or Strangulation	10	...	10	8	2
Erysipelas	5	4	9	7	2
Calculi of Urinary System	6	3	9	2	7
General Paralysis	6	2	8	12	— 4
Venomous Creatures and other Acute Poisonings	4	4	8	1	7
Diseases of the Ear	5	2	7	4	3
Other Diseases of the Digestive System	3	4	7	4	3
Other Diseases of Female Genital Organs	7	7	2	5
Non-tuberculous Diseases of the Bones	5	2	7	9	— 2
Murder, Other	7	...	7	14	— 7
Hysteria, Neuralgia, and Neuritis	3	3	6	...	6
Pericarditis	2	4	6	15	— 9
Diseases of Mouth and Associated Organs	3	3	6	5	1
Sprue	2	4	6	5	1
Croup	4	1	5	5	...
Other Tumours (exclusive of Female Genital Organs)	2	3	5	7	— 2
Lead Poisoning	4	1	5	2	3
Angina Pectoris	2	3	5	9	— 4
Diseases of the Pharynx	3	2	5	6	— 1
Carbuncle	4	1	5	5	...
Phlegmon, Acute Abscess	2	3	5	7	— 2
Rachitis	2	2	4	...	4
Exophthalmic Goitre	4	4	3	1
Filaria	3	1	4	2	2
Machinery (Accident)	4	...	4	6	— 2
Unspecified or Ill-defined Causes of Death	3	1	4	25	— 21
Chorea	1	2	3	...	3
Hæmorrhage	2	1	3	10	— 7
Gangrene of the Lungs	2	1	3	4	— 1
Pulmonary Emphysema	3	...	3	3	...
Ankylostomiasis	3	3	11	— 8
Other Diseases of the Urethra, Urinary Abscess, etc.	3	...	3	4	— 1
Cysts and Other Ovarian Tumours	3	3	6	— 3
Other Puerperal Accidents, Sudden Death	3	3	...	3
Arthritis and Other Diseases of Joints	1	2	3	...	3
Scurvy	1	1	2	4	— 2
Addison's Disease	2	...	2	4	— 2
Encephalitis	2	...	2	9	— 7
Diseases of the Thyroid Body	2	...	2	...	2
Diseases of the Oesophagus	2	...	2	4	— 2
Diseases of the Spleen	1	1	2	...	2
Non-venereal Disease of Male Genital Organs	2	...	2	1	1
Uterine Tumour (non-cancerous)	2	2	4	— 2
Suicide by Crushing	2	...	2	...	2
Poison by Food (Accident)	2	2	4	— 2
Lightning (Accident)	2	...	2	4	— 2
Murder by Firearms	1	1	2	...	2
Murder by Cuts	1	1	2	...	2
Scarlet Fever	1	...	1	1	...
Gonococcal Disease	1	...	1	...	1
Other Chronic Poisoning	1	...	1	4	— 3
Eclampsia (non-puerperal)	1	...	1	...	1
Diseases of Veins (Varices, Varicose, Ulcers, etc.)	1	...	1	2	— 1
Diseases of the Nasal Fossæ	1	1	...	1
Icterus Gravis	1	1	3	— 2
Metritis, Other Diseases of the Uterus	1	1	5	— 4
Puerperal Phlegmasia Alba Dolens	1	1	...	1
Suicide by Precipitation from a Height	1	...	1	1	...
Other Suicides	1	...	1	3	— 2
Noxious Gases (Accident)	1	1	3	— 2
Fractures, etc. (Accident)	1	...	1	...	1
Deaths from causes in 1909 not occurring in 1910	23	— 23
TOTAL	3,595	2,150	5,745	5,530	215

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in Queensland during the Year 1910.

CLASSES AND DISEASES.		Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.		
																							Males.	Females.	Persons.	
CLASS I.—General Diseases.																										
1.	Typhoid Fever	1	1	1	3	4	16	15	7	5	1	1	1	4	2	61	35	96	
2.	Typhus		
3.	Recurrent Fever		
4.	Intermittent Fever		
4a.	Malarial Cachexia	1	4	2	4	1	5	4	1	1	23	4	27	
5.	Small-pox		
6.	Measles	1	1	1	1	1	5	1	6	5	11	
7.	Scarlet Fever		
8.	Whooping Cough	29	6	3	1	2	41	1	1	43	45	88	
9.	Diphtheria	2	5	9	5	5	26	3	1	1	31	35	66	
9a.	Croup	1	2	1	4	4	1	5	
10.	Influenza	7	1	1	9	1	1	...	2	1	...	1	1	3	2	3	6	8	38	25	63	
11.	Miliary Fever		
12.	Asiatic Cholera		
13.	Cholera Nostras		
14.	Dysentery	2	1	1	4	4	4	3	5	1	...	2	2	1	3	...	4	2	35	15	50
14a.	Epidemic Dysentery		
15.	Plague		
16.	Yellow Fever		
17.	Leprosy		
18.	Erysipelas	2	...	1	3	1	1	...	5	4	9
19.	Other Epidemic Diseases		
19a.	Dengue	1	1	1	1	2	2	1	...	8	11	19
20.	Purulent Infection and Septicæmia	1	1	2	1	1	...	1	2	2	4	...	1	2	1	...	17	10	27
21.	Glanders and Farcy</																						

TABLE No. XIV,—continued.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in Queensland during the Year 1910—continued.

CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.			
																							Males.	Females.	Persons.	
CLASS III.—Diseases of the Circulatory System.																										
77. Pericarditis	1					1											1							2	4	6
78. Acute Endocarditis							1	2																33	17	50
79. Organic Diseases of the Heart		1			1	2	4	2	8	6	9	6	15	24	24	36	28	38	52	57	52	1	2	365	224	589
80. Angina Pectoris																								2	3	5
81. Dis. of Arteries, Atheroma, Aneurism, etc.																								83	24	107
82. Embolism and Thrombosis	1					1					2	3	6	4	7	12	9	17	6	3				11	13	24
83. Dis. of Veins (Varices, Varicose Ulcers, etc.)													1											1		1
84. Diseases of the Lymphatic System																										
85. Hemorrhage																		1		1				2	1	3
TOTAL CLASS III.	2	1			1	4	5	4	8	8	11	10	22	33	31	49	45	49	76	69	73	2	499	286	785	
CLASS IV.—Diseases of the Respiratory System.																										
86. Diseases of the Nasal Fossæ																									1	1
87. Diseases of the Larynx	1	1	1	1		4									1	1		1						7	7	14
88. Diseases of the Thyroid Body									1															2		2
89. Acute Bronchitis	16	3	3	2	2	26									1	1				1			30	24	54	
90. Chronic Bronchitis															1	3	3	3	5	9	20		45	42	87	
91. Broncho-pneumonia	16	2			1	19	1					1	2						1	1	2		27	23	50	
92. Pneumonia	8	8	3		3	22	5	1	6	3	5	1	5	5	8	2	3	6	7	9	7		95	54	149	
93. Pleurisy	3					3	2					1				2	1	2	1	1	1		16	5	21	
94. Congestion of Lungs and Pul. Apoplexy	3	1				4						1		2			1		1	1	2		12	16	28	
95. Gangrene of the Lungs																			1	1			2	1	3	
96. Asthma														1	2	6	1	4	3							

TABLE No. XIV.—continued.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in Queensland during the Year 1910—continued.

CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.			
																							Males.	Females.	Persons.	
CLASS VIII.—Diseases of the Skin and of the Cellular Tissue.																										
142. Gangrene	1	1	1	1	...	3	...	7	8	15	
143. Carbuncle	1	1	1	...	4	1	5		
144. Phlegmon, Acute Abscess	1	1	1	2	3	5		
145. Other Diseases of the Skin and Adnexa	2	...	1	3	...	3	1	1	1	1	1	12	9	21		
TOTAL CLASS VIII.	2	1	1	4	...	3	1	...	1	2	1	2	2	2	1	2	4	...	25	21	46	
CLASS IX.—Diseases of the Organs of Locomotion.																										
146. Non-tuberculous Diseases of the Bones	2	1	3	1	1	...	5	2	7	
147. Arthritis and other Dis. of Joints	1	...	1	2	3		
148. Amputation		
149. Other Dis. of Organs of Locomotion		
TOTAL CLASS IX.	2	1	3	1	2	...	6	4	10		
CLASS X.—Malformations.																										
150. Congenital Malfor. (excl. of Still-born)	38	2	2	1	...	43	1	44	40	84		
TOTAL CLASS X.	38	2	2	1	...	43	1	44	40	84		
CLASS XI.—Infancy.																										
151. Congenital Debility, Icterus, and Scleroma	167	167	167	142	309		
152. Other Dis. Pec. to Infancy (un. 3 mths.)	32	32	32	17	49		
153. Want of Care (Infants)		
TOTAL CLASS XI.	199	199	199	159	358		
CLASS XII.—Old Age.																										
154. Senile Debility	1	2	7	10	36	123	...	179	106	285	
TOTAL CLASS XII.	1	2	7	10	36	123	...	179	106	285	
CLASS XIII.—Violence.																										
155. Suicide by Poison	2	1	2	3	5	1	7	2	1	...	1	...	1	26	10	36		
156. Suicide by Asphyxia	1	1	2	2	...	1	2		
157. Suicide by Hanging or Strangulation	1	1	2	2	...	1	2	...	1	10	...	10		
158. Suicide by Drowning	1	1	1	1	5	2	2	2	1	1	...	19	2	21		
159. Suicide by Firearms	1	2	1	2	2	3	6	2	3	3	1	...	1	27	1	28		
160. Suicide by Cutting Instruments	5	2	...	3	15	2	17		
161. Suicide by Precipitation from a Height	1	...	1	...	3	...	1	1	...	1		
162. Suicide by Crushing	1	1	2	...	2		
163. Other Suicides	1	1	...	1		
164. Poison by Food	2	2		
165. Ven. Creatures and other acute Poisons	1	...	1	2	4	4	8		
166. Incendiarism		
167. Burns	1	1	...	1	...	3	1	...	2	1	...	1	1	1	...	1	2	3	...	16	25	41	
168. Noxious Gases	1	...	
169. Drowning	2	...	1	3	9	7	14	12	10	6	8	9	10	2	3	1	4	4	3	1	106	12	118	
170. Firearms	1	...	1	...	1	2	3	1	1	...	1	...	1	11	3	14		
171. Cuts and Stabs		
172. Falls	1	1	2	3	1	3	3	2	2	...	8	2	5	1	2	1	4	...	40	5	45	
173. Mines and Quarries	2	5	3	2	3	1	3	1	1	1	1	1	23	...	23		
174. Machinery	1	...	1	1	1	4	...	4		
175. Vehicles	1	1	2	3	2	1	1	6	1	3	3	2	3	4	...	1	2	...	34	5	39		
175a. Railway and Tramways	2	...	1	1	5	3	2	5	4	...	3	2	...	1	...	30	2	32		
176. Animals	3	4	6	6	6	3	2	4	1	2	4	2	1	1	3	...	48	5	53		
177. Starvation	1	...	1	1	1	2	1	1	2	1	1	...	13	1	14		
178. Cold		
179. Sunstroke	1	1	...	2	...	1	...	1	1	1	4	2	5	2	20	5	25		
180. Lightning	2	...	2		
181. Others, Electric		
181a. Timber Felling, Logging, etc.	3	2	...	2	3	1	3	5	19	...	19		
182. Murder by Firearms	1	1	1	2		
183. Murder by Cuts	1	1	1	2		
184. Murder, Other	1	1	1	...	2	...	1	...	1	...	7	...	7		
185. Fractures, etc.	1	1	...	1		
186. Other Violence	1	1	...	1	2	...	2	2	1	2	11	3	14		
TOTAL CLASS XIII.	4	3	2	2	1	12	20	20	34	44	41	30	35	45	58	40	36	24	18	14	17	4	492	90	582	
CLASS XIV.—Ill-defined Diseases.																										
187. Organic Lesion (not Defined)	
188. Sudden Death		
189. Unspecified or Ill-defined Causes of Death	2	1	3	...	4		
TOTAL CLASS XIV.	2	1	3	1	4		
TOTAL DEATHS OF MALES FROM ALL CAUSES	567	93	56	19	26	761	64	54	96	137	134	133	155	159	252	213	227	207	270	275	419	9	3,595	2,150	5,745	

TABLE No. XV.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in Queensland during the Year 1910.

CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.				
																							Females.	Males.	Persons.		
CLASS I.—General Diseases.																											
1. Typhoid Fever	4	3	5	2	6	5	3	4	2	1	35	61	96		
2. Typhus		
3. Recurrent Fever		
4. Intermittent Fever		
4a. Malarial Cachexia	1	1	2	...	1	1	4	23	27			
5. Small-pox		
6. Measles	1	1	2	1	1	5	6	11			
7. Scarlet Fever		
8. Whooping Cough	16	16	3	7	...	42	3	45	43	88			
9. Diphtheria	1	8	8	3	3	23	9	2	1	35	31	66			
9a. Croup	1	1	1	4	5			
10. Influenza	5	1	...	6	1	1	1	...	1	2	1	2	2	8	25	38	63			
11. Miliary Fever		
12. Asiatic Cholera		
13. Cholera Nostras	1		
14. Dysentery	1	4	5	1	1	2	3	...	3	...	15	35	50			
14a. Epidemic Dysentery		
15. Plague		
16. Yellow Fever		
17. Leprosy	10	10	...		
18. Erysipelas	2	1	3	1	4	5	9	...		
19. Other Epidemic Diseases		
19a. Dengue	1	1	...	1	1	...	1	1	2	2	1	1	...	11	8	19		
20. Purulent Infection and Septicæmia	1	1	2	1	1	1	...	1	1	2	1	10	17	27	...		
21. Glanders and Farcy		
22. Malignant Pustule and "Charbon"		
23. Rabies		
24. Tetanus	1	1	...	2	1	1	1	5	27	32	...		
25. Trichinosis, etc.		
26. Pellagra		
27. Beri Beri	1	28	29		
28. Tuberculosis of the Lungs	1	1	5	14	16	7	15	13	7	5	4	3	1	91	212	303	...		
29. Tuberculosis, Acute Miliary	5	5	...		
30. Tuberculosis of the Meninges	1	1	1	1	1	5	1	6	4	10	...		
31. Tuberculosis, Abdominal, etc.	1	2	3	...	1	1	1	1	7	12	19	...		
32. Pott's Disease	1	1	...		
33. White Swellings		
34. Tuberculosis of other Organs	1	...	1	2	3	7	10	...		
35. General Tuberculosis	2	2	...		
36. Rachitis	2	2	2	2	...		
37. Syphilis	7	7	1	1	1	10	20	30	...		
38. Gonococccic Dis.		
39. Cancer, etc., of the Mouth	1	2	...	3	46	49	...		
40. Cancer, etc., of the Stomach and Liver	1	...	1	3	5	5	5	7	9	9	...	45	102	147	...		
41. Cancer, etc., Peritonæum, Intestines, etc.	1	4	3	4	...	1	2	4	3	...	22	23	45	...		
42. Cancer, etc., of the Female Genital Organs	2	3	2	7	5	3	6	5	4	1	1	...	39	...	39	...	
43. Cancer, etc., of the Breast	2	3	2	3	5	4	1	1	4	...	25	...	25	...		
44. Cancer, etc., of the Skin	1	1	1	...	4	18	22	...		
45. Cancer, etc., of other Organs	1	1	...	1	1	1	4	3	4	1	1	5	24	44	68	...		
46. Other Tumours (excl. F. Genital Organs)	1	3	2	5	...		
47. Acute Articular Rheumatism	1	1	2	1	2	1	...	1	1	1	10	3	13	...		
48. Chronic Rheumatism and Gout	2	1	...	1	2	...	6	4	10	...	
49. Scurvy	1	1	1	1	2	...	
50. Diabetes	1	1	1	1	...	1	1	3	1	2	1	5	...	18	15	33	...	
51. Exophthalmic Goitre	2	1	1	4	...	4	...		
52. Addison's Disease	2	2	...		
53. Leucæmia	1	1	...	1	...	1	4	6	10	...		
54. Anæmia, Chlorosis	1	3	4	1	1	2	...	2	2	1	1	1	16	15	31	...		
54a. Filaria	1	3	4	...	
55. Other General Diseases	1	1	1	3	1	1	1	1	1	1	6	4	10	...	
56. Acute and Chronic Alcoholism	1	1	1	1	4	20	24	...	
57. Lead Poisoning	1	1	4	5	...	
58. Other Chr. Poisonings due to Occupations	
59. Other Chronic Poisonings	1	...	1	...
TOTAL CLASS I.	46	38	13	14	6	117	19	16	15	26	26	28	32	39	36	37	33	30	31	25	41	...	551	916	1,467	...	
CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense.																											
60. Encephalitis	27	2	2	...	
61. Simple Meningitis	8	4	3	15	2	3	2	1	1	1	...	2	
61a. Epidemic Cerebro-spinal Meningitis	1	12	13	...	
62. Progressive Locomotor Ataxia	1	2	1	3	...	12	9	21	...	
63. Other Diseases of the Spinal Cord	1	...	1	2	2	1	71	116	187	...	
64. Hemorrhage of Brain, Apoplexy	2	4	...	1	...	7	1	2	1	...	2	4	2	4	6	4	12	8	18	...	6	10	16	...	
65. Softening of the Brain	3	1	2	
66. Par																											

TABLE No XV.—continued.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in Queensland during the Year 1910—continued.

CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.			
																							Females.	Males.	Persons.	
CLASS III.—Diseases of the Circulatory System.																										
77. Pericarditis	1	2	...	1	1	1	2	1	...	1	2	1	1	2	4	2	6	
78. Acute Endocarditis	1	2	1	2	...	7	7	13	11	14	12	17	36	34	47	17	33	50		
79. Organic Diseases of the Heart	1	3	1	9	7	5	1	224	365	589		
80. Angina Pectoris	3	2	5		
81. Dis. of Arteries, Atheroma, Aneurism, etc.	1	3	2	2	2	3	6	5	24	83	107		
82. Embolism and Thrombosis	1	1	1	2	...	1	...	1	1	1	13	11	24		
83. Dis. of Veins (Varices, Varicose Ulcers, etc.)	1	...	1	
84. Diseases of the Lymphatic System	1	1	2	...	3	
85. Hemorrhage	
TOTAL CLASS III.	2	1	...	2	...	5	6	2	9	9	7	11	8	14	16	20	15	24	43	42	55	286	499	785		
CLASS IV.—Diseases of the Respiratory System.																										
86. Diseases of the Nasal Fossæ	1	1	1	...	1	...	
87. Diseases of the Larynx	2	2	1	...	5	1	1	7	7	14		
88. Diseases of the Thyroid Body	
89. Acute Bronchitis	11	4	...	2	1	18	2	1	1	1	1	24	30	54		
90. Chronic Bronchitis	1	1	1	2	1	1	2	1	3	9	21	42	45	87		
91. Broncho-pneumonia	9	1	2	12	3	...	1	1	1	2	3	...	23	27	50		
92. Pneumonia	11	2	3	1	2	19	2	3	1	4	3	...	2	5	2	4	...	2	...	1	6	54	95	149		
93. Pleurisy	1	1	1	2	5	16	21		
94. Congestion of Lungs and Pul. Apoplexy	3	1	1	5	1	2	1	2	1	1	1	1	...	1	16	12	28		
95. Gangrene of the Lungs	2	2	1	2	1	2	1	9	40	49		
96. Asthma	3	...	3	
97. Pulmonary Emphysema	1	18	19		
98. Other Diseases of the Respiratory System	
TOTAL CLASS IV.	34	11	8	4	7	64	6	5	3	7	7	2	5	7	4	7	3	6	7	15	35	183	297	480		
CLASS V.—Diseases of the Digestive System.																										
99. Dis. of Mouth and associated organs	1	1	1	1	3	3	6		
100. Diseases of the Pharynx	1	1	2	3	5		
101. Diseases of the Oesophagus	2	...	2	
102. Ulcer of the Stomach	1	1	1	1	1	1	1	7	4	11		
103. Other Dis. of Stomach (Cancer excluded)	11	11	1	1	1	...	1	2	1	...	18	36	54	
104. Diarrhœa and Enteritis (under two years)	121	20	141	141	157	298		
105. Diarrhœa and Enteritis (over two years)	3	2	...	5	4	2	2	2	...	1	...	3	6	8	33	51	84		
106. Ankylostomiasis	1	...	1	2	1	3	...	3	...	
107. Intestinal Parasites	
107a. Sprue	1	1	1	1	1	4	2	6		
108. Appendicitis	1	...	1	1	1	4	1	2	1	1	12	24	36		
109. Hernia, Intestinal Obstruction	1	1	1	3	2	...	3	2	13	27	40		
110. Other Diseases of the Intestines	1	1	2	...	1	...	2	6	9	15		
111. Icterus Gravis	1	1	...	1	...	
112. Hydatid Tumours of the Liver	
113. Cirrhosis of the Liver	1	2	2	2	...	1	3	3	14	28	42		
114. Biliary Calculi	3	1	...	1	6	8	14		
115. Other Diseases of the Liver	2	1	2	2	1	2	1	2	13	9	22		
116. Diseases of the Spleen	1	1	1	1	1	2	...	
117. Simple Peritonitis (non-puerperal)	1	1	1	...	2	1	1	1	1	9	10	19		
118. Other Diseases of the Digestive System	1	1	1	1	1	...	4	3	7		
TOTAL CLASS V.	135	21	6	3	1	166	9	2	5	2	13	5	7	6	13	6	8	10	12	11	15	290	377	667		
CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.																										
119. Acute Nephritis	1	3	3	2	1	1	1	1	1	14	16	30		
120. Bright's Disease	1	1	7	11	11	9	6	2	9	4	2	6	7	3	1	...	80	138	218		
121. Chyluria	
122. Other Dis. of Kidneys and Adnexa	1	1	1	...	1	...	1	...	1	1	6	5	11		
123. Calculi of Urinary System	1	1	3	6	9		
124. Diseases of the Bladder	1	1	1	2	2	7	25	32		
125. Other Dis. Urethra, Urin. Abscess, etc.	3	3	...	
126. Diseases of the Prostate	38	38	...	
127. Non-venereal Dis. of Male Genital Organs	2	
128. Uterine Hemorrhage (non-puerperal)	
129. Uterine Tumour (non-cancerous)	1	1	2	...	
130. Metritis and other Diseases of the Uterus	1	1	...	1	...	
131. Cysts and other Ovarian Tumours	2	1	1	3	...	3	...	
132. Other Dis. of Female Genital Organs	2	1	1	1	1	7	...	7	...	
133. Non-puer. Dis. of Breast (Cancer excepted)	
TOTAL CLASS VI.	1	1	1	2	11	16	17	12	10	6	13	4	3	8	9	6	4	123	233	356		
CLASS VII.—Puerperal Condition.																										
134. Accidents of Pregnancy	1	2	4	5	2	3	1	18	...	18		
135. Puerperal Hemorrhage	5	1	2	2	10	...	10		
136. Other Accidents of Childbirth	3	4	1	1	3	12	...	12		
137. Puerperal Septicæmia	1	2	9	2	6	2	22	...	22		
138. Puerperal Albuminuria and Eclampsia	4	9	4	1	18	...	18		
139. Puerperal Phlegmasia Alba Dolens																								

TABLE No. XV.—continued.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in Queensland during the Year 1910—continued.

CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.		
																							Females.	Males.	Persons.
CLASS VIII.—Diseases of the Skin and of the Cellular Tissue.																									
142. Gangrene	1	1	2	1	3	...	8	7	15
143. Carbuncle	1	1	4	5	
144. Phlegmon, Acute Abscess	1	1	1	1	3	2	5	
145. Other Diseases of the Skin and Adnexa	3	3	2	1	1	2	9	12	21	
TOTAL CLASS VIII.	4	4	1	1	...	3	2	1	3	1	5	...	21	25	46
CLASS IX.—Diseases of the Organs of Locomotion.																									
146. Non-tuberculous Diseases of the Bones	1	1	2	5	7	
147. Arthritis and other Dis. of Joints	1	1	2	1	3	
148. Amputation	
149. Other Dis. of Organs of Locomotion	
TOTAL CLASS IX.	1	1	1	1	...	4	6	10
CLASS X.—Malformations.																									
150. Congenital Malfor. (excl. of Stillborn)	32	5	1	1	1	40	40	44	84	
TOTAL CLASS X.	32	5	1	1	1	40	40	44	84	
CLASS XI.—Infancy.																									
151. Congenital Debility, Icterus, and Scleroma	142	142	142	167	309	
152. Other Dis. Pec. to Infancy (un. 3 mths.)	17	17	17	32	49	
153. Want of Care (Infants)	
TOTAL CLASS XI.	159	159	159	199	358	
CLASS XII.—Old Age.																									
154. Senile Debility	5	8	14	79	...	106	179	285
TOTAL CLASS XII.	5	8	14	79	...	106	179	285
CLASS XIII.—Violence.																									
155. Suicide by Poison	1	1	2	1	2	1	1	1	...	10	26	36	
156. Suicide by Asphyxia	
157. Suicide by Hanging or Strangulation	10	10	
158. Suicide by Drowning	1	1	2	19	21	
159. Suicide by Firearms	1	1	27	28	
160. Suicide by Cutting Instruments	1	1	2	15	17	
161. Suicide by Precipitation from a Height	1	1	1	
162. Suicide by Crushing	2	2	
163. Other Suicides	1	1	
164. Poison by Food	1	1	2	...	2	
165. Ven. Creatures and other acute Poisons	1	1	1	1	...	4	4	4	8	
166. Incendiarism	
167. Burns	...	1	3	...	1	5	3	...	3	4	2	...	2	...	2	...	1	2	1	25	16	41	
168. Noxious Gases	1	1	...	1	
169. Drowning	1	1	2	3	2	1	1	...	1	1	12	106	118	
170. Firearms	2	1	3	11	14	
171. Cuts and Stabs	
172. Falls	1	...	1	1	2	...	40	45	
173. Mines and Quarries	23	23	
174. Machinery	4	4	
175. Vehicles	1	...	1	2	1	1	1	5	34	39	
175a. Railway and Tramways	1	1	1	2	30	32	
176. Animals	1	2	5	48	53	
177. Starvation	1	1	1	13	14	
178. Cold	
179. Sunstroke	1	1	1	1	1	...	1	5	20	25	
180. Lightning	2	2	
181. Other Electric	
181a. Timber Felling, Logging, etc.	19	19	
182. Murder by Firearms	1	1	1	2	
183. Murder by Cuts	1	1	1	2	
184. Murder, Other	7	7	
185. Fractures, etc.	1	1	
186. Other Violence	2	2	1	3	11	14	
TOTAL CLASS XIII.	4	2	8	1	2	17	8	7	8	9	5	2	7	1	8	3	2	...	3	4	6	...	90	492	582
CLASS XIV.—Ill-defined Diseases																									
187. Organic Lesion (not Defined)	
188. Sudden Death	
189. Unspecified or Ill-defined Causes of Death	...	1	1	1	3	4
TOTAL CLASS XIV.	...	1	1	1	3	4
TOTAL DEATHS OF FEMALES FROM ALL CAUSES	453	97	44	26	18	638	56	35	60	100	108	76	87	99	98	86	73	96	137	134	267	...	2,150	3,595	5,745

TABLE No. XVI.

CAUSES of DEATHS of PERSONS, at Different Periods of Life, Registered in Queensland during the Year 1910.

CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.			
																							Persons.	Males.	Females.	
CLASS I.—General Diseases.																										
1. Typhoid Fever	1	1	1	7	7	21	17	13	10	4	5	3	5	2	96	61	35	
2. Typhus	
3. Recurrent Fever	
4. Intermittent Fever	
4a. Malarial Cachexia	1	1	2	1	1	...	1	...	4	2	4	1	5	4	1	1	...	27	23	4	
5. Small-pox	
6. Measles	2	1	1	1	1	6	2	1	2	11	6	5	
7. Scarlet Fever	
8. Whooping Cough	45	22	6	8	2	83	4	1	88	43	45	
9. Diphtheria	3	13	17	8	8	49	12	3	2	66	31	35	
9a. Croup	1	2	2	5	5	4	1	
10. Influenza	12	1	...	1	1	15	2	1	1	2	1	1	1	2	5	3	5	8	16	...	63	38	25	
11. Miliary Fever	
12. Asiatic Cholera	
13. Cholera Nostras	
14. Dysentery	3	5	1	9	4	4	4	6	1	...	2	4	4	3	...	7	2	50	35	15	
14a. Epidemic Dysentery	
15. Plague	
16. Yellow Fever	
17. Leprosy	10	10	...	
18. Erysipelas	4	1	1	6	1	1	1	...	9	5	4	
19. Other Epidemic Diseases	
19a. Dengue	1	1	2	...	1	...	1	...	1	1	1	1	2	2	...	2	3	2	...	19	8	11	
20. Purulent Infection and Septicæmia	2	1	1	4	1	1	2	1	1	2	4	2	4	...	2	2	1	...	27	17	10	
21. Glanders and Farcy	
22. Malignant Pustule and "Charbon"	
23. Rabies	
24. Tetanus	10	1	...	1	...	12	2	5	4	1	3	1	1	2	...	1	32	27	5	
25. Trichinosis, etc.	
26. Pellagra	
27. Beri Beri	1	1	...	1	9	6	6	2	3	1	29	28	1	
28. Tuberculosis of the Lungs	1	1	1	3	...	1	10	28	35	36	38	35	38	31	22	15	4	6	1	...	303	212	91	
29. Tuberculosis, Acute Miliary	1	1	...	1	2	5	5	...	
30. Tuberculosis of the Meninges	3	2	1	1	1	8	1	10	4	6	
31. Tuberculosis, Abdominal, etc.	3	4	7	...	2	2	1	2	1	...	1	1	2	19	12	7	
32. Pott's Disease	1	1	1	...	
33. White Swellings	
34. Tuberculosis of other Organs	1	1	...	2	...	1	1	1	2	1	2	...	10	7	3	
35. General Tuberculosis	1	1	2	2	...	
36. Rachitis	2	2	4	4	2	2	
37. Syphilis	15	2	1	18	1	...	1	1	1	2	1	...	2	1	...	1	30	20	10	
38. Gonococccic Dis.	1	1	1	...	
39. Cancer, etc., of the Mouth	1	...	1	2	1	7	6	8	5	6	6	6	...	49	46	3	
40. Cancer, etc., of the Stomach and Liver	1	...	1	1	5	10	16	24	21	23	27	18	147	102	45	
41. Cancer, etc., Peritonæum, Intestines, etc.	1	1	1	2	4	8	6	5	3	3	5	6	45	23	22	
42. Cancer, etc., of the Female Genital Organs	2	3	2	7	5	3	6	5	4	1	1	39	...	39	
43. Cancer, etc., of the Breast	2	...	3	2	3	5	4	1	1	4	25	...	25	
44. Cancer, etc., of the Skin	2	...	2	...	1	3	2	2	4	1	7	...	22	18	4	
45. Cancer, etc., of other Organs	...	1	1	2	...	3	2	...	2	2	6	5	4	8	5	6	11	6	6	...	68	44	24	
46. Other Tumours (excl. F. Genital Organs)	1	...	1	1	1	5	2	3	
47. Acute Articular Rheumatism	1	...	1	1	1	4	1	2	1	...	1	1	1	...	1	1	...	1	13	3	10	
48. Chronic Rheumatism and Gout	3	1	...	1	2	3	...	10	4	6	
49. Scurvy	1	1	2	2	1	1	
50. Diabetes	1	1	...	1	1	2	...	3	3	1	4	1	3	2	4	1	6	...	33	15	18	
51. Exophthalmic Goitre	2	1	1	2	
52. Addison's Disease	1	
53. Leucæmia	1	...	1	2	1	1	...	2	1	2	10	6	4	
54. Anæmia, Chlorosis	3	3	1	7	...	1	2	...	2	2	1	4	4	1	2	4	...	1	31	15	16	
54a. Filaria	2	1	4	3	1	
55. Other General Diseases	1	1	3	...	1	6	1	1	1	1	...	10	4	6	
56. Acute and Chronic Alcoholism	2	...	7	8	2	1	1	3	24	20	4	
57. Lead Poisoning	1	2	5	4	1	
58. Other Chr. Poisonings due to Occupations	
59. Other Chronic Poisonings	1	1	
TOTAL CLASS I.	116	66	37	23	18	260	32	32	35	79	75	89	86	92	121	113	111	90	84	74	92	2	1,467	916	551	
CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense.																										
60. Encephalitis	1</																							

TABLE No. XVI.—continued.

CAUSES of DEATHS of PERSONS, at Different Periods of Life, Registered in Queensland during the Year 1910—continued.

CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.				
																							Persons.	Males.	Females.		
CLASS III.—Diseases of the Circulatory System.																											
77. Pericarditis	2	2	1	1	1	1	6	2	4		
78. Acute Endocarditis	2	...	2	2	2	...	4	1	4	4	2	2	8	5	3	5	3	3	...	50	33	17		
79. Organic Diseases of the Heart	2	1	3	7	3	17	13	14	13	22	37	35	50	40	55	88	91	99	2	589	385	224		
80. Angina Pectoris	1	1	...	5	2	3		
81. Dis. of Arteries, Atheroma, Aneurism, etc.	1	3	3	6	7	9	14	11	20	12	21	...	107	63	24		
82. Embolism and Thrombosis	2	2	1	2	1	...	2	2	1	6	3	4	...	24	11	13		
83. Dis. of Veins (Varices, Varicose Ulcers, etc.)	1	1	1	...		
84. Diseases of the Lymphatic System		
85. Hæmorrhage	2	...	1	3	2	1		
TOTAL CLASS III.	4	2	...	2	1	9	11	6	17	17	18	21	30	47	47	69	60	73	119	111	128	2	785	499	286		
CLASS IV.—Diseases of the Respiratory System.																											
86. Diseases of the Nasal Fossæ	1	1	1	...	1		
87. Diseases of the Larynx	1	3	3	2	...	9	1	1	1	...	1	...	1	14	7	7		
88. Diseases of the Thyroid Body	1	2		
89. Acute Bronchitis	27	7	3	4	3	44	2	1	1	1	1	2	2	...	54	30	24		
90. Chronic Bronchitis	1	1	1	2	1	2	4	5	4	8	18	41	...	87	45	42		
91. Broncho-pneumonia	25	3	2	...	1	31	4	...	1	1	...	1	...	2	2	3	5	...	50	27	23			
92. Pneumonia	19	10	6	1	5	41	7	4	7	7	8	1	7	10	10	6	3	8	7	10	13	...	149	95	54		
93. Pleurisy	3	...	1	4	2	3	1	...	1	4	1	2	1	1	1	...	21	16	5		
94. Congestion of Lungs and Pul. Apoplexy	6	2	1	9	1	2	1	3	1	2	...	2	1	2	1	3	...	28	12	16		
95. Gangrene of the Lungs	1	1	1	3	2	1		
96. Asthma	2	2	2	2	6	1	4	5	4	12	11	...	49	40	9			
97. Pulmonary Emphysema	1	2	3	3	...			
98. Other Diseases of the Respiratory System	1	1	1	...	2	1	...	5	...	2	3	...	4	...	19	18	1		
TOTAL CLASS IV.	81	27	15	7	13	143	14	6	10	12	13	4	15	18	23	23	15	24	31	48	81	...	480	297	183		
CLASS V.—Diseases of the Digestive System.																											
99. Dis. of Mouth and associated organs	2	...	1	3	1	1	1	6	3	3		
100. Diseases of the Pharynx	2	...	1	...	3	1	1	5	3	2		
101. Diseases of the Oesophagus	1	1	2	2	...		
102. Ulcer of the Stomach	1	1	1	1	1	1	...	2	1	2	11	4	7		
103. Other Dis. of Stomach (Cancer excluded)	19	2	1	2	1	25	1	...	1	...	2	3	3	...	1	1	1	2	3	2	9	...	54	36	18		
104. Diarrhœa and Enteritis (under two years)	253	45	298	298	167	141		
105. Diarrhœa and Enteritis (over two years)	10	3	1	14	7	1	2	1	3	1	2	3	3	4	2	...	9	14	18	...	84	51	33		
106. Ankylostomiasis	1	...	1	2	1	3	...	3		
107. Intestinal Parasites		
107a Sprue	1	...	1	2	1	1	2	6	2	4		
108. Appendicitis	1	...	1	5	5	9	7	2	2	1	2	1	...	1	36	24	12		
109. Hernia, Intestinal Obstruction	5	...	1	...	1	7	1	...	2	5	3	...	3	2	...	3	5	7	2	...	40	27	13		
110. Other Diseases of the Intestines	4	4	1	...	1	...	2	...	3	1	2	1	15	9	6		
111. Icterus Gravis	1	...	1		
112. Hydatid Tumours of the Liver		
113. Cirrhosis of the Liver	1	1	4	4	7	7	4	4	7	1	2	...	42	28	14		
114. Biliary Calculi	1	1	...	4	1	1	1	3	1	1	...	14	8	6		
115. Other Diseases of the Liver	1	1	2	1	5	2	2	2	2	1	4	...	22	9	13		
116. Diseases of the Spleen	1	1	1	2	1	1		
117. Simple Peritonitis (non-puerperal)	1	1	2	1	3	...	3	1	1	2	1	1	2	19	10	9		
118. Other Diseases of the Digestive System	1	1	1	1	...	1	...	1	2	...	7	3	4		
TOTAL CLASS V.	286	50	15	7	5	363	16	7	17	11	19	17	18	10	30	25	16	16	34	30	38	...	667	377	290		
CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.																											
119. Acute Nephritis	2	1	4	4	3	2	1	...	1	1	3	1	2	4	...	1	...	30	16	14		
120. Bright's Disease	1	...	1	2	1	1	11	17	17	17	11	...	7	24	13	20	18	23	17	19	...	218	138	80	
121. Chyluria		
122. Other Dis. of Kidneys and Adnexa	1	1	1	...	1	1	...	1	...	1	2	2	...	11	5	6		
123. Calculi of Urinary System	1	1	1	3	9	6	3		
124. Diseases of the Bladder	2	1	2	2	1	5	4	6	9	...	32	25	7		
125. Other Dis. of Urethra, Urin. Abscess, etc.	1	1	3	3	...		
126. Diseases of the Prostate	1	2	10	13	12	...	38	38	...		
127. Non-venereal Dis. of Male Genital Organs	1	1	2	2	...		
128. Uterine Hæmorrhage (non-puerperal)	1	2	...	2		
129. Uterine Tumour (non-cancerous)	1	1	...	1		
130. Metritis and other Diseases of the Uterus	1	3	...	3		
131. Cysts and other Ovarian Tumours	2	1	3	...	3		
132. Other Dis. of Female Genital Organs	2	1	1	1	1	1	1	7	...	7		
133. Non-puer. Dis. of Breast (Cancer excepted)		
TOTAL CLASS VI.	1	1	1	3	4	2	16	24	26	21	18	12	31	19	24	28	43	41	44	...	356	233	123		
CLASS VII.—Puerperal Condition.																											
134. Accidents of Pregnancy	1	2	4	5	2	3	1					

TABLE No. XVI.—continued.

CAUSES of DEATHS of PERSONS, at Different Periods of Life, Registered in Queensland during the Year 1910—continued.

CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.				
																							Persons.	Males.	Females.		
CLASS VIII.—Diseases of the Skin and of the Cellular Tissue.																											
142. Gangrene	1	1	...	1	1	1	3	1	6	...	15	7	8		
143. Carbuncle	1	1	1	1	1	...	5	4	...		
144. Phlegmon, Acute Abscess	1	1	1	1	1	5	2	...		
145. Other Diseases of the Skin and Adnexa	5	...	1	6	...	3	1	1	1	2	1	1	1	1	...	1	2	...	21	12	9		
TOTAL CLASS VIII.	6	1	1	8	1	3	1	...	1	3	1	3	2	2	2	3	4	3	9	...	46	25	21		
CLASS IX.—Diseases of the Organs of Locomotion.																											
146. Non-tuberculous Diseases of the Bones	...	2	1	3	1	2	1	...	7	5	2		
147. Arthritis and other Dis. of Joints	1	2	...	3	1	2			
148. Amputation		
149. Other Dis. of Organs of Locomotion		
TOTAL CLASS IX.	2	1	3	1	2	1	3	...	10	6	4		
CLASS X.—Malformations.																											
150. Congenital Malfor. (excl. of Stillborn) ...	70	7	3	2	1	83	1	84	44	40		
TOTAL CLASS X.	70	7	3	2	1	83	1	84	44	40		
CLASS XI.—Infancy.																											
151. Congenital Debility, Icterus, and Scleroma	309	309	309	167	142		
152. Other Dis. Pec. to Infancy (un. 3 mths.)	49	49	49	32	17		
153. Want of Care (Infants)		
TOTAL CLASS XI.	358	358	358	199	159		
CLASS XII.—Old Age.																											
154. Senile Debility	1	2	12	18	50	202	...	285	179	106		
TOTAL CLASS XII.	1	2	12	18	50	202	...	285	179	106		
CLASS XIII.—Violence.																											
155. Suicide by Poison	1	1	4	2	4	4	5	1	8	2	1	...	2	...	1	36	26	10			
156. Suicide by Asphyxia	2	2	...	1	2	10	10	...		
157. Suicide by Hanging or Strangulation	10		
158. Suicide by Drowning	2	1	1	1	5	3	2	2	2	...	1	1	...	21	19	2			
159. Suicide by Firearms	1	2	1	2	2	3	6	3	3	3	3	1	28	27	1			
160. Suicide by Cutting Instruments	1	...	1	...	3	6	3	...	3	17	15	2			
161. Suicide by Precipitation from a Height	1	1	1	...			
162. Suicide by Crushing	1	1	2	2	...			
163. Other Suicides	1	1	1	1	...			
164. Poison by Food	1	2	...	2			
165. Ven. Creatures and other acute Poisons	1	1	1	1	...	4	...	1	...	1	...	2	8	4	4			
166. Incendiarism			
167. Burns	1	2	3	1	1	8	4	...	5	5	2	1	3	1	2	1	1	...	4	4	...	41	16	25			
168. Noxious Gases	1	1	...	1			
169. Drowning	2	...	2	4	11	10	16	13	11	6	9	10	10	2	3	1	4	4	3	1	118	106	12		
170. Firearms	1	...	1	...	3	3	3	1	1	...	1	...	1	14	11	3			
171. Cuts and Stabs			
172. Falls	...	1	1	2	3	1	3	3	2	2	...	8	2	6	1	3	2	6	...	45	40	5		
173. Mines and Quarries	2	5	3	2	3	1	3	1	1	1	1	23	23	...			
174. Machinery	1	...	1	1	1	4	4	...			
175. Vehicles	2	1	1	4	4	2	1	1	6	1	4	3	2	3	4	...	1	2	1	...	39	34	5		
175a. Railways and Tramways	1	1	2	...	1	1	1	5	3	2	6	4	...	3	2	...	1	...	32	30	2		
176. Animals	3	5	6	6	6	3	3	4	3	2	4	2	2	1	3	...	53	48	5		
177. Starvation	1	1	1	...	1	1	2	1	1	1	2	...	14	13	1		
178. Cold		
179. Sunstroke	1	...	1	2	1	2	...	1	1	1	1	1	4	2	5	2	1	...	1	...	25	20	5		
180. Lightning	1	1	2	2	...			
181. Other Electric		
181a. Timber Felling and Logging	3	2	...	2	3	1	3	5	19	19	...		
182. Murder by Firearms	1	1	2	1	1			
183. Murder by Cuts	1	1	2	1	1			
184. Murder, Other	1	1	1	...	2	...	1	...	1	...	7	7	...			
185. Fractures, etc.	1	1	1	...			
186. Other Violence	3	3	...	1	2	...	2	2	1	2	...	1	...	14	11	3		
TOTAL CLASS XIII.	8	5	10	3	3	29	23	27	42	53	46	32	42	46	66	43	38	24	21	18	23	4	582	492	90		
CLASS XIV.—Ill-defined Diseases																											
187. Organic Lesion (not Defined)		
188. Sudden Death		
189. Unspecified or Ill-defined Causes of Death	1	1	2	1	4	3	1		
TOTAL CLASS XIV.	1	1	2	1	4	3	1		
TOTAL DEATHS OF PERSONS FROM ALL CAUSES	1020	190	100	45	44	1399	120	89	156	237	242	299	242	253	350	329	330	303	407	409	683	...	5,745	3,595	2,150		

TABLE No. XVII.

CAUSES of DEATHS of MALES and FEMALES Registered in Queensland during each Month of the Year 1910.

CLASSES AND DISEASES.	JANUARY.		FEBRUARY.		MARCH.		APRIL.		MAY.		JUNE.		JULY.		AUGUST.		SEPTEMBER.		OCTOBER.		NOVEMBER.		DECEMBER.		TOTALS.		
																									Males.	Females.	Persons.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					
CLASS I.—General Diseases.																											
1. Typhoid Fever ...	9	2	9	6	10	1	7	3	6	1	4	5	3	2	3	2	2	...	4	6	4	7	61	35	96
2. Typhus
3. Recurrent Fever
4. Intermittent Fever
4a. Malarial Cachexia ...	2	1	3	...	12	...	2	2	1	2	...	1	1	23	4	27	
5. Small-pox
6. Measles	5	2	1	2	...	1	6	5	11
7. Scarlet Fever
8. Whooping Cough ...	2	5	3	5	5	5	3	4	4	6	4	3	4	6	4	4	4	2	2	2	7	3	1	...	43	45	88
9. Diphtheria ...	2	2	1	...	3	1	2	6	3	4	5	5	2	5	1	2	2	4	2	2	4	3	4	1	31	35	66
9a. Croup	1	...	1	...	1	...	1	2	2	2	4	4	1	5
10. Influenza ...	1	1	1	...	2	2	1	2	1	4	9	2	7	2	7	1	6	4	3	3	1	4	38	25	63
11. Miliary Fever
12. Asiatic Cholera
13. Cholera Nostras
14. Dysentery ...	1	2	11	3	4	1	5	4	2	1	1	4	1	3	1	4	2	35	15	50
14a. Epidemic Dysentery
15. Plague
16. Yellow Fever
17. Leprosy	1	...	1	...	1	1	...	1	...	3	3	...	10	...	10
18. Erysipelas	1	...	1	...	1	1	...	1	1	1	1	5	4	9
19. Other Epidemic Diseases
19a. Dengue	1	1	3	2	...	1	2	1	...	2	1	1	3	...	1	8	11	19
20. Purulent Infection and Septicæmia ...	2	1	...	1	1	1	1	...	1	1	2	1	...	4	2	...	1	...	1	...	3	...	3	1	17	10	27
21. Glanders and Farcy
22. Malignant Pustule and "Charbon"
23. Rabies
24. Tetanus ...	2	...	2	...	3	1	5	...	2	...	2	...	1	1	3	...	2	1	1	1	2	...	2	1	27	5	32
25. Trichinosis, etc.
26. Pellagra
27. Beri Beri ...	3	...	1	...	6	...	5	1	2	...	1	...	2	1	...	1	...	1	28	1	29
28. Tuberculosis of the Lungs ...	21	6	19	8	21	7	15	4	12	10	15	7	20	6	16	7	19	9	26	7	20	8	8	12	212	91	303
29. Tuberculosis, Acute Miliary	1	1	5	...	5
30. Tuberculosis of the Meninges	2	1	1	2	...	1	2	4	6	10
31. Tuberculosis, Abdominal, etc. ...	2	1	4	1	3	1	1	1	1	1	1	2	12	7	19
32. Pott's Disease	1	1	...	1
33. White Swellings
34. Tuberculosis of other Organs	1	1	1	2	...	1	...	1	1	1	...	1	...	7	3	10
35. General Tuberculosis	2	...	2
36. Rachitis	1	1	1	2	2	4
37. Syphilis ...	1	2	2	...	4	2	1	1	...	2	1	3	2	2	3	2	...	1	1	20	10	30
38. Gonococccic Dis.	1	1	...	1
39. Cancer, etc., of the Mouth ...	2	1	4	...	5	...	4	...	4	1	4	...	2	...	1	...	9	1	1	...	4	...	6	...	46	3	49
40. Cancer, etc., of the Stomach and Liver ...	11	1	9	1	5	9	7	5	10	5	9	2	8	2	10	4	7	4	11	4	5	6	10	2	102	45	147
41. Cancer, etc., Peritonæum, Intestines, etc. ...	2	2	1	1	1	1	3	1	2	1	3	2	1	2	2	3	2	2	1	3	3	3	2	1	23	22	45
42. Cancer, etc., of the Female Genital Organs	6	2	...	2	2	...	3	5	7	...	39
43. Cancer, etc., of the Breast	5	...	2	...	1	...	2	3	...	2	...	1	...	2	...	4	2	...	25	25
44. Cancer, etc., of the Skin	2	...	4	1	2	...	1	...	1	...	1	...	2	...	1	...	3	2	...	1	1	...	18	4	22
45. Cancer, etc., of other Organs ...	2	...	4	...	2	2	4	1	2	4	4	2	4	4	3	1	...	4	7	2	5	2	7	2	44	24	68
46. Other Tumours (excl. F. Genital Organs)	1	1	...	1	1	...	1	2	3	5
47. Acute Articular Rheumatism	1	...	1	...	3	1	1	1	...	2	1	1	1	3	10	13
48. Chronic Rheumatism and Gout	1	1	1	1	1	1	...	1	1	1	1	4	6	10
9. Scurvy	1	1	1	1	2
0. Diabetes ...	1	1	2	1	2	...	1	2	1	2	...	2	1	2	2	...	4	3	...	1	1	3	...	1	15	18	33
1. Exophthalmic Goitre	2	1	1	4
2. Addison's Disease	1	1	2	...	2
3. Leucæmia	1	1	2	1	2	1	1	...	1	6	4	10
4. Anæmia, Chlorosis ...	1	1	1	1	1	1	1	4	3	2	1	2	...	2	2	...	2	...	2	1	1	2	15	16	31
4a. Filariæ ...	1	1	1	3	1	4
5. Other General Diseases	2	1	1	1	1	...	1	1	1	1	1	4	6	10
6. Acute and Chronic Alcoholism ...	3	...	2	...	1	...	3	1	...																		

TABLE No. XVII.—continued.

CAUSES of DEATHS of MALES and FEMALES Registered in Queensland during each Month of the year 1910—continued.

CLAS ES AND DISEASES.	JANUARY.		FEBRUARY.		MARCH.		APRIL.		MAY.		JUNE.		JULY.		AUGUST.		SEPTEMBER.		OCTOBER.		NOVEMBER.		DECEMBER.		TOTALS.		
																									Males.	Females.	Persons.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					
CLASS III.—Diseases of the Circulatory System.																											
77. Pericarditis	1	1	1	1	1	...	1	2	4	6
78. Acute Endocarditis	3	3	4	...	3	1	2	1	4	1	4	2	2	2	4	1	2	...	1	1	2	2	2	3	33	17	50
79. Organic Diseases of the Heart	27	21	17	9	25	18	32	15	19	20	32	20	32	16	37	27	33	22	50	20	29	18	32	365	224	589	
80. Angina Pectoris	1	1	1	...	1	1	2	3	5	
81. Dis. of Arteries, Atheroma, Aneurism, etc.	7	4	7	1	7	...	7	...	10	2	6	5	6	1	10	1	5	4	4	4	11	1	3	1	83	24	107
82. Embolism and Thrombosis	...	3	1	2	...	3	1	1	2	1	...	2	3	...	1	2	...	2	11	13	24	
83. Dis. of Veins (Varices, Varicose Ulcers, etc.)	1	1	...	1	
84. Diseases of the Lymphatic System	1	1	1	
85. Hæmorrhage	1	1	2	1	3	
TOTAL CLASS III.	37	31	30	12	35	22	41	17	34	26	45	29	42	22	56	29	40	27	58	27	44	22	37	22	499	286	785
CLASS IV.—Diseases of the Respiratory System.																											
86. Diseases of the Nasal Fossæ	1	7	1	1
87. Diseases of the Larynx	...	1	1	1	...	1	...	2	1	...	1	2	...	2	...	1	1	...	2	...	2
88. Diseases of the Thyroid Body
89. Acute Bronchitis	1	1	2	...	1	3	1	1	...	4	3	4	3	3	4	3	7	2	4	...	2	3	2	...	30	24	54
90. Chronic Bronchitis	2	2	1	4	3	1	3	1	...	6	6	2	9	8	3	5	3	5	9	2	5	2	1	4	45	42	87
91. Broncho-pneumonia	1	...	1	...	1	1	3	5	3	3	1	...	1	5	3	5	3	3	3	2	3	2	1	...	27	23	50
92. Pneumonia	11	3	5	1	6	3	6	4	14	...	9	6	17	6	8	8	7	6	1	6	6	6	5	5	95	54	149
93. Pleurisy	1	1	...	2	...	1	2	...	1	...	1	1	3	1	1	...	2	2	2	...	16	5	21	
94. Congestion of Lungs and Pul. Apoplexy	...	2	1	...	1	...	1	1	1	2	2	2	2	1	3	1	3	1	...	1	...	1	...	12	16	28	
95. Gangrene of the Lungs	1	1	2	1	3	
96. Asthma	3	2	...	1	...	6	2	9	2	5	3	4	1	1	1	3	...	6	...	40	9	49	
97. Pulmonary Emphysema	1	1	1	3	...	3	
98. Other Diseases of the Respiratory System	4	...	1	...	1	...	1	...	2	1	1	1	...	2	...	2	3	...	18	1	19	
TOTAL CLASS IV.	20	9	11	6	16	9	17	10	24	15	34	18	43	24	30	26	32	23	23	13	21	18	26	12	297	183	480
CLASS V.—Diseases of the Digestive System.																											
99. Dis. of Mouth and associated organs	1	1	3	1	...	3	3	6
100. Diseases of the Pharynx	1	1	2	1	3	2	5
101. Diseases of the Esophagus	1	...	1	...	1	2	...	2
102. Ulcer of the Stomach	3	1	...	1	...	1	1	1	1	1	4	7	11
103. Other Dis. of Stomach (Cancer excluded)	4	2	1	...	1	1	4	4	2	...	3	...	4	3	3	3	2	1	2	2	8	1	2	1	36	18	54
104. Diarrhoea and Enteritis (under two years)	17	27	14	11	15	10	9	11	6	6	8	4	5	3	5	6	12	9	22	23	23	13	21	18	157	141	298
105. Diarrhoea and Enteritis (over two years)	9	6	3	3	4	2	1	7	3	2	...	4	1	2	1	5	2	4	5	6	3	3	4	...	51	33	84
106. Ankylostomiasis	...	1	...	1	1	3	3	6
107. Intestinal Parasites
107a. Sprue	...	1	1	1	...	2	1	2	4	6
108. Appendicitis	...	4	1	1	1	1	...	1	1	2	...	3	2	1	1	3	2	4	2	1	1	3	1	...	24	12	36
109. Hernia, Intestinal Obstruction	5	2	3	1	3	...	2	2	5	1	1	...	1	1	1	...	1	2	2	3	3	1	27	13	40
110. Other Diseases of the Intestines	1	1	1	1	...	1	1	...	1	1	...	1	1	1	1	1	1	...	1	9	6	15
111. Icterus Gravis	1	1	...
112. Hydatid Tumours of the Liver
113. Cirrhosis of the Liver	6	1	2	1	3	3	1	...	1	1	4	1	1	2	1	...	1	2	2	1	2	...	4	2	28	14	42
114. Biliary Calculi	2	...	1	...	1	1	...	1	1	1	...	1	1	1	1	1	1	...	8	6	14
115. Other Diseases of the Liver	1	1	2	1	2	1	...	2	2	1	2	...	1	1	4	...	1	9	13	22
116. Diseases of the Spleen	...	1	1	...	1	1	1	2
117. Simple Peritonitis (non-puerperal)	1	1	...	2	1	2	1	...	1	1	...	1	...	2	...	1	...	1	2	1	...	1	1	...	10	9	19
118. Other Diseases of the Digestive System	1	1	1	1	...	1	...	1	3	4	7
TOTAL CLASS V.	45	42	32	25	29	24	24	22	25	16	26	8	24	17	20	11	27	23	39	43	47	29	39	30	377	290	667
CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.																											
119. Acute Nephritis	2	1	1	2	1	...	2	1	1	3	1	1	1	1	1	3	3	1	2	...	1	1	16	14	30
120. Bright's Disease	9	7	9	5	12	6	12	4	10	6	16	8	10	9	8	8	19	8	7	5	...	6	138	80	218
121. Chyluria
122. Other Dis. of Kidneys and Adnexa	...	1	...	1	...	1	...	1	...	1	1	1	3	1	...	5	6	11
123. Calculi of Urinary System	...	2	1	1	...	1	...	1	1	...	1	...	1	6	3	9
124. Diseases of the Bladder	3	1	1	1	...	1	...	5	2	3	2	1	...	1	...	2	1	3	1	4	25	7	32
125. Other Dis. Urethra, Urin. Abscess, etc.	1	1	...	1	3	...	3
126. Diseases of the Prostate	9	...	2	...	2	5	...	3	6	...	1	...	1	...	2	...	3	...	4	38	...	38
127. Non-venereal Dis. of Male Genital Organs	1	2	...	2
128. Uterine Hæmorrhage (non-puerperal)
129. Uterine Tumour (non-cancerous)	1	1	2	2
130. Metritis and other Diseases of the Uterus	1	1	1
131. Cysts and other Ovarian Tumours	1	1	1	3</	

TABLE No. XVII.—continued.

CAUSES of DEATHS of MALES and FEMALES Registered in Queensland during each Month of the Year 1910—continued.

CLASSES AND DISEASES.	JANUARY.		FEBRUARY.		MARCH.		APRIL.		MAY.		JUNE.		JULY.		AUGUST.		SEPTEMBER.		OCTOBER.		NOVEMBER.		DECEMBER.		TOTALS.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Males.	Females.	Persons.	
CLASS VIII.—Diseases of the Skin and of the Cellular Tissue.																												
1. Gangrene	1	3	1	1	2	...	2	2	...	2	1	...	7	8	15	
2. Carbuncle	1	1	1	...	1	4	1	5		
3. Phlegmon, Acute Abscess	...	1	1	1	...	1	1	2	3	5		
4. Other Diseases of the Skin and Adnexa	3	...	1	1	1	...	1	...	1	1	1	1	...	1	2	2	1	1	...	1	1	1	12	9	21	
TOTAL CLASS VIII.	4	4	1	1	3	1	2	3	1	1	1	1	1	1	4	2	4	1	2	3	...	2	2	1	25	21	46	
CLASS IX.—Diseases of the Organs of Locomotion.																												
1. Non-tuberculous Diseases of the Bones	1	1	2	1	...	1	1	5	2	7	
2. Arthritis and other Dis. of Joints	1	1	2	3		
3. Amputation	
4. Other Dis. of Organs of Locomotion	
TOTAL CLASS IX.	1	1	2	1	...	2	2	1	6	4	10	
CLASS X.—Malformations.																												
1. Congenital Malfor. (excl. of Still-born)	3	5	6	7	2	4	2	3	4	4	1	3	3	2	10	2	1	1	2	4	7	3	3	2	44	40	84	
TOTAL CLASS X.	3	5	6	7	2	4	2	3	4	4	1	3	3	2	10	2	1	1	2	4	7	3	3	2	44	40	84	
CLASS XI.—Infancy.																												
1. Congenital Debility, Icterus, and Scleroma	12	14	11	13	18	9	18	10	10	11	8	11	12	9	18	8	14	18	11	19	22	7	13	13	167	142	309	
2. Other Dis. Pec. to Infancy (un. 3 mths.)	2	3	3	1	3	...	1	1	2	4	4	1	3	1	6	2	1	2	2	...	2	1	3	1	32	17	49	
3. Want of Care (Infants)	
TOTAL CLASS XI.	14	17	14	14	21	9	19	11	12	15	12	12	15	10	24	10	15	20	13	19	24	8	16	14	199	159	358	
CLASS XII.—Old Age.																												
1. Senile Debility	16	11	17	6	9	7	6	9	19	6	12	8	19	11	16	17	11	6	13	4	21	12	20	9	179	106	285	
TOTAL CLASS XII.	16	11	17	6	9	7	6	9	19	6	12	8	19	11	16	17	11	6	13	4	21	12	20	9	179	106	285	
CLASS XIII.—Violence.																												
1. Suicide by Poison	5	1	...	2	3	1	3	...	2	2	2	2	3	1	...	1	4	...	4	...	26	10	36	
2. Suicide by Asphyxia	10	...	10	
3. Suicide by Hanging or Strangulation	1	1	2	1	5		
4. Suicide by Drowning	3	...	2	...	2	...	1	...	2	...	2	...	1	...	1	3	...	3	1	2	...	19	2	21	
5. Suicide by Firearms	1	...	4	...	1	3	1	...	2	...	3	...	4	...	3	1	5	27	1	28	
6. Suicide by Cutting Instruments	1	...	1	1	2	...	3	...	1	4	...	1	1	1	1	15	2	17	
7. Suicide by Precipitation from a Height	1	1	...	1	
8. Suicide by Crushing	1	2	...	2	
9. Other Suicides	1	1	...	
10. Poison by Food	1	1	2	2	
11. Ven. Creatures and other acute Poisons	1	1	1	1	1	1	2	4	...	8	
12. Incendiarism	
13. Burns	3	1	4	2	...	1	4	...	4	...	3	1	3	...	3	2	1	1	4	2	2	...	16	25	41	
14. Noxious Gases	1	1	...	
15. Drowning	18	3	13	...	9	1	12	2	4	1	6	2	4	1	5	1	7	...	7	1	10	...	11	...	106	12	118	
16. Firearms	1	2	...	2	4	1	1	2	1	...	11	3	14
17. Cuts and Stabs	
18. Falls	2	1	2	...	6	...	1	...	2	...	3	...	3	2	4	...	6	...	5	1	2	1	4	...	40	5	45	
19. Mines and Quarries	1	...	3	...	2	...	1	...	4	...	5	2	...	2	...	2	...	1	...	23	...	23	
20. Machinery	1	2	2	1	4	...	4	
21. Vehicles	1	2	2	1	3	...	2	...	3	...	4	...	4	1	5	...	5	1	3	...	2	...	34	5	39	
22. Railway and Tramways	1	1	1	...	5	...	3	...	2	1	1	...	3	1	...	5	...	3	...	5	...	48	5	53	
23. Animals	4	...	6	...	4	...	3	...	5	1	2	...	3	...	4	1	3	1	6	1	4	1	4	...	13	1	14	
24. Starvation	2	...	2	...	1	...	2	...	2	3	...	1	1	
25. Cold	
26. Sunstroke	7	1	5	...	1	...	1	1	...	1	7	1	...	20	5	25	
27. Lightning	2	2	
28. Others, Electric	
29. Timber Felling, Logging, etc.	1	...	2	...	4	2	1	...	3	...	5	1	...	19	...	19	
30. Murder by Firearms	1	1	1	1	2	
31. Murder by Cuts	1	1	2	
32. Murder, Other	1	1	2	...	1	...	2	...	7	...	7	
33. Fractures, etc.	1	1	...	1	
34. Other Violence	1	1	...	2	...	1	1	1	...	1	...	3	...	1	...	1	1	...	11	3	14	
TOTAL CLASS XIII.	46	7	51	5	45	6	36	6	31	8	35	7	26	8	29	10	38	5	55	10	40	11	60	7	492	90	582	
CLASS XIV.—Ill-defined Diseases.																												
1. Organic Lesion (not Defined)	
2. Sudden Death	3	1	4	
3. Unspecified or Ill-defined Causes of Death	1	2	...	1	
TOTAL CLASS XIV.	1	2	...	1	...	3	1	4	
TOTAL DEATHS OF MALES AND FEMALES FROM ALL CAUSES	304	199	273	152	292	171	273	159	273	177	291	169	283	189	299	174	303	197	329	191	333	195	342	177	3,595	2,150	5,745	

TABLE

CAUSES of DEATHS of MALES, FEMALES, and PERSONS Registered in

CLASSES AND DISEASES.	Metropolitan.						Total Metropolitan.			Moreton.			Wide Bay.			Port Curtis.			
	10-mile Radius.			Outside 10-mile Radius.			Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	
	Males.	Females.	Persons.	Males.	Females.	Persons.													
CLASS I.—General Diseases.																			
1. Typhoid Fever	8	10	18	1	...	1	9	10	19	4	3	7	4	...	4	4	4	8	
2. Typhus	
3. Recurrent Fever	
4. Intermittent Fever	
4a. Malarial Cachexia	
5. Small-pox	
6. Measles	5	4	9	5	4	9	...	1	1	
7. Scarlet Fever	1	...	1	1	...	1	
8. Whooping Cough	25	23	48	25	23	48	5	6	11	4	6	10	3	1	4	
9. Diphtheria	5	6	11	5	6	11	8	5	13	3	2	5	2	3	5	
9a. Croup	1	...	1	
10. Influenza	12	3	15	1	...	1	13	3	16	9	5	14	2	8	10	4	...	4	
11. Miliary Fever	
12. Asiatic Cholera	
13. Cholera Nostras	
14. Dysentery	2	5	7	2	4	6	4	9	13	2	...	2	3	2	5	1	1	2	
14a. Epidemic Dysentery	
15. Plague	
16. Yellow Fever	
17. Leprosy...	10	...	10	10	...	10	
18. Erysipelas	2	...	2	2	...	2	...	1	1	1	...	1	...	1	1	
19. Other Epidemic Diseases	
19a. Dengue	3	2	5	3	2	5	1	1	2	1	1	
20. Purulent Infection and Septicæmia	3	2	5	...	1	1	3	3	6	1	...	1	1	1	2	1	1	2	
21. Glanders and Farcy	
22. Malignant Pustule and "Charbon"	
23. Rabies	
24. Tetanus	7	2	9	1	...	1	8	2	10	1	...	1	3	2	5	4	1	5	
25. Trichinosis, etc.	
26. Pellagra	
27. Beri Beri	
28. Tuberculosis of the Lungs	64	37	101	14	4	18	78	41	119	9	8	17	10	3	13	17	8	25	
29. Tuberculosis, Acute Miliary	1	...	1	1	...	1	1	...	1	
30. Tuberculosis of the Meninges	1	4	5	1	4	5	2	...	2	
31. Tuberculosis, Abdominal, etc.	1	4	5	1	4	5	1	1	2	2	...	2	2	...	2	
32. Pott's Disease	1	...	1	
33. White Swellings	
34. Tuberculosis of other Organs	2	2	4	2	...	2	4	2	6	1	1	2	
35. General Tuberculosis	1	...	1	1	...	1	
36. Rachitis... ..	1	...	1	1	...	1	
37. Syphilis	9	5	14	9	5	14	1	...	1	1	1	2	
38. Gonocœcic Dis.	
39. Cancer, etc., of the Mouth	24	...	24	2	...	2	26	...	26	2	1	3	3	2	1	3	
40. Cancer, etc., of the Stomach and Liver	34	14	48	4	2	6	38	16	54	11	12	23	12	2	14	10	1	11	
41. Cancer, etc., Peritonæum, Intestines, etc.	10	10	20	10	10	20	5	5	10	1	2	3	1	...	1	
42. Cancer, etc., of the Female Genital Organs	12	12	...	1	1	...	13	13	...	2	2	...	4	4	...	3	3	
43. Cancer, etc., of the Breast	10	10	10	10	...	1	1	...	4	4	...	1	1	
44. Cancer, etc., of the Skin	4	...	4	1	...	1	5	...	5	...	1	1	2	...	3	2	3	3	
45. Cancer, etc., of other Organs	14	7	21	2	...	2	16	7	23	5	1	6	2	3	5	2	2	4	
46. Other Tumours (excl. F. Genital Organs)	1	2	3	1	2	3	...	1	1	1	...	1	
47. Acute Articular Rheumatism	2	1	3	2	1	3	...	3	3	...	4	4	1	...	1	
48. Chronic Rheumatism and Gout	3	3	3	3	2	1	3	1	1	2	
49. Scurvy	1	...	1	1	...	1	1	1	
50. Diabetes	4	4	8	4	4	8	1	3	4	2	3	5	1	1	2	
51. Exophthalmic Goitre	3	3	3	3	
52. Addison's Disease	2	...	2	2	...	2	
53. Leucæmia	3	2	5	3	2	5	2	...	2	1	...	1	
54. Anæmia, Chlorosis	4	5	9	1	1	2	5	6	11	2	2	4	...	1	1	1	2	3	
54a. Filariæ	1	...	1	1	...	1	
55. Other General Diseases	3	3	1	...	1	1	3	4	...	1	1	1	1	2	...	1	1	
56. Acute and Chronic Alcoholism	3	1	4	3	1	4	...	1	1	1	...	1	...	1	1	
57. Lead Poisoning	2	...	2	2	...	2	...	1	1	
58. Other Chr. Poisonings due to Occupations	
59. Other Chronic Poisonings	
TOTAL CLASS I.	260	186	446	44	13	57	304	199	503	68	66	134	66	51	117	64	36	100	
CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense.																			
60. Encephalitis	1	...	1	
61. Simple Meningitis	5	10	15	1	1	2	6	11	17	4	3	7	4	...	6	5	2	7	
61a. Epidemic Cerebro-spinal Meningitis	
62. Progressive Locomotor Ataxia	5	...	5	2	...	2	7	...	7	...	1	1	2	...	2	
63. Other Diseases of the Spinal Cord	1	3	4	2	1	3	3	4	7	...	1	1	1	3	4	1	...	1	
64. Hæmorrhage of Brain, Apoplexy	41	28	69	4	3	7	45	31	76	13	5	18	13	7	20	8	3	11	
65. Softening of the Brain	2	1	3	5	2	7	7	3	10	1	2	3	1	...	1	
66. Paralysis without indicated cause	3	3	6	14	1	15	17	4	21	3	3	6	3	1	4	3	3	6	
67. General Paralysis	5	...	5	5	...	5	1	1	2	
68. Other Forms of Mental Alienation	1	1	2	3	1	4	4	2	6	1	...	1	1	...	2	...	2	2	
69. Epilepsy...	3	3	4	3	7	4	6	10	1	1	2	1	1	2	...	2	2	
70. Eclampsia (non-puerperal)	1	...	1	1	...	1	
71. Convulsions of Children under five	6	6	12	6	12	2	7	9	4	1	5	4	4	...	8	
72. Chorea	1	1	1	1	1	...	1	...	1	1	
73. Hysteria, Neuralgia, and Neuritis...	
74. Other Diseases of the Nervous System	4	7	11	4	7	11	...	1	1	...	1	1	...	1	1	
75. Diseases of the Eyes and Appendages	
76. Diseases of the Ear	1	...	1	1	...	1	2	1	3	...	1	1	
TOTAL CLASS II.	70	63	133	40	12	52	110	75	185	27	24	51	32	18	50	22	16	38	

TABLE

CAUSES of DEATHS of MALES, FEMALES, and PERSONS Registered in the several

CLASSES AND DISEASES.	Metropolitan.						Total Metropolitan.			Moreton.			Wide Bay.			Port Curtis.		
	10-mile Radius.			Outside 10-mile Radius.														
	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
CLASS III.—Diseases of the Circulatory System.																		
77. Pericarditis	1	1	2	1	1	2	1	1	2
78. Acute Endocarditis	7	5	12	9	5	14	4	2	6	3	1	4
79. Organic Diseases of the Heart	82	63	145	34	11	45	116	74	190	25	25	50	31	24	55	30	19	49
80. Angina Pectoris	1	1	...	1	1	1	...	1	...	1	4
81. Dis. of Arteries, Atheroma, Aneurism, etc.	25	9	34	9	34	9	43	7	2	9	6	2	8	2	2	4
82. Embolism and Thrombosis	4	4	8	4	2	6	8	6	14	2	2	1	...	1
83. Dis. of Veins (Varices, Varicose Ulcers, etc.)	1	...	1	1	...	1
84. Diseases of the Lymphatic System
85. Hæmorrhage	1	...	1	1	...	1	1	1	2
TOTAL CLASS III.	120	82	202	50	14	64	170	96	266	32	27	59	43	31	74	37	24	61
CLASS IV.—Diseases of the Respiratory System.																		
86. Diseases of the Nasal Fossæ
87. Diseases of the Larynx	2	2	4	2	2	4	...	3	3	1	1	2	...	1	1
88. Diseases of the Thyroid Body
89. Acute Bronchitis	6	4	10	2	1	3	8	5	13	7	3	10	3	1	4	2	3	5
90. Chronic Bronchitis	13	13	26	6	2	8	19	15	34	7	9	16	7	8	15	4	3	7
91. Broncho-pneumonia	4	9	13	1	1	2	5	10	15	5	2	7	...	1	1	4	3	7
92. Pneumonia	18	14	32	9	1	10	27	15	42	10	7	17	11	4	15	6	7	13
93. Pleurisy	4	2	6	2	...	2	6	2	8	1	...	1	4	1	5
94. Congestion of Lungs and Pul. Apoplexy ...	3	6	9	1	2	3	4	8	12	4	1	5	...	3	3	...	2	2
95. Gangrene of the Lungs	1	...	1	...	1	1
96. Asthma	8	2	10	12	1	13	20	3	23	2	1	3	2	...	2	1	3	4
97. Pulmonary Emphysema	1	...	1
98. Other Diseases of the Respiratory System	1	...	1	1	...	1	1	2	...	2	1	...	1
TOTAL CLASS IV.	59	52	111	33	9	42	92	61	153	37	26	63	27	18	45	22	23	45
CLASS V.—Diseases of the Digestive System.																		
99. Dis. of Mouth and associated organs ...	1	1	2	...	1	1	1	2	3	1	...	1	1	...	2
100. Diseases of the Pharynx	1	1	1	1
101. Diseases of the Oesophagus	2	...	2
102. Ulcer of the Stomach	2	2	4	1	...	1	3	2	5	...	2	2	1	...	1
103. Other Dis. of Stomach (Cancer excluded)	7	5	12	3	1	4	10	6	16	5	1	6	3	2	5	3	...	3
104. Diarrhoea and Enteritis (under two years)	62	64	126	3	2	5	65	66	131	18	11	29	10	14	24	16	14	30
105. Diarrhoea and Enteritis (over two years)	7	9	16	11	2	13	18	11	29	5	2	7	4	...	11	3	3	6
106. Ankylostomiasis	1	1
107. Intestinal Parasites
107a. Sprue
108. Appendicitis	6	5	11	6	5	11	3	1	4	...	1	5	2	2	4
109. Hernia, Intestinal Obstruction	9	3	12	1	1	2	10	4	14	4	2	6	4	1	5	...	1	1
110. Other Diseases of the Intestines	3	...	3	3	...	3	1	1	2	1	1	2	1	2	3
111. Icterus Gravis
112. Hydatid Tumours of the Liver
113. Cirrhosis of the Liver	8	11	19	2	...	2	10	11	21	...	2	2	3	...	3	6	...	6
114. Biliary Calculi	3	1	4	1	1	2	4	2	6	...	2	2	1	1	2	1
115. Other Diseases of the Liver	4	4	8	...	1	1	4	5	9	1	3	4	1	1	2	...	1	1
116. Diseases of the Spleen	1	1	2
117. Simple Peritonitis (non-puerperal)	4	3	7	4	...	7	...	1	1	...	1	1	1	...	1
118. Other Diseases of the Digestive System	...	1	1	3	1	1	2	3	1	...	1
TOTAL CLASS V.	116	110	226	22	9	31	138	119	257	39	31	70	37	28	65	35	23	58
CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.																		
119. Acute Nephritis	8	7	15	1	...	1	9	7	16	...	1	1	4	1	5
120. Bright's Disease	52	29	81	4	...	4	56	29	85	9	6	15	10	6	16	13	10	23
121. Chyluria
122. Other Dis. of Kidneys and Adnexa	2	3	5	...	1	1	2	4	6	1	...	2
123. Calculi of Urinary System	1	1	2	1	1	2	...	2	2	3	...	3
124. Diseases of the Bladder	8	2	10	2	...	2	10	2	12	...	1	1	6	...	6	2	2	4
125. Other Dis. of Urethra, Urin. Abscess, etc.	3	...	3	3	...	3
126. Diseases of the Prostate	14	...	14	1	...	1	15	...	15	5	...	5	1
127. Non-venereal Dis. of Male Genital Organs	1	...	1	1	...	1
128. Uterine Hæmorrhage (non-puerperal)
129. Uterine Tumour (non-cancerous)
130. Metritis and other Diseases of the Uterus	...	1	1	1	1	1	1
131. Cysts and Other Ovarian Tumours	1	1
132. Other Dis. of Female Genital Organs	2	2	2	2	...	1	1	...	1	1
133. Non-puer. Dis. of Breast (Cancer excepted)
TOTAL CLASS VI.	89	45	134	8	1	9	97	46	143	14	11	25	21	9	30	19	14	33
CLASS VII.—Puerperal Condition.																		
134. Accidents of Pregnancy	4	4	4	4	...	4	4	1	1
135. Puerperal Hæmorrhage	3	3	3	3	...	1	1	...	1
136. Other Accidents of Childbirth	2	2	...	3
137. Puerperal Septicæmia	12	12	...	1	1	...	13	13	...	2	2	...	3	1	1
138. Puerperal Albuminuria and Eclampsia	10	10	10	10	...	3	3	...	3
139. Puerperal Phlegmasia Alba Dolens	1	1
140. Other Puerperal Accidents, Sudden Death	...	1	1	1	1	...	1	1
141. Puerperal Diseases of the Breast
TOTAL CLASS VII.	30	30	...	1	1	...	31	31	...	14	14	...	7	7	...	4	4

TABLE

CAUSES of DEATHS of MALES, FEMALES, and PERSONS Registered in the several

CLASSES AND DISEASES.	Metropolitan.						Total Metropolitan.			Moreton.			Wide Bay.			Port Curtis.		
	10-mile Radius.			Outside 10-mile Radius.			Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
	Males.	Females.	Persons.	Males.	Females.	Persons.												
CLASS VIII.—Diseases of the Skin and of the Cellular Tissue.																		
142. Gangrene		2	2	2	1	3	2	3	5				2		2	1	1	2
143. Carbuncle										1		1		1	1			
144. Phlegmon, Acute Abscess	1	1	2				1	1	2					1	1			
145. Other Diseases of the Skin and Adnexa	2	1	3	1		1	3	1	4	2	1	3	1	1	2	2	1	3
TOTAL CLASS VIII.	3	4	7	3	1	4	6	5	11	3	1	4	3	3	6	3	2	5
CLASS IX.—Diseases of the Organs of Locomotion.																		
146. Non-tuberculous Diseases of the Bones	2		2				2		2				1		1		1	1
147. Arthritis and other Dis. of Joints											1	1						
148. Amputation																		
149. Other Dis. of Organs of Locomotion																		
TOTAL CLASS IX.	2		2				2		2		1	1	1		1		1	1
CLASS X.—Malformations.																		
150. Congenital Malfor. (excl. of Stillborn)	9	11	20				9	11	20	6	3	9	5	3	8	6	10	16
TOTAL CLASS X.	9	11	20				9	11	20	6	3	9	5	3	8	6	10	16
CLASS XI.—Infancy.																		
151. Congenital Debility, Icterus, and Scleroma	40	54	94	2		2	42	54	96	28	12	40	23	16	39	12	10	22
152. Other Dis. Pec. to Infancy (un. 3 mths.)	10	1	11		1	1	10	2	12	4	6	10	7	3	10	1		1
153. Want of Care (Infants)																		
TOTAL CLASS XI.	50	55	105	2	1	3	52	56	108	32	18	50	30	19	49	13	10	23
CLASS XII.—Old Age.																		
154. Senile Debility	28	34	62	52	12	64	80	46	126	19	12	31	8	11	19	12	5	17
TOTAL CLASS XII.	28	34	62	52	12	64	80	46	126	19	12	31	8	11	19	12	5	17
CLASS XIII.—Violence.																		
155. Suicide by Poison	5	2	7				5	2	7	1		1	1	5	6	6		6
156. Suicide by Asphyxia																		
157. Suicide by Hanging or Strangulation				1		1	1		1							1		1
158. Suicide by Drowning	10		10				10		10	1	1	2				1		1
159. Suicide by Firearms	6		6	1		1	7		7				2	1	3	3		3
160. Suicide by Cutting Instruments	2	1	3				2	1	3				1		1			
161. Suicide by Precipitation from a Height													1		1			
162. Suicide by Crushing	2		2				2		2									
163. Other Suicides																		
164. Poison by Food		1	1					1	1									
165. Ven. Creatures and other acute Poisons										1		1	1		1			
166. Incendiarism																		
167. Burns	6	6	12				6	6	12	3	2	5	1	1	2		1	1
168. Noxious Gases																		
169. Drowning	17	2	19	3		3	20	2	22	9	1	10	6	4	10	16	1	17
170. Firearms										1	1	2	3		3	1		1
171. Cuts and Stabs																		
172. Falls	13	2	15	3		3	16	2	18	4	1	5	4		4	3		3
173. Mines and Quarries	1		1				1		1			4	4		4	2		2
174. Machinery										1		1						
175. Vehicles	11	1	12				11	1	12	3	2	5	3	1	4	2		2
175a. Railways and Tramways	12		12				12		12	2	1	3	2		2	4		4
176. Animals	3		3				3		3			4	8		8	3	2	5
177. Starvation										1		1				2		2
178. Cold																		
179. Sunstroke	2	2	4				2	2	4	1		1	3		3		1	1
180. Lightning																		
181. Other Electric																		
181a. Timber Felling and Logging										3		3	5		5	1		1
182. Murder by Firearms																	1	1
183. Murder by Cuts																	1	1
184. Murder, Other	1		1				1		1									
185. Fractures, etc.	1		1				1		1									
186. Other Violence	4	1	5				4	1	5	1	1	2	1		1			
TOTAL CLASS XIII.	96	18	114	8		8	104	18	122	40	10	50	46	12	58	45	7	52
CLASS XIV.—Ill-defined Diseases																		
187. Organic Lesion (not Defined)																		
188. Sudden Death																		
189. Unspecified or Ill-defined Causes of Death					1	1		1	1							1		1
TOTAL CLASS XIV.					1	1		1	1							1		1
TOTAL DEATHS OF MALES, FEMALES, AND PERSONS FROM ALL CAUSES	902	690	1,592	262	74	336	1,164	764	1,928	317	244	561	319	210	529	279	175	454

TABLE No. XIX.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1910.

CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.		
																							Males.	Females.	Persons.
CLASS I.—General Diseases.																									
1. Typhoid Fever	1	2	1	1	1	2	8	10	18
2. Typhus	
3. Recurrent Fever	
4. Intermittent Fever	
4a. Malarial Cachexia	
5. Small-pox	
6. Measles	1	1	1	1	1	5	5	4	9
7. Scarlet Fever	1	1	...	1
8. Whooping Cough	16	3	2	1	2	24	...	1	25	23	48
9. Diphtheria	...	1	1	1	...	3	1	1	5	6	11
9a. Croup
10. Influenza	1	1	2	1	1	1	1	2	4	...	12	3	15
11. Miliary Fever
12. Asiatic Cholera
13. Cholera Nostras
14. Dysentery	2	2	5	7
14a. Epidemic Dysentery
15. Plague
16. Yellow Fever
17. Leprosy
18. Erysipelas	1	1	1	2	...	2
19. Other Epidemic Diseases
19a. Dengue	...	1	1	1	1	3	2	5
20. Purulent Infection and Septicæmia	1	1	1	3	2	5
21. Glanders and Farcy
22. Malignant Pustule and "Charbon"
23. Rabies
24. Tetanus	1	1	1	2	1	...	1	7	2	9
25. Trichinosis, etc.
26. Pellagra
27. Beri Beri
28. Tuberculosis of the Lungs	1	1	1	6	6	15	7	8	6	5	3	4	2	64	37	101
29. Tuberculosis, Acute Miliary	1	1	...	1
30. Tuberculosis of the Meninges	1	1	4	5
31. Tuberculosis, Abdominal, etc.	1	1	4	5
32. Pott's Disease
33. White Swellings
34. Tuberculosis of other Organs	1	1	1	2	2	4
35. General Tuberculosis
36. Rachitis	...	1	1	1	...	1
37. Syphilis	5	1	1	7	2	9	5	14
38. Gonococccic Dis.
39. Cancer, etc., of the Mouth	1	2	1	3	3	7	1	4	...	2	...	24	...	24
40. Cancer, etc., of the Stomach and Liver	1	1	3	5	8	4	6	4	2	...	34	14	48
41. Cancer, etc., Peritonæum, Intestines, etc.	1	2	...	3	...	2	...	1	...	1	...	10	10	20
42. Cancer, etc., of the Female Genital Organs	12	12
43. Cancer, etc., of the Breast	10	10
44. Cancer, etc., of the Skin	1	...	1	1	...	1	...	4	...	4
45. Cancer, etc., of other Organs	1	1	1	...	1	...	1	1	...	1	2	4	2	...	14	7	21
46. Other Tumours (excl. F. Genital Organs)	1	1	2	3
47. Acute Articular Rheumatism	1	1	...	2	2	1	3
48. Chronic Rheumatism and Gout	3	3
49. Scurvy	...	1	1	1	...	1
50. Diabetes	1	1	2	1	4	4	8
51. Exophthalmic Goitre	3	3
52. Addison's Disease	1	1	2	...	2
53. Leucæmia	1	...	1	2	3	2	5
54. Anæmia, Chlorosis	1	...	1	2	1	1	4	5	9
54a. Filaria
55. Other General Diseases	3	3
56. Acute and Chronic Alcoholism	1	1	1	1	3	1	4
57. Lead Poisoning	1	1	2	...	2
58. Other Chr. Poisonings due to Occupations
59. Other Chronic Poisonings
TOTAL CLASS I.	26	10	10	5	3	54	5	5	8	10	8	20	14	14	23	17	23	15	20	12	12	...	260	186	446
CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense.																									
60. Encephalitis
61. Simple Meningitis	...	1	1	2	...	1	1	...	1	5	10	15
61a. Epidemic Cerebro-spinal Meningitis												

TABLE No. XIX,—continued.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1910—continued.

CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.			
																							Males.	Females.	Persons.	
CLASS III.—Diseases of the Circulatory System.																										
77. Pericarditis																	1							1	1	2
78. Acute Endocarditis								1								1		7						7	5	12
79. Organic Diseases of the Heart					1	1	1	1	3	1	3	2	4	1	1	1	6	1	9	11	14	15		82	63	145
80. Angina Pectoris																										
81. Dis. of Arteries, Atheroma, Aneurism, etc.											1	1		2		3	2	1	7					25	9	34
82. Embolism and Thrombosis																			1	3				4	4	8
83. Dis. of Veins (Varices, Varicose Ulcers, etc.)													1											1		1
84. Diseases of the Lymphatic System																										
85. Hemorrhage																										
TOTAL CLASS III.					1	1	1	2	3	1	5	3	5	7	1	11	9	11	20	18	22		120	82	202	
CLASS IV.—Diseases of the Respiratory System.																										
86. Diseases of the Nasal Fosse																										
87. Diseases of the Larynx			1			1										1								2	2	4
88. Diseases of the Thyroid Body																										
89. Acute Bronchitis		2	1	3		6																		6	4	10
90. Chronic Bronchitis																1	2	1		1	7			13	13	26
91. Broncho-pneumonia		3	1			4																		4	9	13
92. Pneumonia		1	1			3	3			1			1	1	2		1	1	2		3			18	14	32
93. Pleurisy		1				1				1				1		1								4	2	6
94. Congestion of Lungs and Pul. Apoplexy		1				1											1		1					3	6	9
95. Gangrene of the Lungs																										
96. Asthma															2		1	1	1	1	2			8	2	10
97. Pulmonary Emphysema																		1						1		1
98. Other Diseases of the Respiratory System																								1		1
TOTAL CLASS IV.	8	3	4		1	16	3			2			2	1	5	4	4	3	5	2	12		59	52	111	
CLASS V.—Diseases of the Digestive System.																										
99. Dis. of Mouth and associated organs										1														1	1	2
100. Diseases of the Pharynx																									1	1
101. Diseases of the Esophagus																										
102. Ulcer of the Stomach												1				1								2	2	4
103. Other Dis. of Stomach (Cancer excluded)		2	1			4							1			1					1			7	5	12
104. Diarrhœa and Enteritis (under two years)	51	11				62																		62	64	126
105. Diarrhœa and Enteritis (over two years)			2	1		3	1													1	2			7	9	16
106. Ankylostomiasis																										
107. Intestinal Parasites																										
107a. Sprue																										
108. Appendicitis							2			1		1				1			1					6	5	11
109. Hernia, Intestinal Obstruction		2			1	3							1		1	1			1	2				9	3	12
110. Other Diseases of the Intestines		1				1									1				1					3		3
111. Icterus Gravis																										
112. Hydatid Tumours of the Liver																										
113. Cirrhosis of the Liver													1		1	2	1		2		1			8	11	19
114. Biliary Calculi																			2	1				3	1	4
115. Other Diseases of the Liver		1				1									2			1						4	4	8
116. Diseases of the Spleen																										
117. Simple Peritonitis (non-puerperal)									2							2								4	3	7
118. Other Diseases of the Digestive System																								1		1
TOTAL CLASS V.	57	12	2	1	2	74	3		2	2		2	3		5	8	1	1	6	5	4		116	110	226	
CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.																										
119. Acute Nephritis							2			1		1				2	1				1			8	7	15
120. Bright's Disease									3	5	3	4	3	1	6	4	4	5	4	5	5			52	29	81
121. Chyluria																										
122. Other Dis. of Kidneys and Adnexa																			1		1			2	3	5
123. Calculi of Urinary System													1			1								1	1	2
124. Diseases of the Bladder											1					1	1	3		1	1			8	2	10
125. Other Dis. of Urethra, Urin. Abscess, etc.																1			1	1			3		3	3
126. Diseases of the Prostate																		1	5	3	5			14		14
127. Non-venereal Dis. of Male Genital Organs																		1						1		1
128. Uterine Hemorrhage (non-puerperal)																										
129. Uterine Tumour (non-cancerous)																										
130. Metritis and other Diseases of the Uterus																									1	1
131. Cysts and Other Ovarian Tumours																										
132. Other Dis. of Female Genital Organs																									2	2
133. Non-puer. Dis. of Breast (Cancer excepted)																										
TOTAL CLASS VI.							2		3	6	4	5	4	1	6	8	6	10	11	9	14		89	45	134	
CLASS VII.—Puerperal Condition.																										
134. Accidents of Pregnancy																									4	4
135. Puerperal Hemorrhage																									3	3
136. Other Accidents of Childbirth																										
137. Puerperal Septicæmia																									12	12
138. Puerperal Album-nuria and Eclampsia																									10	10
139. Puerperal Phlegmasia Alba Dolens																										
140. Other Puerperal Accidents, Sudden Death																									1	1
141. Puerperal Diseases of the Breast																										
TOTAL CLASS VII.																									30	30

TABLE No. XIX.—continued.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1910—continued.

CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.			
																							Males.	Females.	Persons.	
CLASS VIII.—Diseases of the Skin and of the Cellular Tissue.																										
142. Gangrene	2	2
143. Carbuncle
144. Phlegmon, Acute Abscess	1	1	1	1	...
145. Other Diseases of the Skin and Adnexa...	2	1	3
TOTAL CLASS VIII.	1	1	...	2	3	4	7
CLASS IX.—Diseases of the Organs of Locomotion.																										
146. Non-tuberculous Diseases of the Bones...	1	1	...	2	...	2
147. Arthritis and other Dis. of Joints
148. Amputation
149. Other Dis. of Organs of Locomotion
TOTAL CLASS IX.	1	1	...	2	...	2
CLASS X.—Malformations.																										
150. Congenital Malfor. (excl. of Still-born)	9	9	9	11	20
TOTAL CLASS X.	9	9	9	11	20
CLASS XI.—Infancy.																										
151. Congenital Debility, Icterus, and Scleroma	40	40	40	54	94
152. Other Dis. Pec. to Infancy (un. 3 mths.)	10	10	10	1	11
153. Want of Care (Infants)
TOTAL CLASS XI.	50	50	50	55	105
CLASS XII.—Old Age.																										
154. Senile Debility	1	1	1	4	21	28	34	62
TOTAL CLASS XII.	1	1	1	4	21	28	34	62
CLASS XIII.—Violence.																										
155. Suicide by Poison	1	1	...	2	1	5	2	7
156. Suicide by Asphyxia
157. Suicide by Hanging or Strangulation
158. Suicide by Drowning	1	...	3	1	1	1	2	...	1	10	...	10
159. Suicide by Firearms	1	...	1	1	1	1	6	...	6
160. Suicide by Cutting Instruments	1	1	1	1	2	1	3
161. Suicide by Precipitation from a Height	1
162. Suicide by Crushing	1	1	2	...	2
163. Other Suicides
164. Poison by Food	1	1
165. Ven. Creatures and other acute Poisons
166. Incendiarism
167. Burns	1	...	1	...	2	1	6	6	12
168. Noxious Gases
169. Drowning	1	...	3	1	3	3	2	...	1	...	2	...	1	17	2	19
170. Firearms
171. Cuts and Stabs
172. Falls	1	2	...	1	...	2	1	...	3	1	1	13	2	15
173. Mines and Quarries	1	...	1
174. Machinery	1
175. Vehicles	1	...	3	1	2	1	11	1	12
175a. Railways and Tramways	1	...	1	2	1	4	...	1	1	...	1	12	...	12
176. Animals	1	1	1	3	3
177. Starvation
178. Cold
179. Sunstroke
180. Lightning	2	2	2	4
181. Others, Electric
181a. Timber Felling, Logging, etc.
182. Murder by Firearms
183. Murder by Cuts											

TABLE No. XX.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in the Metropolitan Area (10-mile radius) during the Year 1910.

CLASSES AND DISEASES.																							TOTALS.			
	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Females.	Males.	Persons.	
CLASS I.—General Diseases.																										
1. Typhoid Fever ...									1		1	2	2	1	1	1	1						10	8	18	
2. Typhus ...																										
3. Recurrent Fever ...																										
4. Intermittent Fever ...																										
4a. Malarial Cachexia ...																										
5. Small-pox ...																										
6. Measles ...	1					1	1	1						1									4	5	9	
7. Scarlet Fever ...																								1	1	
8. Whooping Cough ...	8	10	1	3		22	1																23	25	48	
9. Diphtheria ...		3	1		1	5						1											6	5	11	
9a. Croup ...																										
10. Influenza ...																	1				2		3	12	15	
11. Miliary Fever ...																										
12. Asiatic Cholera ...																										
13. Cholera Nostras ...																										
14. Dysentery ...		2				2												1			2		5	2	7	
14a. Epidemic Dysentery ...																										
15. Plague ...																										
16. Yellow Fever ...																										
17. Leprosy ...																										
18. Erysipelas ...																								2	2	
19. Other Epidemic Diseases ...																										
19a. Dengue ...																							2	3	5	
20. Purulent Infection and Septicæmia ...									1								1						2	3	5	
21. Glanders and Farcy ...																										
22. Malignant Pustule and "Charbon" ...																										
23. Rabies ...																										
24. Tetanus ...																1			1				2	7	9	
25. Trichinosis, etc. ...																										
26. Pellagra ...																										
27. Beri Beri ...																										
28. Tuberculosis of the Lungs ...	1					1			2	4	6	5	7	3	3	1	2	2	1				37	64	101	
29. Tuberculosis, Acute Miliary ...																								1	1	
30. Tuberculosis of the Meninges ...	1	1	1			3						1											4	1	5	
31. Tuberculosis, Abdominal, etc. ...		2				2				1	1												4	1	5	
32. Pott's Disease ...																										
33. White Swellings ...																										
34. Tuberculosis of other Organs ...																2							2	2	4	
35. General Tuberculosis ...																										
36. Rachitis ...																								1	1	
37. Syphilis ...	5					5																	5	9	14	
38. Gonococccic Dis. ...																										
39. Cancer, etc., of the Mouth ...																								24	24	
40. Cancer, etc., of the Stomach and Liver ...																3	1	2	3	4			14	34	48	
41. Cancer, etc., Peritoneum, Intestines, etc. ...						1								3	1	2		1	1	1			10	10	20	
42. Cancer, etc., of the Female Genital Organs ...									1	1	1	2	2	1	1	1	1	2					12		12	
43. Cancer, etc., of the Breast ...												1		1			3	2			2		10		10	
44. Cancer, etc., of the Skin ...																								4	4	
45. Cancer, etc., of other Organs ...									1		1		1	1		1			1		1		7	14	21	
46. Other Tumours (excl. F. Genital Organs) ...																			1	1			2	1	3	
47. Acute Articular Rheumatism ...									1									1					1	2	3	
48. Chronic Rheumatism and Gout ...																					2		3		3	
49. Scurvy ...																								1	1	
50. Diabetes ...																		1		1		1		4	4	
51. Exophthalmic Goltre ...										2						1							3		3	
52. Addison's Disease ...																								2	2	
53. Leucæmia ...																	1							2	3	
54. Anæmia, Chlorosis ...									1					1		1	1	1					5	4	9	
54a. Filaria ...																										
55. Other General Diseases ...	1	1			1	3														1			3		3	
56. Acute and Chronic Alcoholism ...																							1	3	4	
57. Lead Poisoning ...																								2	2	
58. Other Chr. Poisonings due to Occupations ...																										
59. Other Chronic Poisonings ...																										
TOTAL CLASS I. ...	17	19	3	3	2	44	3	3	5	8	11	10	13	13	12	11	13	11	12	6	11		186	260	446	
CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense.																										
60. Encephalitis ...																										
61. Simple Meningitis ...	3	1	1			5				1	1	1		1		1							10	5	15	
61a. Epidemic Cerebro-spinal Meningitis ...																										
62. Progressive Locomotor Ataxia ...																			1	1			5		5	
63. Other Diseases of the Spinal Cord ...																							3	1	4	
64. Hemorrhage of Brain, Apoplexy ...	1	3		1		5				1			1		1		3	4	2	10			28	41	69	
65. Softening of the Brain ...																				1			1	2	3	
66. Paralysis without indicated cause ...														1							2		3	3	6	
67. General Paralysis ...																										
68. Other Forms of Mental Alienation ...																							1	1	2	
69. Epilepsy ...										1	1		1										3		3	
70. Eclampsia (non-puerperal) ...																								1	1	
71. Convulsions of Children under five ...	3	1	2			6				1													6	6	12	
72. Chorea ...																							1		1	
73. Hysteria, Neuralgia and Neuritis ...																										

TABLE No. XX.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1910.

CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and up years.	Unspecified.	TOTALS.		
																							Females.	Males.	Persons.
CLASS VIII.—Diseases of the Skin and of the Cellular Tissue.																									
142. Gangrene	1	...	1	...	2	...	2
143. Carbuncle	1
144. Phlegmon, Acute Abscess	1	1	1	2
145. Other Diseases of the Skin and Adnexa	1	...	2	3
TOTAL CLASS VIII.	1	1	...	2	...	4	3	7
CLASS IX.—Diseases of the Organs of Locomotion.																									
146. Non-tuberculous Diseases of the Bones	2	2
147. Arthritis and other Dis. of Joints
148. Amputation
149. Other Dis. of Organs of Locomotion
TOTAL CLASS IX.	2	2
CLASS X.—Malformations.																									
150. Congenital Malfor. (excl. of Still-born)	9	2	11	11	9	20
TOTAL CLASS X.	9	2	11	11	9	20
CLASS XI.—Infancy.																									
151. Congenital Debility, Icterus, and Scleroma	54	54	54	40	94
152. Other Dis. Pec. to Infancy (un. 3 mths.)	1	1	1	10	11
153. Want of Care (Infants)
TOTAL CLASS XI.	55	55	55	50	105
CLASS XII.—Old Age.																									
154. Senile Debility	2	6	3	23	...	34	28	62
TOTAL CLASS XII.	2	6	3	23	...	34	28	62
CLASS XIII.—Violence.																									
155. Suicide by Poison	1	1	2	5	7
156. Suicide by Asphyxia
157. Suicide by Hanging or Strangulation
158. Suicide by Drowning	10	6	16
159. Suicide by Firearms	6	6	12
160. Suicide by Cutting Instruments	1	1	2	3
161. Suicide by Precipitation from a Height
162. Suicide by Crushing	2	...	2
163. Other Suicides
164. Poison by Food	1	1	...	1
165. Ven. Creatures and other acute Poisons
166. Incendiarism
167. Burns	1	...	1	2	2	6	6	12
168. Noxious Gases
169. Drowning	1	1	1							

TABLE No. XXI.—continued.

CAUSES of DEATHS of PERSONS, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1910—continued.

CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.				
																							Persons.	Males.	Females.		
CLASS I.—General Diseases.																											
1. Typhoid Fever								1	3	1	2	3	2	1	1	1	3						18	8	10		
2. Typhus																											
3. Recurrent Fever																											
4. Intermittent Fever																											
4a. Malarial Cachexia																											
5. Small-pox																											
6. Measles	2	1	1	1	1	6	1	1						1									9	5	4		
7. Scarlet Fever																											
8. Whooping Cough	24	13	3	4	2	46	1	1															48	25	23		
9. Diphtheria		4	2	1	1	8	1					2											11	5	6		
9a. Croup																											
10. Influenza	1	1				2						1					2	1	1	2	6		15	12	3		
11. Miliary Fever																											
12. Asiatic Cholera																											
13. Cholera Nostras																											
14. Dysentery		2				2												1	2		2		7	2	5		
14a. Epidemic Dysentery																											
15. Plague																											
16. Yellow Fever																											
17. Leprosy																											
18. Erysipelas	1					1								1									2	2			
19. Other Epidemic Diseases																											
19a. Dengue		1				1							1	1					1	1			6	3	2		
20. Purulent Infection and Septicæmia									1	1			1				1	1					5	3	2		
21. Glanders and Farcy																											
22. Malignant Pustule and "Charbon"																											
23. Rabies																											
24. Tetanus								1	1	1					3			2		1			9	7	2		
25. Trichinosis, etc.																											
26. Pellagra																											
27. Beri Beri																											
28. Tuberculosis of the Lungs	1		1			2			3	10	12	20	14	11	9	6	5	6	3				101	64	37		
29. Tuberculosis, Acute Miliary								1															1	1			
30. Tuberculosis of the Meninges	1	1	1			3	1																5	1	4		
31. Tuberculosis, Abdominal, etc.		2				2				1	1				1								5	1	4		
32. Pott's Disease																											
33. White Swellings																											
34. Tuberculosis of other Organs	1					1			1							2							4	2	2		
35. General Tuberculosis																											
36. Rachitis		1				1																	1	1			
37. Syphilis	10	1	1			12								2									14	9	5		
38. Gonococccic Dis.																											
39. Cancer, etc., of the Mouth												1	2	1	3	3	7	1	4		2		24	24			
40. Cancer, etc., of the Stomach and Liver									1					1	6	6	9	6	9	8	2		48	34	14		
41. Cancer, etc., Peritonæum, Intestines, etc.						1						1	2	3	4	2	2	1	1	1	2		20	10	10		
42. Cancer, etc., of the Female Genital Organs											1	1	1	2	2	1	1	1	2				12		12		
43. Cancer, etc., of the Breast												1		1		1	3	2		2			10		10		
44. Cancer, etc., of the Skin																1		1		1			4	4			
45. Cancer, etc., of other Organs			1			1		2		2		2	1		2		1	3	4	3			21	14	7		
46. Other Tumours (excl. F. Genital Organs)														1				1	1				3	1	2		
47. Acute Articular Rheumatism			1	1		2		1											1				3	2	1		
48. Chronic Rheumatism and Gout																	1				2		3		3		
49. Scurvy		1				1																	1	1			
50. Diabetes			1			1		1							2		1		2		1		8	4	4		
51. Exophthalmic Goitre										2					1								3		3		
52. Addison's Disease									1						1								2				
53. Leucæmia				1		1	2							1			1						5	3	2		
54. Anæmia, Chlorosis	1		1			2			1	1			1			1		2	1				9	4	5		
54a. Filariæ																											
55. Other General Diseases	1	1			1	3																	3		3		
56. Acute and Chronic Alcoholism														1	1	1			1				4	3	1		
57. Lead Poisoning								1								1							2	2			
58. Other Chr. Poisonings due to Occupations																											
59. Other Chronic Poisonings																											
TOTAL CLASS I.	43	29	13	8	5	98	8	8	13	18	19	30	27	27	35	28	36	26	32	18	23		446	260	186		
CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense.																											
60. Encephalitis																											
61. Simple Meningitis	3	2	2			7		1	1	1	2	1		1		1							15	5	10		
61a. Epidemic Cerebro-spinal Meningitis																											
62. Progressive Locomotor Ataxia															2	2							5	5			
63. Other Diseases of the Spinal Cord																		1	2		1		4	1	3		
64. Hæmorrhage of Brain, Apoplexy	2	4		1		7	1		1	3		1	2	2	4	2	3	10	12	6	15		69	41	28		
65. Softening of the Brain																1							3	2	1		
66. Paralysis without indicated cause																				2			6	3	3		
67. General Paralysis														1						1	4						
68. Other Forms of Mental Alienation																											

TABLE No. XXI.—continued.

CAUSES of DEATHS of PERSONS, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1910—continued.

CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.			
																							Persons.	Males.	Females.	
CLASS III.—Diseases of the Circulatory System.																										
77. Pericarditis																	1	1					2	1	1	
78. Acute Endocarditis							1	1		2		1		1	1	2		1	1				12	7	5	
79. Organic Diseases of the Heart					1	1	1	1	5		1	5	4	5	8	4	8	8	14	22	27	31		145	82	63
80. Angina Pectoris																										
81. Dis. of Arteries, Atheroma, Aneurism, etc.											1	1		2		5	3	2	8	4	8		34	25		
82. Embolism and Thrombosis												1		1		1				2	3		8	4	4	
83. Dis. of Veins (Varices, Varicose Ulcers, etc.)													1										1	1		
84. Diseases of the Lymphatic System																										
85. Hæmorrhage																										
TOTAL CLASS III.					1	1	2	2	5	3	7	7	6	12	5	16	12	18	33	34	39		202	120	82	
CLASS IV.—Diseases of the Respiratory System.																										
86. Diseases of the Nasal Fossæ																										
87. Diseases of the Larynx			2	1		3											1						4	2	2	
88. Diseases of the Thyroid Body																										
89. Acute Bronchitis		3	2	3	1	9								1									10	6	4	
90. Chronic Bronchitis															1	2	1		2	2	18		26	13	13	
91. Broncho-pneumonia		6	1	1		8	2	1	1											1			13	4	9	
92. Pneumonia		3	1			2	6	3	2		3			2	4	3		1	1	2		5	32	18	14	
93. Pleurisy		1				1					1			1			3						6	4	2	
94. Congestion of Lungs and Pul. Apoplexy		2				2	1	1				1	1					1	1	1			9	3	6	
95. Gangrene of the Lungs																										
96. Asthma						1	1									2		1	1	2	1	2	10	8	2	
97. Pulmonary Emphysema																										
98. Other Diseases of the Respiratory System																			1				1	1		
TOTAL CLASS IV.	15	4	6	2	3	30	6	3	1	5		1	4	5	6	6	4	4	7	4	25		111	59	52	
CLASS V.—Diseases of the Digestive System.																										
99. Dis. of Mouth and associated organs										1									1				2	1	1	
100. Diseases of the Pharynx																			1				1			
101. Diseases of the Esophagus																										
102. Ulcer of the Stomach													1		1	1							4	2	2	
103. Other Dis. of Stomach (Cancer excluded)		5	1			1	7	1					1					1			1		12	7	5	
104. Diarrhœa and Enteritis (under two years)	108	18				126																	126	62	64	
105. Diarrhœa and Enteritis (over two years)			2	1		3	1					1								2	4	5	16	7	9	
106. Ankylostomiasis																										
107. Intestinal Parasites																										
107a. Sprue									2	1		1				2	1		1				11	6	5	
108. Appendicitis							3						1	1									12	9	3	
109. Hernia, Intestinal Obstruction		2				1	3					1	1	1		1	1			2	2					
110. Other Diseases of the Intestines		1				1									1					1			3	3		
111. Icterus Gravis																										
112. Hydatid Tumours of the Liver																										
113. Cirrhosis of the Liver												1		2	2	2	2	3	4		1		19	8	11	
114. Biliary Calculi																1			2	1			4	3	1	
115. Other Diseases of the Liver		1				1										2	1	1	1	1			8	4	4	
116. Diseases of the Spleen																										
117. Simple Peritonitis (non-puerperal)								1	2							2			1	1			7	4	3	
118. Other Diseases of the Digestive System		1				1																	1		1	
TOTAL CLASS V.	118	19	2	1	2	142	5	1	4	3	3	3	4	2	8	10	4	8	12	9	8		226	116	110	
CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.																										
119. Acute Nephritis							2		3	4		1				2	1						15	8	7	
120. Bright's Disease								1	6	10	9						5	6					81	52	29	
121. Chyluria																										
122. Other Dis. of Kidneys and Adnexa									1					1					1				5		3	
123. Calculi of Urinary System														1									2	1	1	
124. Diseases of the Bladder											1					1	1	3	1	1	2		10	8	2	
125. Other Dis. Urethra, Urin. Abscess, etc.																	1		1	1			3	3		
126. Diseases of the Prostate																		1	5	3	5		14	14		
127. Non-venereal Dis. of Male Genital Organs																							1	1		
128. Uterine Hæmorrhage (non-puerperal)																										
129. Uterine Tumour (non-cancerous)																										
130. Metritis and other Diseases of the Uterus												1											1		1	
131. Cysts and other Ovarian Tumours																										
132. Other Dis. of Female Genital Organs										1					1								2		2	
133. Non-puer. Dis. of Breast (Cancer excepted)																										
TOTAL CLASS VI.		1				1	2	1	10	15	10	11	5	3	11	9	7	12	12	10	15		134	89	45	
CLASS VII.—Puerperal Condition.																										
134. Accidents of Pregnancy									1	1				1	1								4		4	
135. Puerperal Hæmorrhage											1		1		1								3		3	
136. Other Accidents of Childbirth																										
137. Puerperal Septicæmia									1	1	5		3	2									12		12	
138. Puerperal Albuminuria and Eclampsia									3	5	2												10		10	
139. Puerperal Phlegmasia Alba Dolens										1																
140. Other Puerperal Accidents, Sudden Death																							1		1	
141. Puerperal Diseases of the Breast																										
TOTAL CLASS VII.									5	8	8	1	4	4									30			

TABLE No. XXI.—continued.

CAUSES of DEATHS of PERSONS, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1910—continued.

[illegible]

TABLE No. XXII.

CAUSES of DEATHS of MALES and FEMALES Registered in the Metropolitan Area (Brisbane 10-mile radius) during each Month of the Year 1910.

CLASSES AND DISEASES.	JANUARY.		FEBRUARY.		MARCH.		APRIL.		MAY.		JUNE.		JULY.		AUGUST.		SEPTEMBER.		OCTOBER.		NOVEMBER.		DECEMBER.		TOTALS.		
																									Males.	Females.	Persons.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					
CLASS I.—General Diseases.																											
1. Typhoid Fever...	2	1		1			1						2				1				3	3	4		8	10	18
2. Typhus ...																											
3. Recurrent Fever ...																											
4. Intermittent Fever ...																											
4a. Malarial Cachexia ...																											
5. Small-pox ...																											
6. Measles ...																		5	2		1		1		5	4	9
7. Scarlet Fever ...																				1				1		1	
8. Whooping Cough ...		4	3	5	4	3	2	3	3	3	2	1	3	2	1	1	2	1	2		3			25	23	48	
9. Diphtheria ...		1	1			1	1			1		1			1	1	1				2			5	6	11	
9a. Croup ...																											
10. Influenza ...	1	1				1	1		1		3		1		4		1	1						12	3	15	
11. Miliary Fever ...																											
12. Asiatic Cholera ...																											
13. Cholera Nostras ...																											
14. Dysentery ...	1	1		1			1										1		1				1	2	5	7	
14a. Epidemic Dysentery ...																											
15. Plague ...																											
16. Yellow Fever ...																											
17. Leprosy ...																											
18. Erysipelas ...							1								1									2			2
19. Other Epidemic Diseases ...																											
19a. Dengue ...						1		2	1								1							3	2		5
20. Purulent Infection and Septicæmia ...			1			1								1	1						1			3	2		5
21. Glanders and Farcy ...																											
22. Malignant Pustule and "Charbon" ...																											
23. Rabies ...																											
24. Tetanus ...						1		2		2		1		1	1								1	7	2		9
25. Trichinosis, etc. ...																											
26. Pellagra ...																											
27. Beri Beri ...																											
28. Tuberculosis of the Lungs ...	4	2	7	3	5	4	5	1	4	4	3	4	1	1	5	3	6	1	11	4	13	3		7	64	37	101
29. Tuberculosis, Acute Miliary ...																								1		1	5
30. Tuberculosis of the Meninges ...									1	1					2					1				1		4	
31. Tuberculosis, Abdominal, etc. ...			1	1	1													1					1	1		4	5
32. Pott's Disease ...																											
33. White Swellings ...																											
34. Tuberculosis of other Organs ...							1		1					1		1									2		4
35. General Tuberculosis ...																											
36. Rachitis ...																								1			1
37. Syphilis ...			2	1						1				2		2		1	3	1		1			9	5	14
38. Gonococccic Dis. ...																											
39. Cancer, etc., of the Mouth ...					1		2		1		3		2			1		7		1		2		4		24	24
40. Cancer, etc., of the Stomach and Liver ...	5		6			3	2	1	1	1	1	3	1	2	1	4	2	3	4	2	2	3		1		34	14
41. Cancer, etc., Peritonæum, Intestines, etc. ...				1	1	1	1		1			2	2	1			1	1	2		1	3	2		10	10	20
42. Cancer, etc., of the Female Genital Organs ...											1		2				2		2							12	12
43. Cancer, etc., of the Breast ...			2		1				1						1				2		1			1		10	10
44. Cancer, etc., of the Skin ...							2													1					4		4
45. Cancer, etc., of other Organs ...	1			2		1		1			1	1	1	1	2	1	1		1	1	2	1	3		14	7	21
46. Other Tumours (excl. F. Genital Organs) ...												1		1			1								1	2	3
47. Acute Articular Rheumatism ...			1						1				1		1										2		1
48. Chronic Rheumatism and Gout ...							1						1		1											3	3
49. Scurvy ...																1									1		1
50. Diabetes ...				1		1			1				1	1		1			1		1				4	4	8
51. Exophthalmic Goitre ...													2														
52. Addison's Disease ...							1				1														2		2
53. Leucæmia ...								1	1								1	1				1			3		5
54. Anæmia, Chlorosis ...											3	2					1	1		1					4	5	9
54a. Filaria ...																											
55. Other General Diseases ...								1					1								1						3
56. Acute and Chronic Alcoholism ...					1								1		1					1	1						2
57. Lead Poisoning ...						1						1													2		
58. Other Chr. Poisonings due to Occupations ...																											
59. Other Chronic Poisonings ...																											
TOTAL CLASS I. ...	14	17	24	15	24	14	19	12	20	15	20	18	17	13	24	12	27	22	25	16	33	13	13	19	260	186	446
CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense.																											
60. Encephalitis ...																											
61. Simple Meningitis ...			1		3		1							1	2			2		1	1		1	2	5	10	15
61a. Epidemic Cerebro-spinal Meningitis ...																											
62. Progressive Locomotor Ataxia ...							1		1				1					1				1			5		5
63. Other Diseases of the Spinal Cord ...							1		1																1		4
64. Hemorrhage of Brain, Apoplexy ...	6	2	1	2	1	8	3	2	2		1	1	5	1	7	2	4	2	6	1	1	5	4	2	41	28	69
65. Softening of the Brain ...			1						1																2	1	3
66. Paralysis without indicated cause ...			1																								

CAUSES of DEATHS of MALES and FEMALES Registered in the Metropolitan Area (Brisbane 10-mile radius) during each Month of the Year 1910—continued.

CLASSES AND DISEASES.	JANUARY.		FEBRUARY.		MARCH.		APRIL.		MAY.		JUNE.		JULY.		AUGUST.		SEPTEMBER.		OCTOBER.		NOVEMBER.		DECEMBER.		TOTALS.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Males.	Females.	Persons.	
CLASS III.—Diseases of the Circulatory System.																												
77. Pericarditis														1						1						1	1	2
78. Acute Endocarditis		1			1		2		1	1	1			1	2	1						1				7	5	12
79. Organic Diseases of the Heart	6	7	4	4	4	4	4	3	2	3	9	6	9	7	5	9	6	4	16	9	7	2	10	5		82	63	145
80. Angina Pectoris																												
81. Dis. of Arteries, Atheroma, Aneurism, etc.	1	1	4	1	4				3		1		2		4	1	3	3		2	2		1	1		25	9	34
82. Embolism and Thrombosis				1		1			1	1		1			1											4	4	8
83. Dis. of Veins (Varices, Varicose Ulcers, etc.)			1																							1		1
84. Diseases of the Lymphatic System																												
85. Hæmorrhage																												
TOTAL CLASS III.	7	9	9	6	9	5	6	3	7	5	11	7	11	9	12	11	9	7	17	11	11	3	11	6	120	82	202	
CLASS IV.—Diseases of the Respiratory System.																												
86. Diseases of the Nasal Fossæ																												
87. Diseases of the Larynx											2	1								1						2	2	4
88. Diseases of the Thyroid Body																												
89. Acute Bronchitis	1		1		1	1					2	1			2	1	1					1				6	4	10
90. Chronic Bronchitis	1		1	1			2	1			2	1		4	4	2		1	1	1	1	2		1	13	13	26	
91. Broncho-pneumonia				1			2	2		2	2						1	1		1		1	1	1	1	4	9	13
92. Pneumonia	3	2	1			1	2	2	2		1	2	5		2	1		2		1	3	1	1	1	18	14	32	
93. Pleurisy					1		1															1	1		4	2	6	
94. Congestion of Lungs and Pul. Apoplexy		1								1		2			1	2						2			3	6	9	
95. Gangrene of the Lungs																												
96. Asthma											1			3	1	2					1	1		1		8	2	10
97. Pulmonary Emphysema																												
98. Other Diseases of the Respiratory System													1													1		1
TOTAL CLASS IV.	5	3	3	2	1	2	6	5	4	5	5	6	14	5	9	4	3	5		4	3	8	6	3	59	52	111	
CLASS V.—Diseases of the Digestive System.																												
99. Dis. of Mouth and associated organs																	1						1		1	1	2	
100. Diseases of the Pharynx											1															1	1	2
101. Diseases of the Oesophagus												1																1
102. Ulcer of the Stomach				1								1			1							1			2	2	4	
103. Other Dis. of Stomach (Cancer excluded)	1				1		1						1		1			1		1	3	1	1		7	5	12	
104. Diarrhoea and Enteritis (under two years)	7	13	5	3	3	3		4	2	2	5	3	3	2	1	4	3	3	10	13	14	7	9	7	62	64	126	
105. Diarrhoea and Enteritis (over two years)		2	1			1	1		2				1		1			1	1	3		2			7	9	16	
106. Ankylostomiasis																												
107. Intestinal Parasites																												
107a. Sprue																												
108. Appendicitis	1												1	1		1	1	1	1	2			2		6	5	11	
109. Hernia, Intestinal Obstruction	1		2		1		1	1			1		1	1	1	1			1	1					9	3	12	
110. Other Diseases of the Intestines	1						1								1										3		3	
111. Icterus Gravis																												
112. Hydatid Tumours of the Liver																												
113. Cirrhosis of the Liver	2	1		1		2				1		1		1	1		1	2	1	1	1		2	1	8	11	19	
114. Biliary Calculi					1		1																	1	3	1	4	
115. Other Diseases of the Liver											1	1	1	1	1				1	1	1				4	4	8	
116. Diseases of the Spleen																												
117. Simple Peritonitis (non-puerperal)	1	1				2					1		2												4	3	7	
118. Other Diseases of the Digestive System																			1							1		1
TOTAL CLASS V.	13	18	9	5	6	8	5	5	4	4	9	5	9	8	6	5	6	8	15	23	19	11	15	10	116	110	226	
CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.																												
119. Acute Nephritis	1		1	1	1			1						1		3	3	1	1				1		8	7	15	
120. Bright's Disease	3	2	3		1	1	6	2	3	1	8	4	6	2	2		4	11	3	2	3				52	29	81	
121. Chyluria																												
122. Other Dis. of Kidneys and Adnexa																												
123. Calculi of Urinary System																									2	3	5	
124. Diseases of the Bladder																									1	1	2	
125. Other Dis. of Urethra, Urin. Abscess, etc.	1		1								1		2	2					1		1		1		8	2	10	
126. Diseases of the Prostate																									3	3	6	
127. Non-venereal Dis. of Male Genital Organs	4						3	2									1		1				3		14		14	
128. Uterine Hæmorrhage (non-puerperal)																			1						1		1	
129. Uterine Tumour (non-cancerous)																												
130. Metritis and other Diseases of the Uterus																												
131. Cysts and Other Ovarian Tumours																												
132. Other Dis. of Female Genital Organs						1																			1		2	
133. Non-puer. Dis. of Breast (Cancer excepted)																												
TOTAL CLASS VI.	9	2	5	1	2	2	9	4	6	2	9	4	8	5	2	8	16	4	8	3	5	5	10	5	89	45	134	
CLASS VII.—Puerperal Condition.																												
134. Accidents of Pregnancy		1		1		1		1																		4	4	8
135. Puerperal Hæmorrhage																										3	3	
136. Other Accidents of Childbirth																												
137. Puerperal Septicæmia						5		2				1														12	12	24
138. Puerperal Albuminuria and Eclampsia				1		1						2														10	10	20
139. Puerperal Phlegmasia Alba Dolens																												
140. Other Puerperal Accidents, Sudden Death														1												1	1	2
141. Puerperal Diseases of the Breast																												
TOTAL CLASS VII.		1		2		7		3				3		3				5		2		2		2		30	30	60

APPENDIX B.

RETURN showing the Registry Districts of Queensland, with the Names of the Persons holding the Office of District Registrar, on 31st December, 1910.

METROPOLITAN DISTRICT—BRISBANE.
THORNHILL WEEDON, REGISTRAR-GENERAL.

COUNTRY DISTRICTS.

Aramac	WALDRON JOSEPH COOPER WALKER	Gympie	CHARLES DAVID O'BRIEN.
Balonne	BURROWES.	Herberton	PERCY GORDON KNYVETT.
Blackall	JAMES WILLIAMS.	Hughenden	DANIEL HERBERT KENNEDY.
Bowen	ARCHIBALD BLAIR GIBSON (Acting).	Ipswich	JOHN SAVAGE MARTIN.
Bundaberg	GEORGE NEEDHAM WALKER.	Kennedy	ADOLPHUS ARNOLD STAINES.
Burke	ARTHUR EDGAR AITKIN.	Logan	THOMAS LEWIS.
Burnett	JAMES ALEXANDER MURPHY.	Mackay	THOMAS ARTHUR FERRY.
	FREDERICK JOHN WILLIAM	Maranoa	ALFRED BERNARD HANSEN.
	JOHNSON.	Marathon	CHARLES STOREY.
Caboolture	JOHN MENZIES BRYCE (Acting).	Maryborough	FREDERICK CHARLES HUNTER.
Cairns	THOMAS WILLIAM FARNELL.	Mount Morgan	WILLIAM CATHRO TAIT RUSSELL.
Cardwell	ROBERT BLAIN HETHERINGTON.	Oxley	JOHN MOFFATT.
Charleville	HENRY EDWARD COONEY.	Palmer	JOHN JAMES MAGEE.
Clermont	JAMES JOHN MORAN.	Rockhampton	RICHARD CURTIS.
Cloncurry	PATRICK JOSEPH ROGERS.	Somerset	STANLEY WILSON.
Cook	JOSEPH WILLIAM LEE.	Springsure	TIMOTHY CAHALANE.
Croydon	ALFRED PETER WELLINGTON	Stanley	THOS. CAMPBELL PRYDE.
	TREGEAR.	Stanthorpe	WILLIAM SIMPSON.
Cunnamulla	ALEXANDER DORSEY.	St. Lawrence	WILLIAM HUSTON.
Dalby	FREDERICK CHARLES MEREDITH	Tiaro	EDWARD ARTHUR FAGG.
	BURNE.	Toowong	JOHN NICHOLSON.
Darling Downs West	REGINALD SHUCKBURGH HURD.	Toowoomba	OSCAR EUGENE POWER.
Enoggera	JOHN NICHOLSON.	Townsville	ALFRED HERMAN BERG.
Etheridge	JOHN FRASER.	Warrego	GEORGE PERRY (Acting).
Fassifern	ANDREW WILLIAMSON.	Warwick	CHARLES HEBER SHORT.
Gladstone	JOHN DEMPSEY SULLIVAN.		

Price 2s.]

By Authority: ANTHONY JAMES CUMMING, Government Printer, William street, Brisbane.